

REPORT TO



SAN FRANCISCO DISTRICT CORPS OF ENGINEERS

ON DETERMINATION OF



AT



ALAMEDA COUNTY, CALIFORNIA NOVEMBER 1978 - APRIL 1979

DDC FILE COPY

METCALF & EDDY/ENGINEERS
BOSTON/NEW YORK / PALO ALTO/CHICAGO

SEPTEMBER 1979

This document from Lagar ecle, its

79 11 07

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

INVESTIGATES THE CONTAMINANT LOADING CARRIED FROM URBAN DEVELOPED AREAS BY STORM RUNOFF AND DEPOSITED IN THE BAY SYSTEM. 15 STORMS WITH 2 MAJOR STORMS (0.5 in. or more of rain) AND 2 Minor STORMS (0.2 in. or more of rain) WERE SAMPLED AT 15 MIN. INTERVALS FOR THE INITIAL PEAK AND 1 HOUR INTERVALS FOR THE REST OF THE STORM. SAMPLES WERE TESTED FOR COD, N, ORTHO P, Pb, Cr, Cu, Cd, Ni, Zn, ALKALINITY, MBAS, SS, USS, SPECIFIC CONDUCTANCE, pH, SETTLEABLE SOILDS, BOD, AND COLIFORMS.

DD FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT TO

SAN FRANCISCO DISTRICT CORPS OF ENGINEERS

ON DETERMINATION OF

URBAN RUNOFF WATER QUALITY

AT

CASTRO VALLEY CREEK

ALAMEDA COUNTY, CALIFORNIA NOVEMBER 1978 – APRIL 1979



Metcalf & Eddy, Inc.

Engineers & Planners

September 6, 1979

Department of the Army San Francisco District, Corps of Engineers 211 Main Street San Francisco, California 94105

Attention: LTC Raymond F. Jackson, Contracting Officer

Gentlemen:

Transmitted herewith in accordance with our Contract No. DACW07-78-C-0067 Dated 18 October 1978 is our Final Report on the Determination of Urban Runoff Water Quality at Castro Valley Creek, Alameda County, California, November 1978 - April 1979.

This report presents the results of the water quality sampling program for 15 storms during the fiscal year 1979. The data presented in this report supplement data collected previously at the site during fiscal years 1972 through 1976 by the U.S. Geological Survey and fiscal year 1977 by Alameda County under contract with the Corps of Engineers.

Information presented in the report includes a description of the study area, a description of the sampling program, and a summary of the results of the water quality analyses. Detailed information on each of the storm events is included in the appendix.

We sincerely appreciate the opportunity of working on this assignment.

Respectfully submitted.

John A. Lager, PE ice President

JAL:WGS:mgs

Registered Civil Engineer California License 16359

CONTENTS

	Page
INTRODUCTION	1
Purpose	1
Format	1
Acknowledgements	2
STUDY AREASAMPLING PROGRAM	6
Storm Definition	6
Quality ParametersEquipment	6
	6
SUMMARY OF RESULTS	11
RainfallStorm Characteristics	11
Quality	13
Limitations on Data	19
APPENDIX A - Storm Event Reports	A-1

NTIS DDC T	GRA&I
	ounced H
Justi	fication
	-
Ву	
istr	ibution/
Avei	lability Codes
	Availand/or
ist	special
1	
IX	

TABLES

No.		Page
1 2 3 4 5 6 7	Water Quality Parameters Analyzed. Rain Gage Location and Characteristics. Monthly Rainfall. Comparison of Days Sampled with Days with Rainfall. Summary of Storm Event Characteristics. Rainfall Frequency Distribution for Storms Sampled. Summary of Constituent Concentrations and Annual Mass Loads. Summary of Composite Sample Mass Loadings.	7 8 11 11 14 15
	FIGURES	
1 2 3 4 5 6 7 8	Castro Valley Creek Watershed. Aerial View of Castro Valley Study Site. Automatic Sampler. Stream Flow Recording Equipment. Rainfall at Proctor School Gage. Variations in Quality for Composite Samples for Selected Quality Constituents. Stream Gage and Sampling Location During Storm 8 January 1979. Automobile Body that Passed Through Control Section During Storm8 January 1979.	4 5 9 10 12 18 20

INTRODUCTION

In 1972, the California State Water Quality Control Board, the U.S. Environmental Protection Agency, and the San Francisco District of the Corps of Engineers entered into an interagency water quality management planning assistance agreement. The agreement specified, among other things, that the Corps would provide planning assistance to the state for preparation of the Comprehensive Water Quality Control Plans for hydrologic basins within the San Francisco Bay and delta region. One aspect of the assistance was determining the feasibility of collecting and treating urban storm runoff from the 12-county study area (Alameda, Contra Costa, Marin, Napa, Sacramento, San Francisco, San Joaquin, San Mateo, Santa Clara, Solano, Sonoma, and Yolo counties).

In 1972, a pilot monitoring program to collect urban storm runoff quality data from the Castro Valley Creek watershed was established. Additional watersheds were added to the program in 1973. Since 1972, the Corps has been responsible for gathering additional quality data for Castro Valley Creek on an annual basis.

PURPOSE

The purpose of this study was to determine the quantity and quality of urban storm runoff at Castro Valley Creek, California. The data collected will be used in the assessment of surface runoff control measures within the Castro Valley Creek watershed.

FORMAT

The report presentation is organized into four parts. The individual storm event reports are located in the Appendix.

The first part, Introduction, includes the background, purpose of the study, the presentation format description, and the acknowledgments.

The second part, Study Area, describes the Castro Valley Creek study area.

The third part, Sampling Program, includes a description of storm event definition along with a discussion of the quality parameters, the analysis procedures, and the equipment used.

The fourth part, Summary of Results, provides a discussion of the characteristics of the storm event, the daily rainfall distribution, the quality of the runoff during the storm event, and an estimate of the pollutant mass loads from the storm event.

ACKNOWLEDGMENTS

This report was submitted in fulfillment of Contract No. DACW07-78-0067 by Metcalf & Eddy, Inc., Western Regional Office, under the sponsorship of the San Francisco District of the U.S. Army Corps of Engineers. Work covers the period from September 1978 to September 1979. This report has been prepared by George B. Otte and Elizabeth M. Gowen under the direction of John A. Lager, Vice President, and William G. Smith, Project Manager. Laboratory analyses were performed by Ronald Ranes.

The cooperation and assistance of Mr. Richard Byers and Mr. Dennis Thuet of the Corps of Engineers is gratefully acknowledged by Metcalf & Eddy.

The assistance of the U.S. Geological Survey (USGS) in providing streamflow and rainfall records is acknowledged, especially the help of John Limerinos.

Additional rainfall records were provided by the Alameda County Flood Control District. The district also provided invaluable service by notifying Metcalf & Eddy personnel of the actual onset of rainfall in the study area. The assistance of Jack Lindley, Garry Shawley, Fred Wolin, and P.E. Baker of the district is gratefully appreciated.

STUDY AREA

The study area shown in Figure 1 is the drainage basin for Castro Valley Creek and Tanglewood Creek above the USGS stream gage just upstream of the junction of Castro Valley Creek and San Lorenzo Creek. An aerial photo view of the study area is shown in Figure 2. The tributary watershed area is approximately 5 square miles and is about 85% urbanized. Recent land use surveys estimate the area to have the following land use compostion:

Residential	40%
Commercial	9%
Streets and highways	21%
Vacant, open, and agricultural	30%

The basin is typically residential and includes more than a dozen schools, some light commercial areas, and automobile traffic from a major highway.




Figure 1. Castro Valley Creek watershed.




Figure 2. Aerial view of Castro Valley study site.

Photograph furnished by Alameda County Flood Control District

SAMPLING PROGRAM

STORM DEFINITION

A storm was defined as any period during which measurable precipitation occurred in the Castro Valley Creek watershed and in which at least 1/10 inch of rain was recorded. A storm event was defined as any storm which was preceded and followed by a period of 6 or more hours with no measurable precipitation. The maximum length of a storm event was not to exceed 24 hours.

QUALITY PARAMETERS

Quality samples were obtained during 15 storm events. A flow weighted composite sample was collected and analyzed for each of the storms. With each composite sample a single depth integrated discrete grab sample was collected and analyzed. The discrete grab sample was collected at the same time as one of the individual samples for the composite as a check to ensure that the individual sample was representative of the flow at that time.

Of the 15 storms, 2 major storms (0.5 in. or more of rain) and 2 minor storms (0.2 in. or more of rain) were selected for detailed analysis. Individual discrete samples in addition to the composite sample were collected and analyzed. These individual discrete samples were collected at 15-minute intervals for the initial streamflow peak and at 1 hour intervals for the rest of the storm or a maximum of 24 hours.

The water quality parameters included in the analyses for each of the various types of storms are listed in Table 1.

All analyses were conducted in accordance with the procedures described in Standard Methods for the Examination of Water and Wastewater, 14th Edition.

EOUIPMENT

Rainfall and stream level recorders and mechanical water sampling equipment were used during this study. Three continuously recording rain gages monitor rainfall within the watershed. The location and characteristics of these gages are summarized in Table 2 and are shown in Figure 1.

Table 1. WATER QUALITY PARAMETERS ANALYZED

				Major a	nd mino	or storm int	ensive	sampling
	A11	Selected		D	com	weighted posite		weighted
Water quality parameters	sample periods	Discrete grab samples	Flow weighted composite	Discrete grab samples	Total	5 min. Dissolved		Dissolved
Maximum discharge	X							
Average discharge	X	X		X				
Date and time	X							
Graph of flow	X							
Observations and comments	x							
Total discharge	x							
Flow		X		X				
Temperature		X		X				
Specific conductance		X		X				
pH		X		X				
Alkalinity, total					X	X	X	X
suspended solids		X	X	x				
Volatile suspended solids		X	X					
Settleable solids		X						
Coliform, total		X		X				
Coliform, fecal		X		X				
Vitrogen, total			X	X				
Nitrogen, total nitrate					X	X	X	X
Nitrogen, total Kjeldahl					X	X	X	X
Phosphorus, total				X				
Phosphorus, total ortho			X		X	X	X	X
Cadmium					X	X	X	X
Chromium			X		X	X	X	X
Copper			X		X	X	X	X
ead			X		X	X	X	X
fercury					X	X	X	X
lickel					X	X	X	X
linc					X	X	X	X
MBAS (methyl blue active substances)					X	X	X	X
Biochemical oxygen demand		X		x				
Chemical oxygen demand			X					

Table 2. RAIN GAGE LOCATION AND CHARACTERISTICS

Мате	Location	Gage	Owner	Operator	Accuracy
Castro Valley Fire District	Intersection of Redwood Weighing Alameda County Flood Castro Valley 0.01 in. continuous Road and Heyer Avenue bucket Control District Fire Department chart	Weighing bucket	Alameda County Flood Control District	Castro Valley Fire Department	0.01 in. continuous chart
Proctor School	Redwood Road opposite Hillside Avenue	Digital recorder	usgs	usgs	0.01 in. 15-min increment
Sydney School	Sydney Way opposite Clyda Court	Digital	USGS	nsgs	0.01 in. 15-min increment

The stream level at the Castro Valley Creek gage was monitored by a manometer-servo water level sensor and recored on a paper tape digital recorder and also on a continuous strip chart owned and operated by USGS. The USGS provided the stream level data for this study. Two additional stream level recorders, Seaview and Knox (see Figure 1) were installed and operated by USGS during the 1978-1979 storm season. The two additional stream gages were used by the Alameda County Flood Control District for monitoring flow and quality from two subareas in the Castro Valley Creek watershed as part of a separate project. Metcalf & Eddy used these gages only to obtain general information on runoff patterns within the study area.

Water quality samples were collected using both automatic and hand grab techniques. All samples for intensive analysis or for flow weighted composite analysis were collected using an ISCO automatic sampler, Model 1680. The automatic sampler lifted the sample approximately 18 feet through 25 feet of 1/4-in. I.D. vinyl tubing. Discrete samples were collected directly into the sample bottles during periods of low flow. During periods of high flow, personnel safety considerations required using a sampling bucket to collect discrete samples rather than more sophisticated equipment.

The automatic sampler is shown in Figure 3. The streamflow recording equipment is shown in Figure 4. The digital encoder, manometer-servo water level sensor, and strip chart recorder are shown inside the gage house.




Figure 3. Automatic sampler.




Figure 4. Stream flow recording equipment (left to right--digital encoder, manometer-servo level sensor, and strip chart recorder).

SUMMARY OF RESULTS

RAINFALL

The surface runoff from 15 storms occurring between 1 November 1978 and 1 May 1979 was sampled during this study. A listing of the monthly rainfall during this period for the three raingages in the study area is presented in Table 3. A daily history of the rainfall during this period for the Proctor School gage (the only gage for which uninterrupted daily records were available) is shown in Figure 5. Identified in the figure are the storms during which sampling occurred. A comparison of days during which sampling occurred with days of rainfall for various rainfall amounts is presented in Table 4. Water quality sampling was performed on approximately 40% of the days rainfall occurred; 80% of the major storms (rainfall >0.5 in.) were sampled.

Table 3. MONTHLY RAINFALL November 1978 through April 1979

Month	Castro Valley Fire Station	Proctor School	Sydney School
Nov 1978	2.30	2.33	2.16
Dec 1978	1.32	0.81	0.81
Jan 1979	6.56	6.44	6.39
Feb 1979	4.89	4.94	5.07
Mar 1979	3.98	2.77	2.69
Apr 1979	0.78	0.65	0.53
Total	19.83	17.94	17.65

Table 4. COMPARISON OF DAYS SAMPLED WITH DAYS WITH RAINFALL

Rainfall per day	Number of days	Days sampled
>0	53	21
>0.2	22	16
>0.5	10	8




Figure 5. Rainfall at Proctor School gage November 1978 through April 1979,

STORM CHARACTERISTICS

A summary of the storm characteristics for the storm events sampled are listed in Table 5. Included in this table for each storm are: total rainfall, rainfall duration, and maximum 15-minute rainfall intensity for the Proctor School gage. The runoff volume measured at the stream gage, the storm event duration (from the earliest rainfall to 3 hours beyond the latest rainfall at any of the three raingages) and the adjusted rainfall for the study area are also included in Table 5. The adjusted rainfall is the equivalent rainfall for the study area based on the Thiessen Polygon Method using the available rain gage records for each storm.

Of the storms sampled, there were four hundred sixty-seven 15-minute intervals during which rainfall occurred. The largest 15-minute rainfall measurements were 0.40 in. at the Castro Valley Fire Station, 0.25 in. at Proctor School, and 0.18 in. at Sydney School. The rainfall frequency distribution for 15-minute intervals during which rainfall was recorded for the storm sampled is listed in Table 6.

QUALITY

The quality of the surface runoff from Castro Valley Creek is very typical of surface runoff from other parts of the country, as shown in Table 7. All of the measured concentrations are within the range of concentrations for national data with the exception of total Kjeldahl nitrogen; Castro Valley Creek concentrations are only slightly higher. Also summarized in Table 7 are the expected annual pollutant loads extrapolated from the loads computed from the sampled storms.

The variations due to storm and seasonal differences are evident in the normalized mass loads summarized in Table 8. The concentrations that the loads are calculated from are presented in Figure 6. The most interesting characteristic of the concentration variations is the significant drop that often occurs after large storms. This data must be treated with caution because nonstructural, best management practice, surface control measures were being utilized within the watershed with an unquantified impact on the collected data. In fact, it is in part the purpose of this program to collect data to assist in the quantification of those impacts.

The results of the water quality sampling for each storm event are included in the individual storm event reports contained in the appendix to this report.

Stream flow and water quality were monitored at the Knox and Seaview gages (see Figure 1) by the Alameda County Flood Control District during the period of this study. The District expects to submit a progress report to the U.S. EPA on the results of their fiscal year 1978-1979 sampling program in October 1979. A final report on their 2-year program is anticipated in October 1980.

Table 5. SUMMARY OF STORM EVENT CHARACTERISTICS

					Rainfalla				
Storm event No.		Storm	Analysis type	Total, in.	Duration, hr	Maximum 15 min intensity, in.	Adjusted rainfall, in.c	Runoff volume, ft ³	Storm event duration, hr
-	19 Nov 1978	Minor	Composite	0.39	6.25	0.04	0.36	783,600	9.50
2	20-21 Nov 1978	Major	Composite	1.38	19.50	0.10	1.41	4,334,800	25.00
m	17 Dec 1978	Minor	Intensive	0.39	12.50	0.05	0.40	1,035,800	21.00
4	7 Jan 1979	Minor	Composite	0.34	14.75	0.02	0.36	682,600	15,25
5	8 Jan 1979	Major	Intensive	1.24	6.00	0.18	1.34	6,225,900	9.50
9	10-11 Jan 1979	Major	Intensive	2.57	18.75	0.13	2.38	17,946,700	26.00
1	30 Jan 1979	;	Composite	0.01	0.25	0.01	0.04	80,300	5.75
∞	13-14 Feb 1979	Major	Intensive	1.20	28.25	90.0	1.20	7,765,000	33.00
6	18 Feb 1979	Minor	Composite	0.45	10.00	0.14	0.46	3,561,400	13.75
10	20-21 Feb 1979	Major	Composite	1.15	31.00	0.08	1.35	14,200,600	35.00
=	22 Feb 1979	Major	Composite	0.64	13.75	0.13	0.78	6,513,000	17.25
12	28 Feb-1 Mar 1979	Major	Composite	0.59	9.75	0.09	0.62	2,515,300	13.25
13	26-27 Mar 1979	Major	Composite	1.84	39.00	0.25	5.00	6,922,800	39.50
14	23 Apr 1979	:	Composite	0.09	0.50	90.0	0.00	136,000	4.25
15	26 Apr 1979	Minor	Composite	0.37	12.25	90.0	0.36	971,700	15.25

a. Rainfall data measured at Proctor School rain gage.

A major storm event is defined as >0.5 in. of rainfall; a minor storm event is defined as >0.2 in. rainfall. ä

Rainfall adjusted by Thiessen Polygon Method using available rain gage records in drainage areas. j

Table 6. RAINFALL FREQUENCY DISTRIBUTION FOR STORMS SAMPLED

16 -4- 1	Number of 15-m	ninute intervals	with rainfall
l5-minute rainfall range, in.	Castro Valley Fire Station	Proctor School	Sydney School
0.01 - 0.04	344	389	281
0.05 - 0.09	71	75	37
0.10 - 0.14	11	10	10
0.15 - 0.19	1	2	2
0.20 - 0.24	0	0	0
0.25 - 0.29	2	1	0
0.30 - 0.34	0	0	0
0.35 - 0.39	0	0	0
0.40 - 0.44	1	0	0
0.44 - 0.54	0	0	0
Total	430	467	330

Sydney School gage was inoperable during portions of February, March, and April.

Table 7. SUMMARY OF CONSTITUENT CONCENTRATIONS AND ANNUAL MASS LOADS

		mg/L ^a	tration,			
	Danas for	Castro Cree		No. of		ley Creek, loads
Parameter	Range for 8 cities	Range	Average	storms analyzed	lb/yr	lb/acre·yr
Composite samples						
COD	48-170	45-329	127	11	559,000	160
Total N	0.82-5.80	1.1-9.6	5.0	15	29,700	8
Total Kjeldahl N	0.57-2.09	1.6-2.7	2.3	4	14,800	4
Ortho P	0.15-1.00	0.18-1.30	0.40	15	2,600	0.73
Pb	0.15-0.75	0.1-0.8	0.3	15	1,600	0.46
Cr		0.03-0.06	0.06	15	410	0.12
Cu		0.03-0.10	0.06	15	16	0.005
Cd		0.01-0.01	0.01	4	73	0.02
Ni		0.06-0.06	0.06	4	510	0.14
Zn		0.04-0.19	0.11	4	610	0.17
Alkalinity		26-30	28	3	164,000	45
MBAS		0.04-0.13	0.08	4	580	0.16
SS	147-1,223	50-528	254	15	1,772,000	500
VSS	53-122	16-152	68	11	414,000	120
Discrete samples						
Specific conductance, umho/cm		70-700	180	15		
pH		6.0-7.5	6.7	15		
Settleable solids, mL/L		0.1-5.5	0.9	15		
SS	147-1,223	16-800	211	15		
VSS	53-122	8-206	57	15		
BOD5	7-56	5-43	12	15		
Total coliforms, 10 ⁵ MPN/100 mL		0.2-46	8.4	15		
Fecal coliforms, 10 ⁴ MPN/100 mL	0.02-4.0	0.43-15	3.5	15		

a. Unless otherwise noted.

b. Source: Table 21. Lager, J.A., William G. Smith, William G. Lynard, Robert M. Finn, and E. John Finnemore. Urban Stormwater Management and Technology: Update and User's Guide. EPA-600/8-77-014. September 1977.

Table 8. SUMMARY OF COMPOSITE SAMPLE MASS LOADINGS^a 1978 - 1979

							Storm nu	Storm number and date	date								
	11/19	11/20-21	3 12/17	4/7	8/1	1/10-11	1/30	2/13-14	9 81/2	2/20-21	11	12 2/28-3/1	13 3/26-27	14 4/23	15 4/26	Range	Average
00 15/1n. 15/43y	44,700	19,600 26,500	1 1	7,700	1:	1.1	12,500	11	33,300	29,500	35,400	16,700	25,500	28,100	22,400	7,700-44,700	25,040
Total N 15/in. 15/day	1,300		1,020		1,050	1,500	900	1,160	1,800	2,490	3,850	710	800	860	930	130-3,850	1,260
Total Kjeldani N Ib/in. Ib/day		11	410	11	2,100	1,600	11	870	1.1	11	11	11	11	11	11	410-870	049
Total ortho P lb/in. lb/day	77.1 161	88	30.8	31	134	164	26	986	13	184	220	46 51	376	35 85	2 8	26-220	82
Pb 15/10. 15/43	88	26.3	38 88	38	102	52	25	164	97	98 88	55.05	15	96 105	35 88	120	25-164	23.
lb/day	200	12	9.4	V 4	24	28 89 8	~-	ನಿನ	53	38	≈ %	15	22	9 90	0.9	65.39	2 22
Cu 15/1n. 15/day	25	15	12		= 55	28	4 -	22	12	26	28	52	2.9	ത ത	200	1-3	2 2 2
Cd 1b/1n. 1b/day	1.1	; ;	2 -	11	~ &	4 01	: :	44	::	: :	: :	11	1 :	::	: :	2-4	2 ~4
15/in. 15/day	1.1	; ;	24	1.1	24	26 89	: :	23	1.1	1.1	: :	1 1	: :	1 1	::	2 6 6	22 23
1b/in. 1b/day	::	1.1	15	1.1	160	33.7	11	88	1:	1.1	1 1	::	1.1	: :	11	15-43	: 28
16.45 16/10. 16/43y	1 1	1.1	15	1.1	ø m	3.65	1 :	5.8	: :	: ;	: :	::	; ;	: :	; ;	9-51	\$28
Alkalinity 15/1n. 15/day	: 1	11	4,500	11	6,100	: :	11	10,200	11	11	11	::	1)	11		4,500-10,200	6,930
55 15/1n. 15/day	69,500	\$3,300 72,200	35,200	3,400	134,000	326,500	14,300 2,400	93,200	92,700	133,900	174,500	38,500	29,400	49,800	50,200	5,900-174,500	102,500
VSS 15/1n. 16/day	19,000	11,196	::	38.1	::	: :	3,800	1.1	29,900	36,800	31,000	4,100	15,500	14,300		1,900-36,800	16,400
Comment of the contract of	the state of the latest August St.																

Mass loadings for individual storms have been normalized to present lb/in. of rainfall for equivalent 1 in. storm, and lb/day as 24 hours
of actual lb/nr loading rate.




Figure 6. Variations in quality for composite samples for selected quality constituents.

LIMITATIONS ON DATA

The quantity and quality data that are presented in the storm reports are generally within the limitation normally applicable to this type of work. The quality analyses were performed as prescribed in $\frac{\text{Standard}}{\text{Methods}}$.

Flow data were developed from stage-discharge rating curves for the Castro Valley Creek Station developed by the USGS using velocity measurements that span the entire range of levels recorded during the 1978-1979 rainy seasons. The stream gage and sampling location are shown in Figure 7.

The major limitation on the flow data is that during the period between January 8 and February 22, a car body was lodged in the streambed approximately 100 feet downstream of the gage house and within 25 feet of the level sensing probe, as illustrated in Figure 8. The car body was washed past the gage house at approximately 1245 on January 8. During this storm, the flow level increased more than 3 feet within 1 hour; from 4.03 to 7.06 feet. The flow level actually peaked at 7.19 feet at 1310 on January 8. This level corresponds to a flow of 669.0 cfs. The car body remained at this location until the storm of February 22, 1978, at about 1200 when a peak flow of 556 cfs was sufficient to wash the car to a point out of sight downstream. During the period the car was obstructing the stream, the USGS took two velocity measurements from which they approximated an adjusted rating curve. The adjusted curve would account for a 5% reduction in total volume of flow for a typical 1-in. magnitude storm. The curve was made available at the end of March after most of the sampling was completed for the season. The existing unadjusted rating curve was used for computing flows and compositing samples during the period when the automobile body was just downstream of the gage. These flows were also used in the storm report tables and plots. While the adjusted rating curve is useful in providing an order-of-magnitude estimate as to the impact of the car on the recorded levels, it was not considered dependable in light of the limited data on which it is based.



Figure 8. Automobile body that passed through control section during storm--8 January 1979.



Figure 7. Stream gage and sampling location during storm--8 January 1979

Appendix A
STORM EVENT REPORTS

STORM EVENT REPORT NO. 1 November 19, 1978


1. Rainfall Summary

Period: November 19, 1978

		Total	:	Start	Stop					
	Gage	Rainfall in.	Hour	Date	Hour	Date				
1.	Castro Valley Fire Station	0.32	1315	19 Nov 78	1845	19 Nov 78				
2.	Proctor School	0.39	1215	19 Nov 78	1830	19 Nov 78				
3.	Sydney School	0.43	1200	19 Nov 78	1745	19 Nov 78				
4.	San Francisco Airport	0.08	1300	19 Nov 78	1900	19 Nov 78				
5.	Oakland Airport	0.38	0800	19 Nov 78	1800	19 Nov 78				

2. Creek Flow Summary

Value		Time			
153.0		1745	19	Nov	78
22.9			19	Nov	78
783,600					
0.129					
0.68					
0.34					
	153.0 22.9 783,600 0.129 0.68	153.0 22.9 783,600 from to 0.129 0.68	153.0 1745 22.9 783,600 from 1200 to 2130 0.129 0.68	153.0 1745 19 22.9 19 783,600 from 1200 19 to 2130 19 0.129 0.68	153.0 1745 19 Nov 22.9 19 Nov 783,600 from 1200 19 Nov to 2130 19 Nov 0.129 0.68



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value	
Chemical oxygen demand	mg/L	329.0	
Total nitrogen as N	mg/L	9.6	
Lead	mg/L	0.46	
Chromium	mg/L	0.06	
Copper	mg/L	0.08	
Total ortho phosphorus as P	mg/L	1.3	
Suspended solids	mg/L	512.	
Volatile suspended solids	mg/L	140.	

Discrete Sample

Parameter	Units	Value
Date and time		19 Nov 78 1945
Instantaneous flow rate	CFS	4.74
Temperature	Deg C	13.3
Specific conductance	µmhos/cm	300.
рН		7.0
Settleable solids	mL/L	<0.5
Suspended solids	mg/L	95.
Volatile suspended solids	mg/L	45.
Biochemical oxygen demand (5 day)	mg/L	5.
Total coliform	MPN/100 mL	1.1x10 ⁵
Fecal coliform	MPN/100 mL	2.4x104

- Observations at Sampling Station During Event.
 Nothing significant to report.
- Observations in Tributary Area During Event. Nothing significant to report.
- 6. Comments on Storm Event.
 - 1. The reported rainfall for the Castro Valley Fire Station Gage appears to be offset by one hour from the other gages.
 - 2. Flow response at the gaging station occurs within about one half an hour following a change in the rainfall rate.
 - 3. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.

STORM EVENT 1 - NOVEMBER 19, 1978 STORM DATA

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
11-19-78	11:00	1.17	0.129				
11-19-78		1.19	0.161				0.01
11-19-78		1.19	0.161			0.03	0.01
11-19-78		1.20	0.178			0.03	0.03
11-19-78		1.21	0.196			0.03	
11-19-78		1.92	8.11	YES		0.01	0.01
11-19-78		2.40	35.8	YES	0.05		
11-19-78		2.25			0.05	0.01	0.02
11-19-78		2.08	23.9	YES	0.02	0.02	0.02
11-19-78				YES	0.01	0.01	0.01
11-19-78		2.19	20.0	YES			
11-19-78			26.0	YES	0.01		
		2.14	17.1	YES	0.01	0.03	0.03
11-19-78		2.01	11.3	YES	0.01	0.02	0.01
11-19-78		1.92	8.11	YES		0.02	0.03
11-19-78		1.96	9.43	YES		0.02	0.01
11-19-78		2.50	45.7	YES		0.02	
11-19-78	100 200 100 200	2.51	46.8	YES	0.03	0.01	
11-19-78		2.32	29.0	YES	0.02		0.01
11-19-78		2.15	17.6	YES	0.02		
11-19-78		2.03	12.1		0.01		0.01
11-19-78		1.98	10.1			0.01	0.01
11-19-78		2.00	10.9			0.04	0.08
11-19-78		2.14	17.1			0.06	0.06
11-19-78		3.18	138.5		0.02	0.03	0.03
11-19-78	17:45	3.27	153.0		0.01	0.01	0.01
11-19-78	18:00	2.83	86.5		0.03		
11-19-78	18:15	2.45	40.5		0.05		
11-19-78	18:30	2.27	25.3		0.01	0.01	
11-19-78	18:45	2.13	16.6		0.01		
11-19-78	19:00	2.01	11.3				
11-19-78	19:15	1.91	7.80				
11-19-78	19:30	1.84	6.04				
11-19-78	19:45	1.78	4.74				
11-19-78	20:00	1.74	3.98	YES			
11-19-78	20:15	1.69	3.17				
11-19-78	20:30	1.65	2.61				
11-19-78	20:45	1.62	2.25				
11-19-78	21:00	1.60	2.03	YES			
11-19-78		1.57	1.73				
11-19-78	21:30	1.55	1.57				
11-19-78	21:45	1.53	1.41				

NOVEMBER 1978

SAN FRANCISCO. CALIFORNIA

NATIONAL MEATHER SERVICE OFC INTERNATIONAL AIRPORT

MONTHLY SUMMARY

Local Climatological Data



1978

FRANCISCO. CALIFORNIA

١	,	11 11	RATUR	٠,					161	rectri	141104		-		w1 w0	1	*(*)	\$045×	1	160,42 Pr. (041)		
	>	>	2000 300	100 mag	We 10147	11 M AND BANKS	100x 146 same	1 FOR 2 water FOO 2 mare 151 com 5 162 FELLETS 6 water 6 parter 9 170ml maye 9 170ml maye 9 0 001ml back	0444	#*(# (#/!# (#)	100		PESULTANT DIR	MESSET IN 1975	arreng setto	200		111/00/15	P 700.00	50 Marie 10 50 Marie 10	2 8 8 8	
l	2	,	4	5	6	74	78		9	10	11	12	13	14	15	16	17	10	19	20	21	
ĺ	••	**	**	-3	30		0	•	0	0	0	30.17	32	0.0	10.1	13	20	1		0	0	
ĺ	61	==	93	-	46	12	0		1 0	0	0	30 24				20	30	1		1	e	
	86	**	**	-3	40	10	0		1 0	0	0	30.00			0.1	20	20	1	1			
	70	40	•0	3	+0	•	0	2 .	0	0	0	20 05	31	3.6	7.1	13	31	1	1	,	•	
	74	**	60	3	47	•	0		1 0	0	0	30.06	34	. 3	3.7	7	20		1	7	3	
	774	*	634		*	3	0		0	0	0		25	1.0		12	20	1	1			
١	74	•	•1		*		C	•	0	0	0	20 00			7.2	50	20	1	1	0	0	
ŀ	•0	*	• • •	-7	*	12	0		0	0	0	20.70	20	0.2	10.4	25	26		1		0	
ŀ	••	43	**		25	10	0		0	0	0	20.72		: :	11.4	23	06	1	1	1 :	,	
ı	.,	43	•0		30	19	0		1 0	.15	0	20 00			10.4		10	1	1	1 :	,	
ı	.0	43	47	**	41	10	0	1	0	.01	0		04		7.2	13	06	1	1	10		
ı		30	47	-	36	18	0		0	0	0	30.00		3.0	. 3	14	20		1	e	1	
ı	97	39.0		-	37	10	0		0	7	0		121	1.1	4.0		30	1	1	1		
ì	95	-	52	-3	41	13	0		0	7	0	30.22	111	2.8	4.0		12	1	1	10		
ı	60	40	90	-5	1	15	0	1 .	0	0	0	30.22		7.0		10	20		1	1	3	
ı	**	-	9.2	-3	-	13	0		0	0	0	30.19		4.0	0.2	13	56		1		,	
ł	01	-	••	a	*	10	o.	1	0	.06	0	30.00	1,,	11.0	12.7	33	10	1	1	10	10	
ı	• 1	•0	**	0	**	11	0	1	0	.00	0	20.00	1:3	2.0	7.2	16	10		1	10		
ı	93	**	93	-1	*	12	0		0	. 94	0	20.76	00	4.7	0.2	10	13		1	10		
ŀ		-	• 2	-3	1 74	13	0		0	0	0	30.10		3.6	. 3	13	00	1	1	0	,	
ľ	60	43		.,	-	13	0		0	0	0		100	0.0	7.0	10	30		1	1	2	
ı	.7	30		-2	44	17	0		0	e	0	30.03		1.4	0.0	10	31		1	1	1	
ı		41 1	90	-3	44	19	0	1 .	0	0	0	30.00	20	2.0	5.6	19	31		1			
١	80	41	91	-3	•1	14	0		0	0	0	30.14		1 6	4.0		30	1	1	,	,	
ı		41	•0	-3	42	19	0	1 •	0	0	٥	30.25		. 0	6.0	12	32			7	•	
ı	::	**	••	1	62	11	0	2	0	0	0	30.25		0.0	1.2	21	30			10		
	••	•,	•3		• 1	12	0	•	1 0			30.21	1.	6.2			•			10		
Ĺ	1050	1325			-	371	1014	anuals to be		1,07	1014	30.05	120	1.0	7.7		20	10.01		1 40	143	
۲	AVG.	AVC.	446	ot-	ave.	01	oc.	PRECIPITATION		Ot .		102	1	Lie	-	04.1		-	1	AVE.		
ľ	00.7	44.2		-2.0		00	Q	- 01 1964		-0.62		1	1-	_	_			1		9.0	4.0	
F					-	SE450		SHOW ICE PER	1115		****					1						
	801 RV	(. C. Da.	1		- 1	1014		. 1.0 la(-	0			34 -04			4113			113 m			-	
-	mar (my	1 32	1 1	uh. 16.		722	01.	Mar. 100	4				0	in it	111	. 15		01	Chi.			

ene for the month - Last occurrence if mont passevations her par at a mount

1 104(1 40004)

. NESO DE EN ENGLIER DATE. DE DATES. MENT FOO: - PISIBILITY 1/4 MILE DE LESS.

MERY FOO: - TISIBLETY I/A FILE OF LESS.
FIDURES FOR MIND DIRECTIONS MRE TENS OF DE OREES CLOCKNISE FROM TRUE MORTH. DO - CALK BAIN IN COLS. 6 MRD 12-15 MRE BASED ON 7 OF PORE OBSERVATIONS FOR ONE AT 3. MOUNT INTERVALS.
MITEST RILE WIND SPEEDS MEE PASTEST OBSERVED
METRICUITE VALUES WHEN DIRECTIONS AND IN TENS
IF DECORES. THE PARTY THE DIRECTION INDICATES
THE DUST SPEED.

CHANGES IN SUMMER DATA MILL BE CONTECTED AND

	L.,								, ' '
			15 45		PE		•		
10	Heart Cort		1. 110			**************************************		0111110	8::
01		30 05	40	*	43			27	1.7
04		30.05	47	-	42		5.3	22	. 0
01		30.06	-	**	42		4.6	19	2.0
10		30.00	93	**	*	74		00	3.2
13		30.05		50	43	80		36	1.5
10		30.02		60	43	83	11.2	30	
10		30.03		*	**	75	10.0	20	6 4
22		30.05	91	-	**	79	0.0	29	4.3

SUMMARY BY HOURS

SUBSCRIPTION PRICE: 02-55 PER YERR INCLUDING NUMBER, SUMMARY, FOREIGN MILLING 01-05 EXTERN SINGLE COPY, TO CENTS FOR MONTHLY OR NUMBER, 1554E, INCREDING CHARGE OF 97-00 FOR EACH DODGE OF SHEELF-STOCKED ISSUES OF PUBLICATIONS. MAKE CHARGE OF PUBLICATIONS. THAT CHARGE IS DEPORTED OF COMPRISE TO COMPRISE THE OWNER OF THE PUBLICATION OF T

I CERTIFY THAT THIS IS NO OFFICIAL PUBLICATION OF THE MATICALS, BUT AND ATTROPHER CONTINUES TON THE STREET OF THE

noaa

ATROSPHERIC ADMINISTRAT

INFORMATION SERVICE

Social B Matchell DIRECTOR. MATCHEN

USC DAN -- 10004 -- RSHE VILL

11/R/N

. 7

A-6

NOVEMBER 1978 NATIONAL MEATHER SERVICE OFC

INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



NOVEMBER

ORKLAND. CALIFORNIA

MAN 423230 LATITUDE 37" 44 'N LONGITUDE 122" 12 'M -********** (D), 146 - 1844 *134.1=1 010. *134.1=1 411 ME SPEED ... 300.00.E 168 61.3410 • . i 10 40 46 47 48 46 22 23 8 40 27 27 5 4 4 4 4 4 5 6 1 ٠, 00010010100701010 o presents in the points and points of the present of the point and point of the po

* Exterm ros the month - Lost DCCLMREDCE of most from out. I france monthly to the control of th

MONE DOSESTATIONS PER CON- " - MINUT PRIFERING.
PROTEST FILE NING SPECOS ONE PROSESS OSSESSED
ONE ARBOIT VALUES NING STREET, DESCRIPTION ONE IN THE PROSESS ONE IN THE PROSESS ONE IN THE PROCESS OF THE PROPERTY ON THE PROPERTY OF THE PROPE

								-	-
	100 CO.	1121.00 1115.00						D1986719	81
01	•	30.00	90	47	43	70		11	2.0
04		30.01	-	-	42	.00	9.1	00	3.0
07		30.00	47	44	41			111	3.4
10		30.11	54	-	-	74	0.2	16	3.0
13		30.07				-	7.4	20	4.0
10		30 04	10	92	-		7.0	20	3.0
10	3	30.05		*	-	72	0.1	22	1.7
	3	30.50	12	-	42	70	2.3	00	.4

-		-		-014	190190		-		-	-			-		P. R	5	140140			-			
-	7			•		,		9	10	1	-	<u> </u>	•	-	•	5	6	,	•	•	10	11_	12
								•	,														
						.00	,						,	.01	.02	.06	.04	,	, ,	•	.04	.01	,
:		.00	.03	.01	.03	.01	.01	; 0 1	.02	.01	10	.8	.03	.10	, œs	.00	.03	.01	٠,,		.00	.04	.0
					.01	,	,	,	.01	,								-					

SUBSCRIPTION PRICE: 07.66 PER YEAR (MCLUDING AMALA, SUPPARY, FOREIGN ARTLING PLAN EXTRO, SINCLE COPY, 30 CENTS FOR AMALA, SUPPARY IS A MINIMUM CHANGE OF 07.00 FORE ARE ORDER OF SHILL-STOCKED ISSUES OF PUBLICATIONS. MANY CARCAS PRINCEL IS REPARTING AT BY APPRICATES, MORRES, AND INSURIERS OF DATIONAL CLIMATIC CLIRES, FERROR, MILLOTING, MARYLLLE, MORTH CHANGE LIN ZOPE

noaa milma ocemic mo

Social B Mitchell 12/75/79

USCOM CHOM - MARTILLE


STORM EVENT REPORT NO. 2 November 20-21,1978


1. Rainfall Summary.

		Total	Sta	art		Stop
	Gage	Rainfall In.	Hour	Date	Hour	Date
١.	Castro Valley Fire Station	1.45	0315	20 Nov 78	2200	20 Nov 78
2.	Proctor School	1.38	0245	20 Nov 78	2215	20 Nov 78
3.	Sydney School	1.35	0230	20 Nov 78	0030	21 Nov 78
4.	San Francisco Airport	0.65	0100	20 Nov 78	0700	21 Nov 78
5.	Oakland Airport	0.89	0200	20 Nov 78	0700	21 Nov 78

2. Creek Flow Summary.

Discharge Condition	Value	Time	Date.
Maximum Flow, CFS	260.1	2015	20 Nov 78
Average Flow, CFS	48.2	from 0230 to 0330	20 Nov 78 21 Nov 78
Total Volume, FT ³	4,334,800	from 0230 to 0330	20 Nov 78 21 Nov 78
Prior to storm, CFS	0.423		
Average Flow (previous 7 days), CFS	1.58		
Average Flow (Previous 30 days), CFS	1.17		





3. Sampling Analysis Results.

Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	102.
Total nitrogen	mg/L	3.6
Lead	mg/L	<0.1
Chromium	mg/L	<0.06
Copper	mg/L	0.08
Total ortho phosphorus	mg/L	0.52
Suspended solids	mg/L	278.
Volatile suspended solids	mg/L	58.

Discrete Sample

Parameter	Units	Value
Date and time		1715 20 Nov 78
Temperature	Deg C	13.7
Instantaneous discharge	CFS	212.5
Specific conductance	µmho/cm	180.
рН		7.1
Settleable matter	mL/L	<0.5
Suspended solids	mg/L	152.
Volatile suspended solids	mg/L	43.
BOD	mg/L	5.
Total coliform	MPN/100 mL	2.4×10^4
Fecal coliform	MPN/100 mL	4.6×10^3

- Observation at Sampling Station During Event.
 No significant events occurred during the sampling period.
- Observation in Tributary Area During Event.
 No significant events occurred during the sampling period.
- 6. Comments on Storm Event.
 - 1. The total rainfall for this event was more than 1.25 inches.
 - 2. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 - 3. Samples were taken at hourly intervals from 1700 to 2400 on November 20 and 0100 to 0600 on November 21.
 - 4. Due to a problem with the sampler automatic activator, no samples were obtained prior to 1700 on 20 Nov 78. However, samples were obtained during the period when the majority of the runoff went through the gaging station.

A STATE OF THE PARTY OF THE PAR

STORM EVENT 2 - NOVEMBER 20-21 1978 STORM DATA

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
11-20-78	2:00	1.33	0.479				
11-20-78	2:30	1.33	0.479				0.01
11-20-78	2:45	1.33	0.479			0.01	0.01
11-20-78	3:00	1.31	0.423				0.01
11-20-78	3:15	1.31	0.423		0.01	0.01	0.01
11-20-78	3:30	1.31	0.423		0.05	0.03	0.01
11-20-78		1.31	0.423			0.01	0.01
11-20-78	4:00	1.31	0.423			•.•.	
11-20-78	4:15	2.29	26.7				0.01
11-20-78	4:30	2.11	15.6				0.01
11-20-78		1.98	10.1				
11-20-78		1.87	6.74				
11-20-78		1.79	4.95				
11-20-78		1.74	3.98				
11-20-78		1.75	4.16				0.01
11-20-78		1.75	4.16		0.01	0.01	0.01
11-20-78		1.73	3.81		0.01	0.01	0 07
11-20-78		1.71	3.48				0.03
11-20-78		1.69	3.17			0.06	0.03
11-20-78		2.80	82.4			0.01	0.02
11-20-78		2.56	52.5			0.01	0.01
11-20-78		2.32	29.0				0.02
11-20-78		2.23	22.6		0.01	0.01	0.01
11-20-78		2.34	30.6		0.03	0.02	0.01
11-20-78		2.44	39.5				0.01
11-20-78		2.13			0.01	0.01	
11-20-78			16.6				
11-20-78		2.18	19.4		0.03		
11-20-78		1.99	12.9		0.01		0.01
			10.5			0.01	
11-20-78		1.97	9.78			0.01	0.01
		1.99	10.5		0.01	0.01	
11-20-78		2.13	16.6				0.01
11-20-78		2.21	21.3		0.01	0.01	0.02
11-20-78		2.12	16.1		0.01	0.02	0.01
11-20-78		2.11	15.6		0.01	0.02	0.03
11-20-78		2.34	30.6			0.09	0.08
11-20-78		3.36	167.6		0.01	0.02	0.01
11-20-78		3.28	154.6			0.01	
11-20-78		2.70	69.1		0.09		Sec. Cont.
11-20-78		2.42	37.6		0.12	0.01	0.01
11-20-78		2.39	34.9		0.02		
11-20-78	12:30	2.29	26.7		0.01		

STORM EVENT 2 - NOVEMBER 20-21 1978 STORM DATA (Continued)

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
11-20-78	12:45	2.16	18.3				
11-20-78		2.06	13.3		0.01		0.02
11-20-78	13:15	1.95	9.09		0.01		0.05
11-20-78		1.86	6.50			0.10	0.09
11-20-78	13:45	1.82	5.60			0.06	0.09
11-20-78	14:00	3.81	242.1			0.07	0.04
11-20-78	14:15	3.66	218.6			0.01	
11-20-78	14:30	3.03	116.2		0.02		
11-20-78	14:45	2.67	65.5		0.08		
11-20-78	15:00	2.35	31.4		0.06		
11-20-78	15:15	2.20	20.6		0.01		0.01
11-20-78	15:30	2.19	20.0			0.04	0.03
11-20-78	15:45	2.33	29.8			0.02	0.03
11-20-78	16:00	3.01	113.4			0.02	0.01
11-20-78	16:15	3.04	117.6		0.01	0.03	0.01
11-20-78	16:30	2.95	104.0		0.06	0.02	
11-20-78	16:45	2.91	97.9		0.03	0.06	0.03
11-20-78	17:00	3.37	169.3	YES	0.02	0.10	0.04
11-20-78	17:15	3.62	212.5		0.01	0.03	0.03
11-20-78		3.37	169.3		0.02	0.03	0.06
11-20-78		3.12	129.3		0.08	0.01	0.01
11-20-78		3.01	113.4	YES	0.09		0.01
11-20-78		2.61	58.5		0.02	0.02	0.01
11-20-78		2.42	37.6		0.03	0.02	0.02
11-20-78		2.51	46.8			0.01	0.03
11-20-76		2.75	75.6	YES	0.01	0.02	0.06
11-20-78		2.83	86.5		0.02	0.01	0.02
11-20-78		3.04	117.6		0.02	0.05	0.02
11-20-78		3.16	135.4		0.02	0.07	0.11
11-20-78		3.80	240.5	YES	0.05	0.08	0.04
11-20-78		3.92	260.1		0.03	0.05	0.04
11-20-76		3.69	223.2		0.07	0.02	0.01
11-20-78		3.40	174.3		0.09	0.01	0.01
11-20-78		2.92	99.4	YES	0.07		
11-20-78		2.55	51.3		0.04		
11-20-78		2.37	33.1		0.01		
11-20-78		2.26	24.6	YES			
11-20-78		2.07	17.6	11.5	0.01		
11-20-78		2.00	10.9			0.01	
11-20-78		1.94	8.75				
11-20-78		1.89	7.24	YES			
11-20-78		1.84	6.04	163			
		1.04	0.04				

STORM EVENT 2 - NOVEMBER 20-21 1978 STORM DATA (Concluded)

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE.	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
						*****	*****
11-20-78	23:30	1.81	5.38				
11-20-78	23:45	1.78	4.74				
11-20-78	24:00	1.75	4.16	YES			
11-21-78	0:15	1.73	3.81				
11-21-78	0:30	1.71	3.48				
11-21-78	0:45	1.69	3.17				0.01
11-21-78	1:00	1.67	2.88	YES			
11-21-78	1:15	1.66	2.74				
11-21-78	1:30	1.64	2.49				
11-21-78	1:45	1.64	2.49				
11-21-78	2:00	1.61	2.14	YES			
11-21-78	2:15	1.60	2.03				
11-21-78	2:30	1.59	1.92				
11-21-78	2:45	1.58	1.82				
11-21-78	3:00	1.57	1.73	YES			
11-21-78	3:15	1.56	1.65				
11-21-78	3:30	1.55	1.57				
11-21-78	3:45	1.55	1.57				
11-21-78	4:00	1.54	1.49	YES			
11-21-78	4:15	1.53	1.41				
11-21-78	4:30	1.52	1.34				
11-21-78	4:45	1.51	1.27				
11-21-78	5:00	1.50	1.21	YES			
11-21-78	5:15	1.50	1.21				
11-21-78	5:30	1.49	1.14				
11-21-78	5:45	1.48	1.03				
11-21-78	6:00	1.48	1.08	YES			

NOVEMBER 1978 CARLAND. CALIFORNIA

INTERNATIONAL AIRPORT

NATIONAL MEATHER SERVICE OFC

Local Climatological Data

MONTHLY SUMMARY

4 60 41 51 -3 49 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	64 61 64 66 75 76 63 60 55	50 57 40 50 40 50 40 40 50 40 40 40 40 40 40 40 40 40 40 40 40 40	Bar - 11-120007	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	14 14 14	00000	10.		0	10	11 0	17	2 - (Surfact 0)	A. 1014 - 2	114 2000	10	6	1		3.3	33.5
1 84 50 51 -1 40 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	64 61 64 66 75 76 63 60 55	50 57 47 54 40 50 44 54 52 50 44 50 40 64 40 64 45 54 43 52	74-42247	40 40 51 40 40	11 6	0 0 0	1	•	0	0	0	30.10		3.5	. 2	10	09	10	19	_	
2	64 66 66 73 75 76 63 60 55	47 54 40 50 44 54 52 50 44 58 46 61 40 64 45 54 43 52	4-4004.7	\$ \$ \$ 5 5 \$ 5	11 6 11 6	0 0 0	1	:	0	o.										!	2
4 80 42 51 -3 49 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 10 0 0 0	37 37 37 38 37 37 37 37	42 40 40 48 36 46 46 53 41 50 51 54 50 54 52 55 50 54	47 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	25 22 36 40 37 41 44 46 48 52 47	111111111111111111111111111111111111111	000000000000000000000000000000000000000		•	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	30.11 29 68 30.15 30.15 30.01 29 60 29 66 20 73 30.02 30.01 30.22 50.25	20 20 20 20 20 20 20 20 20 20 20 20 20 2	1.3 2.6 2.2 1.6 2.2 2.7 2.6 10.0 10.1 7.5 2.4 2.6 4.11.6 5.5	6 5 7 3 6 6 5 7 3 6 6 5 7 3 6 6 5 7 3 6 6 5 7 3 6 6 5 7 3 6 6 6 7 7 3	10 10 12 10 10 12 10 11 14 16	26 26 25 10 30 31 21 05 05 05 16 06 29 25 25 15 15 27			0 - 10 - 10 - 10	0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
5 56 43 50 -3 46 15 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	62	45 54	: :		11	0			0	0	o					10	02			1 0	3
8 50 41 50 -3 44 15 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	57	44 91	-3	**	14	0	1,	:	0	0	0	30 10	23			,	31			:	:
	50	41 50	-3	44	15	0			0	^	0	40 30	20	2.0	3.0		31			•	3
							5	•								12		1		10	10

RODE OBSERVATIONS FEE DO DE 1 NAME INTERNALS FASTES DESCRITO OBSERVATION OF PASTES DESCRITO OBSERVATION OF PASTES DESCRITO OBSERVATION OF PASTES DESCRITO OBSERVATION OF PASTES DESCRITON OF PASTES DESCRIPTION OF PASTES DESCRIPTION

								41 54	100
			11.4	lea.	J.T	-	0		
10	10.1	512110-		1		TLATING.	200	01980110	2:
01	•	30.00	50	47	43	78		11	2.0
04		30.01	40	-	42	80	5.1	00	3.6
OH		30.00	47	**	41		9.1	11	3.4
10	6	30.11	54	40	*	74	6.2	16	3.0
13		30.07	50	5.1	-	00	7.4	24	4.0
10		30 04	50	52	45	65	7.6	20	
10	3	30 05		40	**	72		33	1.7
	3.	30	5.7	40.	43	76	9.3	De.	

				H014							-	1	-			-		0+	-				
	1	,			6			q	10	Ji			•	-	•	5	.01.00	,		9	10	11	12
								•	*					.01	.02	.06	.04			,	.04	.01	
,						.05	•					•											,
:		.03	.02	01	.03	.01	.01	,01	.02	.04		.06	.03	.10	.00	01	.03	.01	.14	٠	.00	.04	0:
					.01				.01									_				i	

INFORMATION SERVICE

Source & Mitchell

A-16

NOVEMBER 1978

SAN FRANCISCO. CALIFORNIA

INTERNATIONAL AIRPORT

NATIONAL MEATHER SERVICE OFC

Testings 21, 21 M Tomotines 155, 52 M Erctetion toworks:

MONTHLY SUMMARY



1		-		٠,		OL DATE		Waints	100	****									*		Orte.
	}	>	3	Men (4)	W. 101.1	*****	100.16.	OCCURRENCE 1 700 2 100 at 100 3 100 at 100 4 100 at 100 5 100 at 1 0 0.470 0 100 at 100 0 10	1 2 3 4		1 2 2 4	: : : : : : : : : : : : : : : : : : :	PESUL 1881 DIP.	1101	arther price	9.	5 41.3k10	1117411	7 -935.64	5,000 (5) 10 5,000 (5) 10	8 8 8
1	2	,	4	5	6	78	78		,	10	11	12	13	14	15	16	17	10	19	20	21
1	05	**	96	-3	30		0	•	0	0	0	30.17	32	4.2	7.0		20			3	3
1	61	44		-	*	12	0		0	0	0	30.23	30		10.1		20		1	0	0
٠.	60	**	30	-2	*		0		0	0	0	30 34	50				30	1	1	!	0
٠.	66	**	**	-3	**	10	0		0	0	0	30.00	20	3.0	7.1	-	31	1	1	1 ;	1
1	70	**	60	3	47	;	0		0	0	0	30.06	**	3.0	3.7		20	1		,	1
1	77.	*	63*		-	1 3	0		0	0	0	30.13	25	1.0	6.0	1	20				
.1	74	-	01		-	1	0		0	o	0	20 00	32		7.2		20			1	0
1	60	**	93	-4	-	12	0		0	o	0	20 70	20	0.2	10 4		20			0	e
5		30	40	-7	25	10	0		0	0	0	20.67	05	4.0		22	02	1	1	1	3
1	53	43	40	-	24	17	0		0	0	0	29.72	05	7.6	11.4	23	06	1	1		,
ı	57	43	50	-0	30	19	0	1	0	. 19	0	20.00	22	. 7	10.4	10	10				
1	90	43	47	-0	41	10	0	1	0	.01	0	30.03	0.4	0.0	7.2		.06	1		10	
1		30	47		36	10	0		0	0	0	30 00	20	3.0	9.3	1	50	1		0	1
١	57	35.	-	-•	37	10	0		0	,	0	30.10	31	1.1			30			10	2
	55	40	25	-3	41	13	0		0	ò	0		11	7.0		:	12			10	,
	60	40	52	-3	*	13	0		0	0	0	30.19	36	4.0	0.2		26				,
П	01	**	33	o	40	10	0		0	.08	0	30.00	17	11.0	12.7	23	10	1		10	10
	.,	90		0	102	11	0	i	0	.90	0	20.00	14	2.0	7.2		10	1		10	10
1	50	47	93	-1	45	12	0		0	. 30	0	20.70	10	4.7	0.0	16	22		1		
1	93	45	40	-	-	10	0		0	.54	0	20.01	00	6.2	0.2	19	13			10	
1	50	45		-3	44	13	0		0	0	0	30.10	36	3.6	0.3	13	05			C	3
١	60	43	9.2	-2	*	13	0		0	0	0	20 00	30	9.6	7.8		30	1		1	2
1	57	30	**	-	**	17	0		0	0	0	30.03		1.4	6.6		31	1		1	1
1	50	*1	90	-3	**	15	0	'	0	0	0	30.06		2.6		10	31			:	:
1	50	41	90	-2	41	14	0		0	0	0	30.14		1.6	6.0		32			,	
	50	40	34	-3	0.2	11	0	2	0	Ť	0	30.25		5.0	0.2		30			,	,
	50	47	53	i	91	12	0	2	0	0	0			0.2	0.4		27			10	
t	SUR	Su-			-	1010	1014		1	1014	1014		.0	-	ula.	n.		1014	1	SUR	5v=
1	1650	1325			-	371	0	anuela 6. 6u.	1	1.07	Q	30.05	20		7.7	25	30		100	1 40	143
1	AVG	440	AVG	of.	AVÇ.	Dt.	or.	-41(141.10#		06 *			-			Du.f	00	-		416	416
1	60.7	44.2	\$2.5	-2.0	43	00	0	· .01 14CH		-0.62		-	-		-	1	-	1		9.0	4.0
1			-	West of the Lines			io beit	SNOW . ICE PEL								1					
1		(o b			-	1014	1014	. 1.0 19(*	0	Out a	. 63. 10	74 MQU						04 PTM 0			100
1	MAY INC.	22	1	"Y" "E	0	722	144	I whatth a 2 i baus	0	. CLIT	21-2	500		101 11	rre. 2	1 10	- TIL	112 0	III .	De . 1	-
1	90	0			0	04.	26	(((as 13	***	Crono.		1000	0	-	-	1		0 1	-	-	
	-		•		-	- 21	24	11 12	-	III.	-	FACE.		1							

ESTREME FOR THE MONTH - LAST OCCURRENCE OF MORE THAN DRE. 1 TRACE MONTH - LAST OCCURRENCE OF MORE THAN DRE. 1 TRACE MONTH - QUIENT - QUIEN

		•						A 20	1 7 MM 7
10.	W. Corte	11010 11030	1 m		24.0	MELATINE MANIETT 1	33.5	011010	21.
01		30.05	40	46	43	03	6.5	27	1.7
04		30.05	47	-	42	85	5.3	22	
07		30.06	*	**	42		4.6	15	2.0
10		30.00	53	40	45	74	6.4	00	3.2
13		30.05	90	50	43	80		36	1.5
16		30.02	57	50	43	63	11.2	30	
10		30 03	93	40	**	75	10.0	20	6.4
22		30.05	51	-	44	70	0.0	20	4.3

				HOUR	6	41	-		-						P. R.	HOUR	140146						
1	2		•	5		,	•	9	10	_11	12		•	,	•	5	6	1	e	9_	10_	11	12
				,	.01	,	,						,	.02	.02	.00	.03					•	*
;	101	.02	, , o,	.01	.04	.04	.09	.00	.08		.01	.01	.01	.02	.02	.01		.01	10	Ţ	.16	.06	.01
		,			,																		

I CERTIFY THAT THIS IS MO OFFICIAL PUBLICATION OF THE MATIDAM, OCEMBIC AND ATMOSPHERIC ADMINISTRATION. AND IS COMPILED FROM DECORDS ON FILE AT THE MATIDAM, CLIMATIC CENTER, ASMEYILLE, MORTH CAROLINA 20001.

Spirel B Mitchell DIRECTOR. WATTONIE CENTER

SAN

FRANCISCO. CALIFORNIA


STORM EVENT REPORT NO. 3 December 17, 1978

1. Rainfall Summary

		Total		Start		Stop
	Gage	Rainfall in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	0.43	0000	17 Dec 78	1615	17 Dec 78
2.	Proctor School	0.39	0530	17 Dec 78	1800	17 Dec 78
3.	Sydney School	0.34	0515	17 Dec 78	1445	17 Dec 78
4.	San Francisco Airport	0.23	0100	17 Dec 78	1300	17 Dec 78
5.	Oakland Airport	0.18	0200	17 Dec 78	1400	17 Dec 78

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	141.6	1330	17 Dec 78
Average, cfs	13.7		17 Dec 78
Total Volume, ft ³	1,035,800	from 0000 to 2100	17 Dec 78
Prior to storm, cfs	0.161		
Average (previous 7 days), cfs	0.190		
Average (previous 30 days), cfs	2.85		




3. Discrete Sampling Analysis Results

Discrete Sample

Parameter	Units	Value
Date and time		17 Dec 78 1130
Instantaneous flow rate	CFS	31.4
Temperature	Deg C	11.2
Specific conductance	μ mhos/cm	215
рН		6.7
Settleable solids	mL/L	1.0
Suspended solids	mg/L	118
Volatile suspended solids	mg/L	46
Biochemical oxygen demand (5 day)	mg/L	17
Total coliform	MPN/100 mL	1.1x10 ⁵
Fecal coliform	MPN/100 mL	2.4×10 ⁴

CASTRØ VALLEY STØRM, DECEMBER 17,1978 1.50 1.25 1.00 0.75 0.50 0.25 0.00 P.mg/L 15.0 12.5 10.0 7.5 5.0 2.5 0.0 500 400 OF storm event 150 F x indicates sample taken

TIME.HØURS 

4. Flow-weighted Composites

Parameter, mg/L	Time: 064	ember 17, 1978 5-0830 ing	December 1 0930-1615 Fallin	
	Total	Dissolved	Total	Dissolved
MBAS	0.10	0.08	0.10	0.09
TKN	3.2	1.9	2.6	
Ortho P	0.41	0.20	0.41	1.3
Alkalinity	35	14	28	22
Cr	< 0.06	<0.06	<0.06	
Cu	0.08	< 0.03	0.08	< 0.06
Cd	< 0.01	< 0.01	< 0.00	< 0.03
Pb	0.50	0.20		< 0.01
Ni	< 0.06	< 0.06	0.55	0.20
Zn	0.12	0.04	<0.06 0.10	<0.06

- Observations at Sampling Station During Storm Event.
 Nothing significant to report.
- Observations in Tributary Area During Storm Event.
 Nothing significant to report.
- 7. Comments on Storm Event.
 - 1. This storm was an intensive sampling event for a minor storm (greater than 0.20 inches of recorded rain).
 - 2. Flow response at the gaging station occurs within a half hour following a change in the rainfall rate.
 - 3. Two flow weighted composite samples, a discrete grab sample, and a series of discrete samples were analyzed for this event.
 - 4. The series of discrete samples were analyzed for seven parameters which are plotted with the runoff flow rate. The X's on these quality-flow plots indicate when discrete samples were collected. Suspended solids, nitrogen, and phosphorus values peaked with the peak runoff and decreased sharply afterward. Specific conductance values were generally high with low flowrates and at a minimum with the peak flowrate.
 - 5. The samples used in the composite samples were taken at 15 minute intervals for the rising portion of the storm runoff and at one hour intervals during the falling portion of the storm flow. Composite samples were analyzed for ten parameters.

I was not received by the best

STORM EVENT 3 - DECEMBER 17, 1978 QUALITY DATA

DATE	TIME OF DAY	FLOW RATE,	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROWHOS/CM	Æ	SUSPENDED SOLIDS, MG/L	TOTAL NITPOGEN, MG/L AS N	TOTAL PHOSPHORUS, MG/L AS P	7	FECAL COLIFORM, MPN/100 ML
		-			1			1	-	
12-17-78	9:45	34.9		190.	4.9	386.	4.9	0.01		
12-17-78	7:00	27.5		200.	6.2	236.	5.5	0.26		
12-17-78	7:15	17.6		170.	6.2	130.	3.5	0.11		
12-17-78	7:30	12.5		160.	6.2	78.	3.0	0.19		
12-17-78	7:45	9.78		160.	6.2	.99	3.0	0.17		
12-17-78	8:00	10.1		165.	6.1	.04	5.9	0.15		
12-17-78	8:15	10.5		170.	6.1	26.	2.5	90.0		
12-17-78	8:30	9.43		180.	6.3	31.	2.1	0.25		
12-17-78	8:45	7.24	10.6						2.40E 05	4.30E 03
12-17-78	9:30	3.48		210.	6.5	17.	1.9	0.08		
12-17-78	10:15	2.14	10.6						1.10E 05	2.40E 04
12-17-78	10:45	1.65		260.	9.9	12.	2.1	0.21		
12-17-78	11:30	31.4	11.2	230.	6.6	103.	2.3	91.0	1.10E 05	2.40E 04
12-17-78	12:30	5.60	11.1	200.	6.8	85.	2.1	0.30	1.10E 05	4.30E 03
12-17-78	13:15	141.6		120.	9.9	428.	13.0	0.50		
12-17-78	13:30	130.8	11.2						1.10E 05	1.50E 04
12-17-78	14:15	34.0		110.	6.5	154.	2.5	0.10		
12-17-78	14:30	22.6	11.0						1.10E 05	9.30E 03
12-17-78	15:15	20.0		130.	6.5	.04	2.2	0.17		
12-17-78	15:30	39.5	11.1						1.105 05	4.60E 04
12-17-78	16:15	9.78		135.	6.5	.69	2.2	0.12		
12-17-78	16:30	8.43	11.0						1.10E 05	4.60E 04

STORM EVENT 3 - DECEMBER 17, 1978 STORM DATA

					DATE	JEALL THE	
					KAII	NFALL, INC	163
					CASTRO		
				QUALITY	VALLEY		
	TIME	STAGE,	FLOW RATE,	SAMPLE	FIRE	PROCTOR	SIDNEY
DATE	OF DAY	FEET	CFS	TAKEN	STATION	SCHOOL	SCHOOL
12-16-78	24:00	1.19	0.161		0.01		
12-17-78		0.00	0.000		0.01		
12-17-78		1.19	0.161		0.01		
12-17-78	1:30	0.00	0.000		0.01		
12-17-78	2:00	1.19	0.161				
12-17-78	3:00	1.19	0.161				
12-17-78	3:30	1.19	0.161				
12-17-78	3:45	1.78	4.74				
12-17-78	4:00	1.75	4.16				
12-17-78	4:15	1.70	3.32				
12-17-78	4:30	1.65	2.61				
12-17-78	4:45	1.60	2.03		0.03		
12-17-78	5:00	1.56	1.65		0.01		
12-17-78		1.52	1.34		0.03		0.01
12-17-78		1.49	1.14		0.01	0.02	0.02
12-17-78		1.46	0.977		0.01	0.01	0.01
12-17-78		1.45	0.880			0.01	0.03
12-17-78		1.58	1.82			0.01	0.01
12-17-78		2.33	29.8		0.01	0.01	0.01
12-17-78		2.39	34.9	YES		0.01	
12-17-78		2.30	27.5	YES	0.01		0.01
12-17-78		2.15	17.6	YES		0.01	0.01
12-17-78		2.04	12.5	YES			0.01
12-17-78		1.97	9.78	YES		0.01	
12-17-78		1.98	10.1	YES			0.01
12-17-78		1.99	10.5	YES			
12-17-78		1.96	9.43	YES			
12-17-78		1.89	7.24	YES			
12-17-78		1.82	5.60	YES			
12-17-78		1.77	4.54	YES			
12-17-78		1.71	3.48	YES			
12-17-78		1.67	2.88	YES	0.01		
12-17-78		1.63	2.36	YES	0.04	0.01	0.01
12-17-78		1.61	1.82		0.01	0.02	0.01
12-17-78				VEC			0.02
12-17-78		1.56	1.65	YES		0.02	0.02
12-17-78		1.87	6.74	YES		0.01	0.01
12-17-78		2.35	31.4	YES			
12-17-78		2.16	18.3	YES	0.02		0.01
12-17-78		2.02	11.7	YES	0.02	0.01	0.01
12-17-78		1.90	7.50	YES	0.05	0.01	
10-17-70	12.13	1.70	7.50	163	0.05		

STORM EVENT 3 - DECEMBER 17, 1978 STORM DATA (Concluded)

					RAI	NFALL, INCH	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
12-17-78	12:30	1.82	5.60	YES	0.05	0.02	0.02
12-17-78		1.78	4.74	1.23	0.03	0.05	0.02
12-17-78		1.89	7.24	YES		0.03	0.03
12-17-78		3.20	141.6			0.04	0.03
12-17-78		3.13	130.8			0.01	0.01
12-17-78		3.00	112.0	YES	0.01	0.01	0.01
12-17-78		2.67	65.5	,,,	0.01		0.01
12-17-78		2.38	34.0	YES	•	0.01	0.01
12-17-78		2.23	22.6		0.04	0.01	
12-17-78	14:45	2.12	16.1	YES		0.01	0.01
12-17-78	15:00	2.09	14.6			0.02	
12-17-78	15:15	2.19	20.0	YES		0.01	
12-17-78	15:30	2.44	39.5	YES			
12-17-78	15:45	2.26	24.6				
12-17-78	16:00	2.09	14.6	YES			
12-17-78	16:15	1.97	9.78		0.01		
12-17-78	16:30	1.93	8.43	YES			
12-17-78	16:45	1.86	6.50				
12-17-78	17:00	1.85	6.27				
12-17-78	17:15	1.79	4.95				
12-17-78	17:30	1.74	3.98				
12-17-78	18:00	1.67	2.88			0.02	
12-17-78	19:00	1.57	1.73				
12-17-78	20:00	1.49	1.14				
12-17-78	21:00	1.44	0.880				

DECEMBER 1978

SAN FRANCISCO. CALIFORNIA

NATIONAL MEATHER SERVICE OFC INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



1978

CALIFORNIA

	1		11 -		٠,		De Gatt		6 04.0 0.	111	****	101100		L.		#1 ND			10434	**	-	
No		****	2	Davis	1	641 642 (\$4.70 (4)	2	(M. 16. 17.	1 100 100 100 100 100 100 100 100 100 1	0	(4)	*****	F: 5.	Sa 1861	1:		2.	6	i			9 18 18 1
No	١		,		5		10	'0		,	10	11	12	13	14	15	16	12	10	19	20	1
No	1		**	1000	,									20		15 5					7 1	
No.	1									C				31	. 0					1	•	
No.				~						0			30 22							1	0	1
1	ı								•				30 01	1.						1 1		
NO										0	0		30.05	10		10 3			1	1	0	
Section Sect	ı									0	0		30 24	03						1	2	
\$\frac{40}{65}\$ \$\frac{40}{40}\$ \$\frac{40}{65}\$ \$\frac{40}{65}			20		-12					0	0		30.42	00	2 0	. 0				1		
\$ 10	ŀ	• 1	30	43		27	22	e.		0	0	0	30.54	14	2.1	3 0		00				
67			37	47	-3	30	10	0		0	0	0	30.32	13	1.5	3.2		21		1		
60				*						0		0		03			,	00		1		
80 38 40 -1 45 10 0 1 0 0 0 0 30 26 31 2 0 1 3 50 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5									•	0				1.						1	10	1
No.										0		0	30 26	10	3 3					1 1		
\$\frac{\pi_0}{\pi_0}\$ \begin{array}{cccccccccccccccccccccccccccccccccccc										0		0	30 26	31	2.0					1		
10 10 10 10 10 10 10 10											0			10	1.0							
47													20 00								:	
\$\frac{\pi_1}{\pi_1}\$ \frac{\pi_1}{\pi_2}\$ \frac{\pi_1}{\pi_1}\$ \frac{\pi_1}{\pi_2}\$	ŀ												>0 12	1.3						1	10	
1					-0									11				-		1	3	
87 23 46 46 23 20 0 0 0 0 0 0 0 0														10								
0					-4					0	0			11		4.0				1		
1 30 40 -3 50 10 0 0 0 0 0 0 0 1 1		41	*0	**			10	0		0	0	0	30 10	30	1.4	4.6		30		1	C	
10 10 10 10 10 10 10 10				*					1	0	0	0	30.10	04	1.2			02			,	
400 30 44 4 4 57 23 50 0 0 0 0 0 0 0 0 0 4 6 6 12 0 0 10 10 10 10 10 10 10 10 10 10 10 10					No.				1 •							7.0			1			
40 33 40 40 33 25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					-3				1 .	0	0									1	2	
40 33 40 40 33 25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					-				•	0	0		30 01	00						1		
40 33 40 40 33 25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					-								20.07	0.		0.2					10	,
4" 23 40 42 2 27 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0													20 02	0.4								
16-3 11-0 16-4 24 23 0 0 0 0 0 0 0 0 0									: :											1		
######################################				42				0		0	0	0	30 22	13	1 .	. 0						
### ##################################						-	1010	10101		-	1014.	1010		10		-			1014	1	50m	1.
24.0 30 0 40 0 3: 32 10: 0 10:		16.3		-		-		e.	**** (* (* (*)			0	30 .13			1.0	25	01			153	13
54.0 30.0 40.0 2.1 35 101 0 5.0 100 0 2 2,34 1 1 1 1 1 1 4.0 4.00			416		M.		M.	or.			01.						Ju. (.	05	-		115	
andere de dar? libia" - 1 to later O balaite, la te abbas and baits outsites decin on bacoup or i		54.0]	30.01	* U	-7.	25		0 0011		2	3.34					-				. 1	1.0	•
					-	-				0		1651 IN	74 1000			, 1					-0 00	
melufu feut 1 utelufu, feut 1503 rad jefendeas, cours Ofunte latin, for and fet affre, a ter eine beite		-	11 80		Y", "	. 1	1203	144	(whole at . ban)	e e			1 390									

mone destance total per on all subur interest, FASTERS BLE WIND SPEEDS BEE PASTES ORGERED on Aller values and Destallate and Easters or products are a give int precision swateries from Outlands or all mile of consection and me forms of the total size of consection and consider in summer pair will be managinated in let destant symmetry.

					1 1				** 50	1	
	100	F 141			2	MINING	-		#01/32/10	2114	
21	•	30.	3 45	40	36	"			21		
0		30 1	3 42	10	14	78		2	0.2		
07		30 .	4		14	70		2	10	1	
10		30 1		42	30		,		00	,	u
10		30.1	N .	**	14				04		
10		20 1	1 62	44	14				**		
14	4	30 1	2 41	42	36	6 '		2	33	3	3
22	4	30 1	4 45	41	35	7.0	2	4	31		

				4004	140:40	*1						1			 MOL#		. 41				
,		04	12	.04		,	è	2	10	11	12			1	15	6	-	9	10	111	113
,																					
.01	01	.02		,01	, oı		,		.01	. 02	05	.12	,								
						,	,														

SUBSCRIPTION PRICE. 82.55 PER TERM INCLUDING ANNUAL SUMMAY. FOR 100 MINISTER OF PUBLICATIONS ANNUAL CHARGE STATES FOR MONTHLY OR MANUAL ISSUE THE RESTAURCE CHARGE OF 2.00 FOR ANNUAL CHARGE OF SAFETY STORED ISSUES OF PUBLICATIONS. MARK CHICKS PARADLE TO DEPARTMENT OF COMMENTS, MONTHLY OF COMMENTS, MONTH

E CENTATE THAT THIS IS NO DEFICIAL PUBLICATION OF THE METIDIAN DEFAULT AND ATMOSPHERIC ADMINISTRATION. MAD IS COMPILED FROM RECORDS ON FILE AT THE MATTERIAL CLIMATIC CENTER, ASMEDILES, MONTH CARDITAL 20001.

Spiret & Mitchell

USCOMM WOME ASMENTELL DIES TO

DANLAND. CALIFORNIA

MATIONAL MEATHER SERVICE OFC INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



		-	-	٠,		DE GATE		C+ C+1(2 C+	***						M142			5045-			CZYL
	2	>:	2	10. 2. A.	Sering (1 - Polat		609, 145 - WAS	1 (00) 1 (00		1 8 5 5	10 7.01	11 1 11	#150 1881 01F	#13.4 'm'	01140 10410	ž.			Mercel P. Projekt	51 151 each 1	01 14014014
	2	,		5	6	74	78	•	9	10	:1	17	13	14	15	16	17	18	19	20	2
	00	50	***	3	45	10	0	1	0	16	0	20.00	30	0.5	12.1	20	26			2	
		43	91	-1	30	14	0		0	0	0	30.05	33			14	39	1	1		1
	2.1	37	• 1	-	37	10	0		0	0	0	30.25	1,		1		26	:	1	0	1 0
	30	30	**	-4	41	17	0		0	0	0	30 21	20		10 0	70	30			0	1
	52	40	53	3	27	12	0	1	0	0	0	30.07	35			20	01		1	0	1 :
	12	34	42		13	23	0		0	p	0	30.27	0.2			14	03		1		
	40	34	*	-10	20	24	0		0	0	0	30.55		2 2	6 3	12	09		1	1 :	1
	*	30	43	-	20	22	. 0		0	0	0	30.50	12	2 0			11				
	52	30	44	- 7	32	21	0		0	0	0	30 35	20	2			10				1 0
	94	40	47	- 3	36	10	0		0	0	0	30.20	00	. 0	4.2		34		1		1 1
	50	46	93	3	37	12	0		0	0	0	30 21	. 2	6 0		12	11		1	10	1 1
	30	43	90	0	30	15	0		0	0	0	30.20	17	3.5			14		1	0	
	50	31	**	-2	30	17	0		C	0	0	30.20	33				35	1	1	0	1 1
	62"	36	40	-1	31	16	0	1 .	1 0	0	0		90	1.0	5 0	12	03		1		1
	54	36	45	-	30	30	0		0	1	0	20 0	21	3 1		15	10				1
	52	**	40	-1	**	16	0		0	10	0	20 . 11	10	7.0	10.6	10	22		1	10	1 '
	•0	*3	47	-3	31	10	0		0	. 11	0	20.74	10			12	0.4		1	•	1 1
	52	38	42	-7	31	22	0		0	0	0		01	1.4	. 0		20				
	90	33	42	-7	33	23	0		0	0	0	30 34			4.3	10	10				1
	94	33	**	-	34	21	0		0	0	c	30.21		1 0		12	31		1 1	0	1 3
		33	43	-	35	22	0		0	0	0	30.20	30		7 .	1.	06	1	1	0	1
	.2	30		- >	30	101	0		1 0	0	0		00			13	07		1 1		1
	47	30	43		35	22	0		0	0	0	30.05	10	3.4	6.0		13		1	0	1 1
	.0	37	44	-6	33	21	0		C	0	0	30.03	01	7.4		13	00				1
	*	41	**	-4	30	30	0		0	1	0	20.00	36	2.2			34		1	10	1 11
	52	37	**		30	50	C		0	0	0		01	2.6	6.0	12	31		1 1		1
	90	36	43	-	30	22	0	1 .	0	0	0		04		6.3	10	03		1 1	•	1
	50	304	40*	-	31	25	0		0	0	C	30 00	0.	3 -					1	,	1
-	5/2	307	43		24	10.4	12:0		1 6	0		20.22	371		2.0	101	07	10.0	+ - +		1
T S	1043	1105		-	-	.0.	15.01			30.0	-		-	-			-	1	1.00		
	Avo.	Ave	Avg.	ct.	av.	C+ -	.13	PAL, 17:14 . 34	-	De e	_	25-15-	at.	-	6.9	24	26	-			
	93.01	30.2	49 6		24	140.		- 01 355	>	-2.11			=								. ,
-	*4"21	. 6. 6		-	1	1914	1014	1.1.0 1859						A FE'.					00.5	- 20	
-		1600		·	. 1	1179	221	********		*** 18.5		1 3 5 7	, .	11 %		100	**	15 00	175 6	700	_
Ŧ	40	1 12	1 27			24.	20.0	45 31 - 1 -	1	20	17-11		1	-	-			-	177		

- triplet for ing month tast ottometed if note than one.

 I tant another to the out of one to make the out of the out o

	25	п	77.			e,	MOGES	
-					r			

	_							1 54	140
A	11 (O1)		100			2110111	03140	* DIACO	94.6
01	,	30.16	43	30	33	60		05	3.0
04	4	30.15	42	30	30	71	6.2	07	3 1
07		30 17	41	37	32	73		06	2.2
10		30 20	47	41	34		7.0	11	2.0
13	•	30.15	5.1	**	35	. 7		31	3.6
16	-	30 13	51	**	30	50	7.6	31	4.0
10	3	30 14	47	41	33	61		01	3.0
22	3	30 .16	45	40	23	65		07	1 0

				NO	£ 40140					-	11	-							-			
+	,	1.	be	.50		,	9	10	III	12		12	13	1	15	16		e	9	110	111	12
			-																-		1	
	.01	.00	02	.01	.02		.01	,	-01			0 0	,									١.
						,						-	1.		1.							
							1	1	i	1	11	1	,		1	i	1 -	1	1	1	1	

341 1 Substanting Prices 82.55 or the Including manufacturing summary roles on malicing on the State State State Community of manufact ISSUE Interest of the Community of Manufact ISSUE Interests of Public Community on Manufact ISSUE Interests of State Interests of Community of

noaa MITONI OCEANIC AND /

Siel & Withell


STORM EVENT REPORT NO. 4 January 7, 1979

1. Rainfall Summary

		Total		Start		Stop
	Gage	Rainfall in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	0.36	0845	7 Jan 79	2115	7 Jan 79
2.	Proctor School	0.34	0830	7 Jan 79	2315	7 Jan 79
3.	Sydney School	0.38	0830	7 Jan 79	2330	7 Jan 79
4.	San Francsico Airport	0.40	0700	7 Jan 79	2300	7 Jan 79
5.	Oakland Airport	0.36	0700	7 Jan 79	2200	7 Jan 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	31.4	1645	7 Jan 79
Average, cfs	12.4		7 Jan 79
Total volume, ft^3	682,600	from 0845 to 2400	7 Jan 79
Prior to storm, cfs	0.161		
Average (previous 7 days), cfs	0.530		
Average (previous 30 days), cfs	0.670		



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Units	Value	
Chemical Oxygen Demand	mg/L	65	
Total Nitrogen as N	mg/L	1.1	
Lead	mg/L	0.3	
Chromium	mg/L	<0.06	
Copper	mg/L	<0.03	
Total Ortho Phosphorus as P	mg/L	0.26	
Suspended solids	mg/L	50	
Volatile suspended solids	mg/L	16	

Discrete Sample

Parameter	Units	Value
Date and time		7 Jan 1715
Instantaneous flowrate	cfs	27.5
Temperature	Deg C	11.6
Specific conductance	umho/cm	70
На		6.0
Settleable solids	m1/L	0.2
Suspended solids	mg/L	87
Volatile suspended solids	mg/L	26
Biochemical oxygen demand (5 day)	mg/L	8
Total coliform	MPN/100 m1	4.6×10^6
Fecal coliform	MPN/100 ml	1.5×10^5

- Observations at Sampling Station During Event.
 Nothing significant to report.
- Observations in Tributary Area During Event. Nothing significant to report.
- 6. Comments on Storm Event.
 - 1. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 - The samples used in the composite sample analysis were taken at 15 minute intervals from 1630 to 2330 as indicated by X's on the flow plot.

STORM EVENT 4 - JANUARY 7-8, 1979 STORM DATA

					RAII	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1- 7-79	8:00	1.19	0.161				
1- 7-79		1.19	0.161			0.01	0.01
1- 7-79		1.19	0.161		0.01	0.01	0.01
1- 7-79		1.19	0.161		0.01	0.01	0.01
1- 7-79		1.19	0.161			0.01	0.01
1- 7-79		1.19	0.161		0.01	0.01	0.01
1- 7-79		1.19	0.161		0.01		
1- 7-79		1.82	5.60			0.01	
1- 7-79		1.84	6.04		0.01	0.01	0.01
1- 7-79		1.78	4.74		0.01	0.01	0.01
1- 7-79		1.76	4.35		0.01	0.01	
1- 7-79		1.70	3.32		0.01	0.01	0.01
1- 7-79		1.67	2.88		0.01	0.01	0.01
1- 7-79		1.66	2.74		0.01	0.01	0.01
1- 7-79		1.71	3.48		0.01	0.01	0.01
1- 7-79		1.94	8.75		0.01		0.01
1- 7-79		2.05	12.9		0.01	0.02	
1- 7-79		2.04	12.5		0.01	0.01	0.01
1- 7-79		1.99	10.5		0.01	0.01	0.01
1- 7-79		1.95	9.09		0.01	0.01	0.01
1- 7-79		1.94	8.75		0.01	0.02	0.01
1- 7-79		1.96	9.43		0.01	0.02	0.01
1- 7-79		2.10	15.1		0.01	0.01	0.01
1- 7-79		2.19	20.0		0.02	0.01	0.01
1- 7-79		2.15	17.6		0.01	0.01	0.01
1- 7-79		2.11	15.6		0.01	0.01	0.02
1- 7-79		2.11	15.6		0.01	0.01	0.01
1- 7-79		2.26	24.6		0.01	0.01	0.01
1- 7-79		2.28	26.0		0.01	0.01	0.02
1- 7-79		2.26	24.6		0.02	0.0.	0.02
1- 7-79		2.25	23.9		0.01	0.02	0.02
1- 7-79		2.30	27.5		0.01	0.01	0.01
1- 7-79		2.34	30.6	YES	0.01	0.01	0.01
1- 7-79		2.35	31.4	YES	0.01	0.01	0.01
1- 7-79		2.31	28.2	YES	••••	0.02	0.01
1- 7-79		2.30	27.5	YES	0.01		
1- 7-79		2.27	25.3	YES	0.01	0.01	0.01
1- 7-79	7.0	2.21	21.3	YES	0.01		
1- 7-79		2.16	18.3	YES	0.02	0.01	0.01
1- 7-79		2.10	15.1	YES		0.01	0.01
1- 7-79		2:14	17.1	YES		0.01	0.01
1- 7-79		2.28	26.0	YES	0.02	0.01	0.01

STORM EVENT 4 - JANUARY 7-8, 1979 STORM DATA (Concluded)

					RAI	NFALL, INC	HES
				QUALITY	CASTRO		
	TIME	STAGE,	FLOW RATE,	SAMPLE	FIRE	PROCTOR	SIDNEY
DATE	OF DAY	FEET	CFS	TAKEN	STATION	SCHOOL	SCHOOL
1- 7-79	19:00	2.26	24.6	YES			0.01
1- 7-79	19:15	2.20	20.6	YES		0.01	
1- 7-79	19:30	2.20	20.6	YES			0.01
1- 7-79	19:45	2.19	20.0	YES			
1- 7-79	20:00	2.10	15.1	YES	0.01		
1- 7-79	20:15	2.00	10.9	YES			
1- 7-79	20:30	1.92	8.11	YES			
1- 7-79	20:45	1.85	6.27	YES			
1- 7-79	21:00	1.80	5.16	YES			
1- 7-79	21:15	1.78	4.74	YES	0.02		0.01
1- 7-79	21:30	1.75	4.16	YES		0.01	
1- 7-79	21:45	1.73	3.81	YES			
1- 7-79	22:00	1.71	3.48	YES			0.01
1- 7-79	22:15	1.71	3.48	YES			
1- 7-79	22:30	1.86	6.50	YES			
1- 7-79	22:45	1.92	8.11	YES			
1- 7-79	23:00	1.88	6.99	YES			
1- 7-79	23:15	1.84	6.04			0.02	
1- 7-79	23:30	1.78	4.74	YES			0.01
1- 7-79	23:45	1.76	3.98				
1- 7-79	24:00	1.69	3.17				
1- 8-79	0:15	1.66	2.74				
1- 8-79	0:30	1.63	2.36				
1- 8-79	0:45	1.61	2.14				
1- 8-79	1:00	1.60	2.03				
1- 8-79	1:15	1.58	1.82				
1- 8-79	1:30	1.56	1.65				
1- 8-79	1:45	1.55	1.57				
1- 8-79	2:00	1.53	1.41				
1- 8-79	2:15	1.52	1.34				
1- 8-79	2:30	1.50	1.21				

JANUAR1 1979

Local Climatological Data

SAN FRANCISCO. CALIFORNIA NATIONAL MEATHER SERVICE OF MONTHLY SUMMARY INTERNATIONAL AIRPORT



FRANCISCO.

CHISTOR 37 35 M CONCILAGE 155 52 M ELECASION CONDUCT 101 01 month NUMBER OF DETS PRECIPITATION 1.01 INCH 13 SNOW. ICE PECCE'S

e garages con the month (465) occurrence is note than one; than one; the control of the control

HORE DROCKINGTONS MER DAT AT SIMPLE LATERIALS.

ARRIVED MILL WINC DATEDS ARE MADITIST ORSERVED

OF CHARLES THE VIEW TO THE DESCRIPTION INDICATES

FROM DATE SHEED

ANY CREEDS DETECTED HILL BE COPPECTED AND

CHARLES IN SUPPLANT DATE WILL BE ANYDIDITED IN

INC. DANIELD. SUPPLANT

			* 1	. 4 0	15	-		150	
	•		16 40	[44'	at.	~	0	,	
PION THE	Set (0)	510110N PRESSURE	•	. 9 me		#f(#17#	1.40 54	0110110N	2110
01	6	30.02	45	43	40	85	7.1	21	1.1
04	7	30.02	44	42	40	87	7.6	20	1.6
07	,	30.03	44	43	40	88	7.6		3 3
10		30 06	46	45	41	81	0.7		3 9
13	7	30.01	51	47	41	15	8.6	05	1.8
16	7	30.00	51	47	42		10.0		3 :
19		30.01	40	45	42	80		29	2.3
22	5	30.01	47	44	41	. 65	7.1	27	1.5

-		-		40U#		41										HOUR	CHOING	U.					-
1	2 1	3	4	5	6	7	8	9	10]	11	12		2	3	4	5	6	7	6	9	10	11	12
																	,	.01	.01	;	.01	;	.0
	- 1	.02	*	7	.01	7				-01	1		*	1									
	. !	02				,	נם	-02	-19	.04	.02	.03	.05	.04	.02	.02	.04	.03	.02	-02	.03	.01	,
.01	.01		.04	.04			1	.00	.03	*	*	1				1	,	+	.01	.00	.07	04	.0
.00	.21	. 05	,12	.13	.06	.0≥	,	.04	.03	-07	.04	.06	7	.01	.01	*	*	*	,	,	١.	1	*
.08	.10	23	.20	.11	-05	.01	.02	.06	. 37	.06	.06	.02		.00	- 40	10	.07	.02	.03	.04	. 55	-17	•
														.03	.09	,		.01	-02	+	,		*
	.03		.01	.01																			
•			,								.01	.09	03	.09									

CENTER THAT THIS IS ON OFFICER, PUBLICATION OF THE MATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION. AND IS COMPLETE FROM RECORDS ON TILE OF THE MATIONAL CEPTAGE ENTER. ASSET LEVEL, ADMINISTRATIONAL CEPTAGE.

noda wational decante and the things are the things and the things are the things and the things are the things

USCORM - NORE - BSMEVILLE - 03-07/79

DAKLAND, CHLIFDRNIA

INTERNATIONAL RIRPORT

NATIONAL MEATHER SERVICE DEL

Local Climatological Data

MONTHLY SUMMARY



1	-	16 40	RATUR	٠,	,	BASI		De Dutes Co	100	****	41104	,,,,,		,		180	105	16.2.	Sues-	***		Carl.
	2	2	7504)15	100.00 LD.	Dia * 10	Service into	(90) (40)	100 miles 100 miles 3104m 101 miles 3104m 101 miles 3104m 0 101 miles 3104m 0 101 miles 3104m 0 101 miles 3104m	0444	100 100 100 100 100	100 - 100 -	100 mm	, eld (wa. 105).	** 5.ut 10% !		21146 1000140	24.10	- WELL 234-10	57.9	91 10331911	\$000 M 12 \$000 M	0 1000
l	2	3		5	6	74	78		9	10	13	1,7	1			15	16	17	16	19	27	2
ĺ	56	35 *	46	-5	24	10	C		0	0	0				. 0		20	05				6
į	52	42	47	-1	30	10	0		0	0	C		8 00			8 6	14	26	1	1	10	
	53	42	53	0	35	17	0		0	.10	0					6.6	13	06			10	11
	58*	46	5;	3	42	12	0		0	03	0		6 10		0	6.8	13	10			10	11
	56	43	50	2	1	15	0		0		0		0 25	1	1	4 0		35			10	
	54	46	51	3	47	14	0		0	. 36	0		0 12		0	5 8	13	11			10	1 20
	55	51	53	5	40	12	0	1	0	1.14	0		8 15			0 1	18	15			10	
	57	51	54	6	49	11	D		0	:8	0		olie		3	6.0	12	28		1		
	57	47	52		42	13	0	1	0	60	0		5 15		6	6 6	16	15				
	57	53	554	,	52	10	0	1	0	1 08	0		7 21		0 1	2.4	21	21			10	0.0
	57	47	52	4	48	13	0		0	0	0	30 1	0 28	,	2	7.5	13	27	1			
	57	45	51	3	44	14	C	. 4	0	0	. 0	30 1	0 15		. 3	6.5	16	13			10	
	57	40	53	5	45	12	0	3	0	1 40	0	20 1	3 16	18	0 1	8.3	25	14				
	56	49	53	5	45	12	0	3 5	0	1.18	0		\$ 00		6	9.2	20	15				
	57	43	50	2	4.7	15	0		0	0			6 35		3	5.5	15	33			.0	- 2
	52	38	45	-3	41	20	0	1 6	0	- 10		20 6				6.5	15	20				t
	55	45	50	1	•1	15	0		0	0		30.0			3	1.1	10	30)			3
	56	30	47	-3	30	18	0	e	0	0	0		6 35			2.6	,	12			10	
	57	43	50	1	42	15	0		0	0		30.2			-3	3.5	٥	31		1	9	
	55	45	50	1	1 45	15	0		0	0		30.0				6.5	10	10			:	
	50	43	47	-2	42	10	0	: .	0	0		30.0				5.5		07			10	
	53	45	49	0	40	16	0		0	0		20 6				0.6	21	31				
	54	39	47	-2	37	16	0		0	0		20.0				0.0	17	20			0	0
	54	•0	47	-2	30	10	0		0	0	0	30 1				0.1	15	01		1 1	c	0
	55	40	48	-2	33	17	0		0		0	30.2	0 31	3	. 1	0.5	17	33			•	2
	53	38	46		1 53	19	D.		0	0			8 33		0 1	2.1	20	30		1	0	2
	40	36	43*		22	22	0		0	. 0		30.0				6 5	12	12			•	,
	50		45		35	20	0		0	-00		20 6				5.5	50	14			10	
	Sue !	30		-0	36	1014	1010.		1 2	1014	1010	20 6				404T	14	05	1014	1		
	1690	1347			-	401	0			6.65	0	30 0	4112	1		0.1		14	.0.4	100	225	102
"	avc.	Avc.	AVC	01 *	AVC.	DE P	DEP.	PALCIP 14" 04		ot.			111	1	-	214	30.1	30	-	-	Avc	4.
	54.5	43.5	49.0	0.4	39	-17	0	IN	12	2.62		-	1		-1-	-			-		7.3	6
							0 04.6	SNOW. ICE PE.			-		-	-	_					-	-	-
	4070	. 0. 00		-		1014	1014	1 0 140-	0	CAER	165' 14	24 MG	45 4	90 0	0.12		Cat	1151	DE * 1 = 00	C# 0.	NO 04	540.
	44114	.14.	1175			1620	0	INCHOLOGY GEN	3		491194			121	*1	(.2	151	**	15 00	ICE 04	C DRIE	
	9	32	1 37		0	26.	DE P	CLEAR 5	0	2.21	14-1		0	1					0			

e Elifere for int monimo Las' Olluffinit in more opsitivations fix den ar 3 moue interes, more index det. If more index det. If more index det. If port, or only, many for interes, many formation in more destination in more destination and interes, many formation in more destination in more destinations fix destinations for more destinations. The destination in more destinations from the destination in more destinations for more destinations for more destinations. The destinations for more destinations for more destinations for more destinations for more destinations for destinations for

		41 Su. 104.									
- NO.	Ser Covie	STATION PRESSURE IN.	1	97.0		MELATINE MUNICIPITY 2	01145 ONI#		0100000	20110	
01	5	30.05	47	43	30	73		4	20	3	
04	6	30.04	46	42	38	75	,	. 2	11	3	
07	6	30.05	45	42	37	76	7	,	12	3	
10	,	30 00	49	45	40	23		4	12	2	
13	7	30.04	52	47	41	69		5	22	1	
16	7	30.01	53	4.7	41	66		3	25		
19	6	30.03	50	46	40	70	,		06	. 1	
35	5	30.04	48	44	40	74	,		00	1	

a a work tabled a.								1 12 13 14 15 16 17 18 19 115 111 122															
1	-2	3	•	5	. 6			9	10	11	12	1_	2	3	•	5	5	7	8	9	10	11	12
;		,	-01			,				.01	,	.01	,	,			.01	.02	.03	-01	,03	:	.0.
,	,	,	.01	.04	.02	•	*	.03	. 10	21	.02	.04	04	;04	.02	;04	.04	.02	-01	,	.03	*	
.17	16	. 17	. 16	. 05	.03	.00	.02	.04	.04	06	.05	.03	٠	,	;	;	;	.01	,08	114	31	24	-13
,	,	.00	.13	.09	.06	.05	.03	.02	.14	.24	.01	.20	20		.20	21	-01	0.2	,	-03	-11	43	.0
														•	.10	'	,	,	,				
									.05			05		01									

SUBSCRIPTION PRICE 82-55 PER TEAR INCLUDING MINURE, SUMMARY, FOREIGN MILLING BI. 85 EXTRE. SINGLE COPTS 20 CENTS FOR MONIMET OR MANUAL ISSUE THERE IS A MINIMUM CHARGE OF 82-00 FOR EACH ORDER OF SMILE-STOCKED ISSUES OF PUBLICATIONS. MANUEL TO CHARGE TO REPORT THE ORDER OF SMILES OF PUBLICATIONS. MANUEL TO CHARGE TO WARTER OF COMMERCE, MONEY CENTER FROM BUILDING, MANUELLE, MORTH CAROLINA 28801.

I CERTIFF THAT THIS IS AN OFFICIAL PUBLICATION OF THE WATIONAL OCCURRIC AND RIMOSPHERIC NOMINISTRATION. AND IS COMPILED FROM RECORDS ON FILE AT THE

Sociel B. Mitchell CHAPTER CENTER

USCOMM NORM ASMETILEE 03/07/76


STORM EVENT REPORT NO. 5 January 8, 1979

1. Rainfall Summary

		Total		Start	Stop				
Gage		Rainfall in.	Hour	Date	Hour	Date			
1.	Castro Valley Fire Station	1.42	0945	8 Jan 79	1545	8 Jan 79			
2.	Proctor School	1.24	0945	8 Jan 79	1545	8 Jan 79			
3.	Sydney School	1.30	0915	8 Jan 79	1545	8 Jan 79			
4.	San Francisco Airport	1.31	0800	8 Jan 79	1500	8 Jan 79			
5.	Oakland Airport	1.14	0900	8 Jan 79	1600	8 Jan 79			

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	656.1	1315	8 Jan 79
Average, cfs	182.0		8 Jan 79
Total volume, ft ³	6,225,900	from 0915 to 1845	8 Jan 79
Prior to storm, cfs	0.450		
Average (previous 7 days), cfs	1.62		
Average (previous 30 days), cfs	0.950		





3. Discrete Sampling Analysis Results

Discrete Sample

Parameter	Units	Value			
Date and time		8 Jan 79 1300			
Instantaneous flow rate	CFS	633.2			
Temperature	Deg C	11.3			
Specific conductance	μmhos/cm	75			
рН		7.0			
Settleable solids	mL/L	3.4			
Suspended solids	mg/L	772			
Volatile suspended solids	mg/L	118			
Biochemical oxygen demand (5 day)	mg/L	8			
Total coliform	MPN/100 mL	4.6x10 ⁵			
Fecal coliform	MPN/100 mL	2.3x10 ⁴			

CASTRØ VALLEY STØRM, JANUARY 8,1979





4. Flow-weighted Composites

Parameter,	Time: 102	uary 8, 1979 20-1315 ing	January 8, 1979 1400-2000 Falling				
	Total	Dissolved	Total	Dissolved			
MBAS	0.06	0.06	<0.01	<0.01			
TKN	2.8	0.75	2.0	1.5			
Ortho P	0.56	0.23	0.64	0.44			
Alkalinity	26	16	28	25			
Cr	< 0.03	< 0.03	< 0.03	< 0.03			
Cu	0.06	< 0.03	< 0.03	< 0.03			
Cd	< 0.01	< 0.01	< 0.01	< 0.01			
Pb	0.65	< 0.10	< 0.10	< 0.10			
Ni	< 0.06	< 0.06	< 0.06	< 0.06			
Zn	0.23	0.08	0.11	0.30			

- 5. Observations at Sampling Station During Storm Event.

 During this storm event, a car body passed unnoticed through the sampling control section and lodged itself approximately 100 feet downstream. Flow records between this storm event and February 22 were affected slightly due to this obstruction.
- 6. Observations in Tributary Area During Storm Event.
 Nothing significant to report.
- 7. Comments on Storm Event.
 - 1. This storm was an intensive sampling event with over 1.00 inch of recorded rainfall.
 - 2. Rainfall intensity peaked over 0.50 inches/hour between 1200 and 1300 and produced a peak runoff rate of 656 $\rm ft^3/s$ at 1315.
 - 3. Two flow weighted composite samples, a discrete grab sample , and a series of discrete samples were analyzed for this storm event.
 - 4. The series of discrete samples were taken at 15 minute intervals between 1030 and 1315 and at one hour intervals between 1400 and 2000 as indicated by X's on the quality-flow plots. These samples were analyzed for seven parameters. Three parameters had definitive trends. Suspended solids values increased with the runoff flow, peaking just prior to peak runoff flow and decreasing sharply as the runoff flow peaked. Specific conductance, and to a lesser degree, pH, reversed this pattern, increasing with decreasing flow and attaining minimum values with peak flow.
 - 5. Samples collected for the composite samples were taken at 15 minute intervals during the rising portion of the storm runoff (1020 to 1315) and at one hour intervals during the falling portion (1400 to 2000). These samples were analyzed for ten parameters.

STORM EVENT 5 - JANUARY 8, 1979 QUALITY DATA

DATE	TIME OF DAY	FLOW PATE,	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROMHOS/CM	Æ	SUSPENDED SOLIDS, MG/L	TOTAL NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MG/L AS P	TOTAL COLIFORM, MPN/100 ML	FECAL COLIFORM, MPN/100 ML
					-					
1-8-79	10:19	7.50		320.	6.7	43.	3.0	0.10		
1-8-79	10:30	95.0		280.	6.7	248.	4.4	0.12		
1-8-79	10:45	116.2		80.	6.7	346.	3.7	0.27		
1-8-79	11:00	140.0		.09	6.7	346.	3.1	0.15		
1-8-79	11:15	221.7		.09	6.5	472.	3.8	0.21		
1-8-79	11:30	255.1		.09	6.5	498.	3.3	0.29		
1-8-79	11:45	247.0		.09	6.5	400.	5.9	9.14		
1-8-79	12:00	248.6	11.3	.09	6.5	358.	2.8	0.13	1.50E 05	4.00E 03
1-8-79	12:15	277.8		.09	6.5	364.	3.2	0.23		
1-8-79	12:30	356.0		.09	4.9	.009	4.0	0.15		
1-8-79	12:45	566.5		.09	6.5	748.	4.0	0.13		
1-8-79	13:00	633.2	11.3	.09	6.3	. 496	4.4	0.34	4.60E 05	2.30E 04
1-8-79	13:15	656.1		62.	6.5	1154.	4.6	0.39		
1-8-79	14:00	309.8	11.1	120.	4.9	404	6.4	0.41	2.50E 05	1.50E 04
1-8-79	15:00	124.8		.06	6.9	168.	4.2	91.0	2.40E 05	9.00E 03
1-8-79	16:00	211.0	11.6	250.	6.9	118.		0.23	1.50E 05	2.30E 04
1-8-79	17:00	38.6	11.6	170.	6.7	120.	3.6	0.08	4.60E 05	9.00E 03
1-8-79	18:00	20.0	11.7	270.	6.7	80.	6.9	0.10	2.40E 05	4.30E 04
1-8-79	19:00	13.7		360.	7.1	30.	7.0	91.0		
1-8-79	19:30	11.3	11.7						1.50E 05	9.00E 03
1-8-79	20:00	8.43		440.	7.1	20.	7.3	0.05		

STORM EVENT 5 - JANUARY 8, 1979 STORM DATA

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLON RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
1- 8-79	9:00	1.31	0.423				
1- 8-79	9:15	1.31	0.423				0.01
1- 8-79		1.31	0.423				0.01
1- 8-79		1.31	0.423		0.03	0.01	0.03
1- 8-79	10.00	1.32	0.450		0.04	0.04	0.03
1- 8-79	10:15	1.34	0.508		0.03	0.04	0.02
1- 8-79	10:30	2.89	95.0	YES	0.04	0.04	0.04
1-8-79	10:45	3.03	116.2	YES	0.06	0.05	0.07
1- 8-79	11:00	3.19	140.0	YES	0.08	0.08	0.08
1- 8-79	11:15	3.68	221.7	YES	0.06	0.07	0.07
1- 8-79	11:30	3.89	255.1	YES	0.05	0.04	0.05
1- 8-79	11:45	3.84	247.0	YES	0.10	0.08	0.09
1- 8-79		3.85	248.6	YES	0.04	0.06	0.07
1-8-79	12:15	4.03	277.8	YES	0.14	0.12	0.10
1- 8-79	12:30	4.53	356.0	YES	0.13	0.08	0.17
1- 8-79	12:45	6.17	566.5	YES	0.28	0.18	0.18
1- 8-79	13:00	6.83	633.2	YES	0.12	0.15	0.08
1-8-79	13:15	7.06	656.1	YES	0.06	0.04	0.04
1-8-79	13:30	6.77	627.2	YES	0.02	0.03	0.03
1- 8-79	13:45	4.90	408.0	YES	0.03	0.02	0.02
1- 8-79	14:00	4.24	309.8	YES	0.04	0.03	0.03
1-8-79	14:15	3.99	271.8	YES	0.01	0.01	0.02
1-8-79	14:30	3.97	268.3	YES		0.01	
1- 8-79	14:45	3.53	196.7	YES			
1-8-79	15:00	3.09	124.8	YES			
1-8-79	15:15	2.80	82.4	YES			0.01
1- 8-79	15:30	2.71	70.4	YES	0.05	0.03	0.03
1- 8-79	15:45	2.72	71.7	YES	0.01	0.03	0.02
1- 8-79	16:00	3.61	211.0	YES			
1- 8-79	16:15	3.30	158.0	YES			
1- 8-79	16:30	2.78	79.6	YES			
1-8-79	16:45	2.53	49.0	YES			
1-8-79	17:00	2.43	38.6	YES			
1- 8-79	17:15	2.33	29.8				
1-8-79	17:30	2.25	23.9	YES			
1- 8-79	17:45	2.23	22.6				
1- 8-79		2.19	20.0	YES			
1- 8-79		2.14	17.1				
1- 8-79		2.10	15.1	YES			
1- 8-79		2.06	13.3				
1- 8-79		2.07	13.7	YES			
1- 8-79	19:15	2.02	11.7				

STORM EVENT 5 - JANUARY 8, 1979 STORM DATA (Concluded)

					RAIN	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
1- 8-79	19:30	2.01	11.3	YES			
1- 8-79	19:45	1.98	10.1				
1- 8-79	20:00	1.93	8.43	YES			

SAN FRANCISCO. CALIFORNIA NELTONE MERTHER SERVICE DIE

Local Climatological Data

MONTHLY SUMMARY



N'ERNETIONAL AIRPORT ******** 15. 25 W CONCLINES 155, 52 H 00-5 | 410'-416 | 1-15' | 50' | 00'-15' | 01' | 01'-15' | 01' | 01'-15' | 01' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15' | 01'-15 -----0.00 months 1.00 months 0.100 m ... i

ESTATING THE THE MEAN ... LAST DECEMBENT IS MADE THAN THE THANK THE THANK THE THANK T

none opposition for our of bindum (n'este a suspicio succession succession de la companya de la

					1 5	-		1150	
	100.17	6 1415 1 150 1 1	2			2	03340	#01/33#10	01.
01		50 0.	45	43	40	85	7.1	21	1 1
0.		30 0		42	40		7.6	20	1.6
03		30 0		41	40		* 6	15	3 3
10		30 00		45	42			1 00	3.4
13		30.0		*	41	12		0.05	1 6
10		30 0		47	42	12	10.	26	3 1
10		30 0	40	45	42	80		1 24	2 :
22		30.0	41	**	41	. 02	3	1,27	1.5

. 1					***	41										400	CADING.	a.		-		-	-
-	2.1	1 1		5 I	6	1	6]	9	10	11	17		7)		5	6	,		9	10	11	1.
																	,	.01	.01	;	.01	;	, 01
		.02	,	,	.01	7	1			-01			1		,								
		.oe				,	,01	02	19	-04	02	26	05	.04	.02	G2	.04	03	.02	-02	03	0.1	
01	0.1		04	04				.06	.03	,	,	1	4				7	,	.01	.00	.07	0.4	.04
.00	-2:	.05	,12	,13	.06	-02	,	.04	.03	01	.04	06	*	01	- 101	,	'	,	,		1	,	*
00	.10	23	20	.11	.05	.01	02	.06	.57	ge.	06	. 32		.00	**	, 18	.01	0.2	.03	04	-33	.17	,
											1			03	.00		,	01	02		,		,
	.03		01	.01																			
•			,																				
			1.	1		1	1		.05	1	.01	.00	.05	ge			-				1		

noaa NATIONAL OCEANIC AND ATTOM

Souice B. Mitchell

USCOME NORE ESHEVILLE 05 05-74

Local Climatological Data

MONTHLY SUMMARY



(a.)

	_				1 5				et s		•
			11.00	fes.			0				
6		514119				110111	5 00		01113410	0114.	
01	,	30.05	47	43	30	7,			10	,	7
0.4	6	30.04	*	42	36	75	,	2	11	,	
07	6	30.05	45	42	33	76	,	,	12	3	
10	7	30 00		-	40	73			12		
4.3	,	30.04	52	47	41	60			22	1	
1.6	,	30.01	53	47	•1	86		1	25		
19	6	30 03	50	*	40	70	,		26	ï	2
22.	5	30.04	48	**	40	14	. *		e.	1	9

				401 .	6	4										40.0	-						
-	-	1	•	5	. 6			9	10	-11-	12		2	1	•	5	E SE	1	. 9	9	10	11_	12
:		,	.01			,				.01	,	-01			,		.01	-02	23	C1	,03	:	,
,	,	,	01	.04	.02	,	٠	04	10	01	02	-04	00	,04	.02	.04	.04	.02	01	,	.03	*	
.17	- 18	.17	. 16	.05	.03	.00	.02	0.4	04	06	.05	-03		•	;	;	;	,01	100	,14	. 31	.24	- 1
,	;	.13	.13	.00	.06	.05	.03	02	.14	.24	.01	.28	.20		.20	21	.01	-02	,	.03	- 11	43	e
														,	10		,	,	•				
									.05			02		01									

noaa MATIONAL OCEANIC AND ATTON

A-49

Direction Marional Committee Contraction

STORM EVENT REPORT NO. 6 January 10-11, 1979

1. Rainfall Summary

		Total	:	Start		Stop
	Gage	Rainfall in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	2.30	1900	10 Jan 79	1300	11 Jan 79
2.	Proctor School	2.57	1945	10 Jan 79	1430	11 Jan 79
3.	Sydney School	2.31	1915	10 Jan 79	1815	11 Jan 79
4.	San Francisco Airport	1.16	1900	10 Jan 79	1600	11 Jan 79
5.	Oakland Airport	1.97	1800	10 Jan 79	1300	11 Jan 79


2. Creek Flow Summary


Discharge Condition	Value	Time	Date
Maximum, cfs	522.5	0545	11 Jan 79
Average, cfs	192.0		10 Jan 79
Total volume, ft ³	17,946,700	from 1900 to 2100	10 Jan 79 11 Jan 79
Prior to storm, cfs	0.880		
Average (previous 7 days), cfs	13.0		
Average (previous 30 days), cfs	3.70		

A-37

DIRECTOR, NOTIONAL CLIMATE CENTER USCOMM NORM ASSETTLE OSIONA SC










3. Discrete Sampling Analysis Results


Discrete Sample

Parameter	Units	Value
Date and time		10 Jan 79 2205
Instantaneous flow rate	CFS	470.4
Temperature	Deg C	11.6
Specific conductance	μ mhos/cm	70
рН	<u></u> .	7.0
Settleable solids	mL/L	0.3
Suspended solids	mg/L	76
Volatile suspended solids	mg/L	17
Biochemical oxygen demand (5 day)	mg/L	12
Total coliform	MPN/100 mL	11x10 ⁵
Fecal coliform	MPN/100 mL	0.4×10^4









4. Flow-weighted Composites

Parameter, mg/L	Date: Janu Time: 2100 Risi		2230-16	10-11, 1979 00 11ing
	Total	Dissolved	Total	Dissolved
MBAS	0.075	0.045	0.06	<0.01
TKN	2.2	1.5	1.6	1.1
Ortho P	0.20	0.07	0.39	0.36
Alkalinity				
Cr	< 0.06	<0.06	< 0.06	<0.06
Cu	0.05	<0.03	< 0.03	<0.03
Cd	< 0.01	< 0.01	< 0.01	<0.01
Pb	0.50	< 0.10	< 0.10	< 0.10
Ni	<0.06	<0.06	< 0.06	<0.06
Zn.	0.09	<0.008	0.04	0.04

- Observations at Sampling Station During Storm Event.
 Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.
- Observations in Tributary Area During Storm Event.
 Nothing significant to report.
- 7. Comments on Storm Event.
 - This storm was an intensive sampling event with over 2.00 inches of recorded rainfall.
 - 2. Flow response at the gaging station occurs within one half hour following a change in the rainfall rate.
 - 3. Two weighted composite samples, a discrete grab sample, and a series of discrete samples were analyzed for this event.
 - 4. The series of discrete samples were analyzed for seven parameters and are plotted with the runoff rates. The X's on these plots indicate when discrete samples were collected. Suspended solids, nitrogen, and phosphorus generally peaked and attained high values with maximum flowrates. Specific conductance values minimized with high flowrates and maximized with low flowrates. Total and fecal coliform values paralleled each other with fecal values approximately one order of magnitude lower than total coliform values. Both coliform values rose steadily during the last half of the storm event.
 - 5. Samples used in the composite sample analysis were collected at 15 minute intervals during the rising portion of the storm flow (2100-2145 on January 10) and at one hour intervals during the falling portion of the storm (2230 on January 10 to 1600 on January 11). Composite samples were analyzed for the parameters.

STORM EVENT 6 - JANUARY 10-11, 1979 QUALITY DATA

DATE	TIME OF DAY	FLOW RATE, CFS	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROMHOS/CM	£	SUSPENDED SOLIDS, MG/L	TOTAL NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MG/L AS P	TOTAL COLIFORM, MPN/100 ML	FECAL COLIFORM, MPN/100 ML
		, ;			'			:		
6/-01-1	00:17	1.00		150.		186.	3.5	0.55		
1-10-79	21:15	127.8		100.	6.5	254.	3.6	0.13		
1-10-79	21:30	226.3		70.	9.9	488.	2.8	0.25		
1-10-79	21:45	513.2		62.	9.9	538.	5.6	0.42		
1-10-79	22:04	4.074	11.6	70.	7.0	76.			1.10E 06	4.00E 03
1-10-79	22:30	277.8		85.	9.9	404	3.2	0.39		
1-10-79	23:04	359.3	11.7						9.30E 04	4.00E 03
1-10-79	23:30	316.0		100.	9.9	242.	3.0	0.13		
1-10-79	23:34	280.8	11.6						2.30E 04	3.00E 03
1-10-79	0:30	135.4	11.7	170.	6.7	101.	4.1	0.20		
1-10-79	1:30	474.7	12.0	80.	9.9	321.	2.8	0.12	2.40E 05	
1-10-79	2:15	434.1		105.	9.9	198.	3.1	0.09		
1-10-79	2:30	436.9	11.9						4.30E 04	4.00E 03
1-10-79	3:30	312.9	12.0	150.	6.7	146.	8.4	0.09		
1-10-79	4:19	427.2	12.1						9.30E 04	9.00E 03
1-10-79	4:30	418.9		120.	6.7	225.	4.5	0.28		
1-10-79	5:30	410.7		100.	6.8	177.	3.3			
1-10-79	5:40	477.5	12.6						9.30E 04	3.00E 03
1-10-79	6:30	232.6		210.	9.9	148.	5.2	0.25		
1-10-79	7:30	158.0		225.	6.7	170.	6.5	0.33		
1-10-79	8:30	76.9		280.	6.7	92.	7.0	0.04		
1-10-79	9:00	153.0		270.	6.9	373.	7.3	0.28		
1-10-79	10:00	144.8		180.	6.7	79.	4.2	0.15		
1-10-79	11:00	275.0		140.	9.9	158.	3.6	0.25		
1-10-79	12:00	291.3		160.	6.7	137.	4.5	0.34		
1-10-79	13:00	243.7		175.	9.9	133.	6.4	0.42		
1-10-79	14:00	129.3		230.	6.7	116.	4.9	0.33		
1-10-79	15:00	8.09		310.	7.0	.69	9.6	0.41		
1-10-79	16:00	35.8		325.	6.9	.64	10.3	0.43		

STORM EVENT 6 - JANUARY 10-11, 1979 QUALITY DATA (Concluded)

SPECIFIC SUSPENDED TOTAL TOTAL TOTAL FECAL TEMPERATURE, CONDUCTANCE, SOLIDS, NITROGEN, PHOSPHORUS, COLIFORM, COLIFORM, DEG C HICROMHOS/CM PH MG/L AS N MG/L AS P MPN/100 ML MPN/100 ML	1.50E 05 9.00E 03
TOTAL TO NITROGEN, PHOSE	
SUSPENDED SOLIDS, 1	
1	
SPECIFIC FLOW RATE, TEMPERATURE, CONDUCTANCE, CFS DEG C MICROMHOS/CM	12.6
FLOW RATE, CFS	232.6
TIME OF DAY	-10-79 18:30
DATE	-10-79

STORM EVENT 6 - JANUARY 10-11, 1979 STORM DATA

					RAII	NFALL, INC	HES
DATE	TIME OF DAY	STAGE,	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
				TANEN	STATION	SCHOOL	SCHOOL
1-10-79	18:00	1,40	0.700				
1-10-79	19:00	1.44	0.880		0.01		
1-10-79	19:15	1.44	0.880				0.01
1-10-79	19:30	1.44	0.880		0.03		
1-10-79	19:45	1.44	0.880		0.02	0.01	0.01
1-10-79	20:00	1.44	0.880			0.02	0.02
1-10-7		1.44	0.880		0.03	0.01	
1-10-79		1.59	1.92		0.02	0.02	0.03
1-10-7		2.80	82.4		0.04	0.03	0.01
1-10-7		2.68	66.7	YES	0.09	0.04	0.04
1-10-79		3.11	127.8	YES	0.09	0.11	0.11
1-10-79		3.71	226.3	YES	0.11	0.13	0.14
1-10-7		5.71	513.2	YES	0.02	0.07	0.11
1-10-7		5.58	498.2	YES	0.01	0.06	0.02
1-10-7		4.88	405.1	YES	0.03	0.02	0.01
1-10-7		4.03	277.8	YES	0.06	0.07	0.08
1-10-7		3.72	227.9	YES	0.03	0.07	0.07
1-10-7		4.42	338.1	YES	0.01	0.06	0.05
1-10-7		4.74	386.3	YES	0.01	0.01	0.01
1-10-7		4.28	316.0	YES	0.01	0.01	0.01
1-10-7		3.58	205.8	YES	0.03	0.01	0.01
1-10-7		3.21	143.2	YES	0.03	0.03	0.03
1-11-7		3.10	126.3	123	0.01	0.03	0.02
1-11-7		3.16	135.4	YES	0.08	0.01	0.01
1-11-79		3.34	164.4	YES	0.10	0.06	0.05
1-11-7		3.14	132.3	YES	0.07	0.10	0.10
1-11-7		5.14	441.0	103	0.04	0.07	0.10
1-11-7		5.38	474.7	YES	0.05	0.05	0.04
1-11-7		5.23	453.6	YES	0.07	0.05	0.04
1-11-7		4.83	398.4	YES	0.04	0.08	0.06
1-11-7		5.09	434.1	YES	0.08	0.04	0.06
1-11-7		5.11	436.9	YES	0.04	0.10	0.11
1-11-7		5.31	464.8	123	0.03	0.02	0.04
1-11-7		5.34	469.0	YES	0.03		
1-11-7		4.67	376.9		0.00	0.02	0.02
1-11-7		4.26	312.9	YES	0.09	0.09	0.01
1-11-7		4.20	279.3	163			0.11
1-11-7		5.40	477.5	YES	0.04	0.06	0.07
1-11-7		5.07	431.3	169	0.01	0.05	0.03
1-11-7		4.98	418.9	YES	0.06	0.04	0.04
1-11-7		4.58	364.1	163	0.04	0.00	0.01
1-11-7		3.87	251.8	YES	0.05	0.02	0.01
1-11-7	, 5.00	3.07	231.0	153	0.12	0.07	0.05

STORM EVENT 6 - JANUARY 10-17, 1979 STORM DATA (Continued)

						NFALL, INC	HES
DATE	TIME OF DAY	STAGE,	FLON RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1-11-79	9 5:15	3.81	242.1		0.02	0.05	0.04
1-11-7	9 5:30	4.92	410.7	YES		0.06	0.06
1-11-7	9 5:45	5.79	522.5		0.01	0.02	0.01
1-11-7	9 6:00	4.83	398.4	YES	0.02	0.01	0.01
1-11-7	9 6:15	4.08	285.3		0.05	0.07	0.04
1-11-7	9 6:30	3.75	232.6	YES		0.01	0.01
1-11-7	9 6:45	4.68	378.1			0.02	•••
1-11-7	7:00	5.04	427.2	YES	0.03	0.01	0.01
1-11-7		3.32	161.2			0.02	0.01
1-11-7		3.30	158.0	YES		0.00	0.01
1-11-7	7:45	3.04	117.6				
1-11-79		3.05	119.0	YES		0.01	
1-11-7		2.87	92.1		0.02	0.01	0.01
1-11-7		2.76	76.9	YES	0.02	0.02	0.01
1-11-7		2.84	87.8		0.01	0.01	0.02
1-11-7		3.27	153.0	YES	0.04	0.02	0.02
1-11-7	1	3.16	135.4	1.00	0.02	0.02	0.01
1-11-7		3.24	148.0	YES	0.01	0.01	0.01
1-11-7		3.45	182.7	1	0.03	0.01	0.01
1-11-7		3.22	144.8	YES	0.01	0.02	0.01
1-11-7		3.07	121.9	1.00	0.05	0.01	0.01
1-11-7		3.30	158.0	YES	0.04	0.05	0.02
1-11-7		3.38	170.9		0.03	0.04	0.03
1-11-7		4.01	275.0	YES	0.03	0.03	0.03
1-11-7		3.93	261.6		0.03	0.01	0.01
1-11-7		3.94	263.3	YES	0.06	0.05	0.02
1-11-7		3.66	218.6	123	0.04	0.06	0.04
1-11-7		4.12	291.3	YES	0.03	0.04	0.03
1-11-7		4.40	335.0	123	0.01	0.02	0.02
1-11-7		4.18	300.6	YES	0.03	0.02	0.01
1-11-7		3.89	255.1	11.5	0.02	0.08	0.03
1-11-7		3.82	243.7	YES	0.01	0.01	0.01
1-11-7		3.97	268.3	123	0.01	0.01	0.01
1-11-7		3.67	220.1			0.01	0.01
1-11-7		3.33	162.8				0.01
1-11-7		3.12	129.3	YES			0.01
1-11-7		2.91	97.9	123			
1-11-7		2.81	83.7	YES		0.01	
1-11-7		2.71	70.4	11.5		0.01	
1-11-7		2.63	60.8	YES			
1-11-7		2.56	52.5	113			
1-11-7		2.49	44.6	YES			0.01
1-11-7		2.43	38.6	123			0.01
		6.43	30.0				

STORM EVENT 6 - JANUARY 10-11, 1979 STORM DATA (Concluded)

					RAII	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
1-11-79	16:00	2.40	35.8	YES			
1-11-79	16:15	2.38	34.0				
1-11-79	16:30	2.34	30.6				
1-11-79	16:45	2.31	28.2				
1-11-79	17:00	2.28	26.0				
1-11-79	17:15	2.25	23.9				
1-11-79	17:30	2.22	21.9				
1-11-79	17:45	2.20	20.6				
1-11-79	18:00	2.18	19.4				
1-11-79	18:15	2.17	18.8				0.01
1-11-79	18:30	2.20	20.6				
1-11-79	18:45	2.23	22.6				
1-11-79	19:00	2.20	20.6				
1-11-79	19:15	2.16	18.3				
1-11-79	19:30	2.14	17.1				
1-11-79	19:45	2.10	15.1				
1-11-79	20:00	2.09	14.6				
1-11-79	20:15	2.06	13.3				
1-11-79	20:30	2.06	13.3				
1-11-79	20:45	2.03	12.1				
1-11-79	21:00	2.02	11.7				
1-11-79	22:00	1.97	9.78				

JANUAR1 1979

SAN FRANCISCO. CALIFORNIA

NATIONAL HEATHER SERVICE OFC

INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



FRANCISCO.

-		16 486	RATURE	.,	,	DEGREE		De Dates of	161	**(:::*)	.0.10*	2.0.10		,	•1				5245-	•(241
	50	LOW (N) E	270 0 240	01 PGB 1,001	DE -018:	Ment Salia	(00) INC . WALL	1 FOC 2 mg 641 FOC 3 mg 641 FOC	ICE ON CASH		100	5.41 6.41 74.7 7.3 (3	1.0. 1053	D+148 1004140	1		WILDING	MINUTES.	0. *05510,1	0, 101 4005	0. 1401.401.
l	2	,		5	6	70	78		9	10	11	12	13	14	1		6	17	18	19	25	-
١	54	33	44	-4	50	21	0	. 8	0	0	0	30 . 3		6	4 0		14	07			10	7
ı	53	37	43	-5	35	19	0	1 8	0	0	0	30 . 20		5	0 '		10	3:			10	10
Į	55	45	50	5	42	15	0		0	.03	0	30.00		1	0 6		14	08			10	10
١	52	43	40	0	44	17	0	1 8	0	.01	0	20.0		1	2 6	0	0	05			10	
١	57	37	47	-1	42	18	0	1 6	0	0	0	29.9			4 5	3	8	30	(10	2
١	52	46	49	1	40	16	0	1 8	0	40	0	30.0		. 4	6 5		12	13	1		10	10
١	56	49	53	5	51	12	0	1	D	1 33	0	30.0		2.	5 0		21	23			10	10
l	57	40	53	5	51	12	0	1	0	.21	0	30 16	9 11	1 .	1 6		13	30			10	10
ı	59	44	52		40	13	0	2 8	0	.22	0	30.2	114	3	2 7	2	15	18			10	
١	612	51	564		55		0	1	0	. 94		30 0	124	15	2 16	4	31	55			35	10
l	56	45	51	3	49	14	0		0		0	30 . 16	1 28	12	1 12	4	18	28			10	
	58	43	51	3	45	14	0	2	0	0	0	30.00	111	5	4 7	1	13	14			310	15
ı	58	46	52	4	46	13	0	1 3 5	0	2.21	0	28 7	1 1 7	13.	2 :6	1	35	10		1		
Ì	52	45	49	1 .	46	16	0	4	0	. 75	7	29.7	09	1.	6 0	1	18	22		1	1.0	e
ı	57	42	50	2	43	15	0		0	0	0	20.0	36	1.	5 6	9	14	03		1 3	0	. 0
ļ	55	36	47	-1	43	18	0	3	0	- 15	0	20 .00		5	• 7		16	56				,
ı	53	41	47	-1	43	10	0		0	. 05	0		30	2	0 6		12	DI		1	3	•
ı	50	37	48	0	43	17	0	2 8	0	0	0	30.5		2.	2 5		15	30	1	1		2
ì	53	36	45	-3	41	50	0		0	0	0	30 . 16		1 .	6 4			0.2		1	10	,
ı	58	42	50	2	43	15	0	1 6	0	0	0	20.00		1 -	5 6	5	10	30			10	
ţ	56	39	48	0	42	17	0		0	0	0	34 86		2	8 5			14	1	1. 3		3
ı	49	40	45		43	50	0	1	0	0	0	29.00		13	5 5		12	07			10	
ı	53	42	46	-1	41	17	0	, .	0	0	0	20 8		0	0 10		20	30	1	1		6
١	54	36	40	-1	33	19	0		0		0	20.6	1 31		0 10		21	27		1	0 0	1
١	55	40	48	-1	37	17	0		0	0	0	30 1		1.	3 13		2	30		1		0
l	52	36	44	-5	29	21	0		0	, v	0	20 00			0 10		10	31			0	3
۱	49	31*	40	-8	26	25	0		0	0	0	30 . 02		3	11 2	1		15		1	4	5
ı	45	35	40=	-0	37	25	0		0	.27	0	29 8			4 13	, ,	20	12			10	
١	48	34	41	-0	37	24	0		0	T	0	20 0		6.	2 0		15	04				,
T	Sum	50.			-	1014	TOTAL			101A	1010.		6.0				-		1014		Su-	50*
ľ	1678	1264				536	0		5	6 61	T	30.0					32	10		100	232	207
ľ	AVG	AVC.	Avo.	Dt.	AVG.	06 .	DEF	PRECIPITATION		DEP			-		-		10	14	-	-	A+5	8+5
Ĺ	54.1	40 0	47.5	-C.0	41	10	0	1.01 INCH	13	2.24			-	-							7.5	6
t							10 00'E	SNOW . ICE PEL					-									-
L		1 01 DE				1014	'01A.	· 1.0 14C+	0		. ES: 14								DEP'- 0			5404
Ļ	MALIA			HUP 'E		1039	Q	! MUNDERS ' QUES	1	-4(216)			.C*	121	1,,1	5	121	*1.11	1.2 00	TE AM	0 04.4	
í	1.02	37	. 3	2	. 0	010	010	H(41. 100	4	2,21	1.	000.	*		15				0			

EXTREME TOP "HE MON"# = .85" DOCCAPENCE TO MORE THAN DAG! ...

*** I TRACE HONDOW, THE DATE OR DUTES.

*** MANN TOOL ...

*** I SO THE ME HONDOW THE THAN DO LESS.

*** I GATES FOR HIMD DIRECTIONS ARE THAN DO LESS.

*** I GATES FOR HIMD DIRECTIONS ARE THAN DO LEAR ORTHON TOOL CALM.

*** DATE IN TOOL ... 6 AND TO LESS HAVE TON TOR.

MORE DESCRIPTIONS FER DAY OF 3 HOUR INTERNALS PROTECTION OF THE WIND SPEEDS ARE PROFESS OR SERVICES OF THE PROFESS OF THE PROF

SUMMARY	BY	HOURS
	-	

					1 5			115.	104
			16 44	(RAT	RE	N	0		
100	34. COVE	578710N P#155U#1				MEL 011YE	3 0 N N	019fC110h	01145
01	6	30.02	45	43	40	85	7.1	21	1.1
04	7	30.02	44	42	40	67	7.6	20	1.6
07	,	30.03	44	43	40	88	7.6	15	3 3
10		30.06	48	45	45	81	8.7	00	3.9
13		30.01	51	47	41	72	8.8		1.8
16	7	30.00	51	47	42	72	10.0	20	3.1
10		30 D1	48	45	42	80	9.1	58	2.:
33	5	30.01	47	44	41	02	7.7	27	1.5

HOURLY PRECIPITATION I WATER EQUIVALENT IN INCHES

			9 .	40U		0.										4000	6	91					
-	2	2	•	5	6		В	9	10	11	12		2	3	•	5		7	6	9	10	11	12
		.02			.01					.01		,		,	,		,	.01	.01	÷	,01	;	,0
.01	.01	.02	.04	.04		,	,01	13	10 .03	29	38	26	.05	-02	.05	.02	.04	.03	.02	.02	.03	-01	,
00	.21	. 05	÷12	, 13	.06	.02	,	.04	.03	.07	- D4	.06	1	.01	-01	*	*	7	.01	.00	1 1	,04	,0
.00	.10	.23	.20	.11	.05	.01	.03	.06	.37	-06	.06	.02		.00	40	, 10 Y	.07	.02	-03	.04	. 33	.17	*
	.03		.01	.01									,	-03	.09	*	•	.01	.02	•	,	,	,
			,						.05		.01	.00	03	.00	,								

SUBSCRIPTION PRICE: 82.55 PER TERM INCLUDING ANNUAL SUPPRESS FOR THE CONTROL OF CONTROL

I CENTIFY THAT THIS IS AN OFFICIAL FUBLICATION OF THE NATIONAL OCCURNIC AND ATMOSPHERIC ADMINISTRATION. AND IS COMPLETE FROM RECORDS ON VILL AT THE MATIONAL CLIMATIC CENTER. ASMETICE, MODIFY CAROLINA. 26601.

noaa MATIONAL OCERNIC AND LENGERHALION / ENGRAPHICA SERVICE

Spriel B. Mitchell DIRECTOR NOTIONAL CLIPPING CENTER

USCORM NORE ASHEVILLE 05/07/76

NOTIONAL MEATHER SERVICE OFL

INTERNATIONAL BIRPORT

Local Climatological Data

MONTHLY SUMMARY

		16 406	ea. 181	٠,	,	0051		04 Dail 2 Ot	16	**(:)*1	A1104	310112	L.					Sues-			50111
	} i	-	ione iva	100.000.00.	DE - POINT	MEDING : MESON	100 INC - WEST	1 706 2 ml Att 706 3 munograsion 4 161 Pf.(f') 5 ml), 6 0 Att 1 0.515100m 8 5MORT mATE 9 0.00106 5MOR	OH ICE ON CACHED	10 10 10	101 101 101 10	5.01 (%) (.01 (.01 (.01 (.01)	*1 Sut 1041 DIF.	*1 Sat '94'	31145 15mm 1vm	01145		*190/15	91.00551011		6. 140/401
l	7	,		5	6	78	78	6	9	10	11	12	13	14	1 .		5 17	10	19	20	1
I	56	351	46	-2	24	19	0		0	0		30 . 37		8 9		6 2					6
١	52	4.2	4.7	-1	30	10	0		0	0		30.09		3 0		6 1		1	1	10	15
1	501	40	53	5	35	17	0		0	.02	0	30.00		8.0		3 :				10	10
1	56	45	53	3	12	14	0		0	.03	0	29 66		5.2		e :		1		10	, ,
١	56	43	50	2	1	15	0	; e	0	0	0	30.00		1.7			8 35		1 .	10	7
1	54	48	5:	3	47	14	0	1	0	36	0			5.0	5.	0 1	3 11		1	10	10
1	55	5:	53	5	40	12	0	1	0	1.14	0	30.08	15	9 9	10	1 1	8 15	1	1	10	
١	57	51	54	6	40	11	- 0	1	0	.18	0	30 50	16	4 7	6	9 1		1	1 3		
1	57	47	52		47	13	0	1	0	. 69	D	30.25		5 6	6	6 1		1	1		
ı	57	53	551	,	52	10		1	0	1.08	0	30.07		0.0	12	4 5		1		10	10
١	5.7	47	52	•	48	13	0		0	C	0	30.16		7.2	7.	5 1					6
١	57	45	51	3	44	14		1	0	0	0	30.10		4.3	6	5 1			1	10	
١	57	49	53	,	45	12	0	3	0	1.40	0	29.75		10 0	18	3 2				8	
ı	56	49	53	5	45	17	0	3 5	0	1 18	0	20.00		2.3	5	5 1		1		0	0
ł	57	38	95	-3	42	20	0		0	10	0	29.66				5		1	1		
١	52	45	50	1	1 3	15	0	, 6	0	0	0		106	1.3						1	3
ı	56	38	47	-2	40	10	0		0	0	0		122		4		7 12	1	1	2	1
١	54	40	47	-2	30	18	0		0	0	0	30.23		1.3			7 06	1		10	7
1	57	43	50	1	42	15	0	1 6	0	0	0		02	1.1	5.	2	9 31		1		2
1	55	45	50	1	43	15	0	1 0	0	0	0	30.00	17	3.4	6.	5 1	0 19			4	
1	50	43	47	-2	42	18	0	1 0	0		0	30.01	06	1.6	5.	5	8 07	1	1	10	7
1	53	45	40	0	40	16	0	1 6	0	0	0	29.82	30	2.3		6 2		1			5
١	54	39	47	-5	35	18	0		0	0	. 0		33	8.6		0 1				C	0
1	54	40	47	-5	30	18	J		0	0	0		33	5.5					1	0	0
1	55	•0	40	-5	33	17	0		0	0	0		31	3.0					1	4	2
1	40	36	46		1 33	10	0		1 0	0	0	30.05	33	3.0		5 1		1	1	0	1 :
	40	36	45	-5	35	20	0		1 0		0			14.8		5 2			1	10	
1	50	36	44	-6	36	51	0		0	0		29.86		7.6		2 1					7
t	5.0	5.*			-	101A.	1014.			1014,	1010	1	10				-	1010	1	SU.	50.
Ī	1690	1347				491	0		• 5	6 65	0	30.04	112	1.7		1 3	6 14	1	100	225	192
I	Avc	Av2	AVO	01.	AVC.	DE P	DEP.	-46C1-110,10		01.0			1-		-	- 04	1 . 30	-	page	AVE	AV
Į	54.5	43.5	40.0	0.4	39	-17	. 0	01 14CH	12	2.62		1	1-		1-			1	1	7.3	. 6 .
ŧ							10 Da.E	SHOW. ICE PE	it's							-					
ŀ		(o o pe	.5			1014	1014	1 D 19(F	. 0		1(5' 10							DE - 1 - 1			
ŀ				" "E		1620	0	INUNDERS TORK	2	PARCIPI			10× .	101 1	111	-	ict of	LE 15 00		4. 0a.	t
1		32	. ,		0	DE P	DEP.	(L(80 5	- 0	. (1000,	14-1	.000.	22	+	-	-			-	-	-


MORE OBSERVATIONS PER DAY AT 3 MOUNT INTERVALS.
FASTEST MILE WIND SPEEDS ARE FASTEST ORSERVED
OF COMPLET NEW FAULTS MINE DIRECTIONS ARE IN THIS
OF COMPLET THE CHIEF THE DIRECTION HOUSEN'S
FAST GLOS' SPEED
ANY ERRORS DITTETED WILL BE COMPLETED AND
CHANGES IN SUMMER DAY MILE BE GANCIATED IN
THE GANCIA, SUMMER*

			* 6		1 5			et s.	
#100 # W	Ser. (0x(#	STATION PRESSURE IN.	1(m	84.8		MURIDITY 2	#140 SPEED	010113100	014
01	5	30.05	47	43	38	73		10	3.
04	6	30.04	46	42	38	75	7.3	11	3 6
07	6	30.05	45	42	37	76	7.1	12	3.4
10	7	30.00	49	45	40	73		12	2 :
13	7	30.04	52	47	41	69		22	
16	7	30.01	53	47	41	66	8 3	25	: 6
19	6	30.03	50	46	40	70	7.4	06	1.2
35	. 5	30.04	48	44	40	7.	7.7	De	1.5

-				40L.	ENDING	0.										4000	LNDING	61					
	2	3		5	6	,	. 8	9	10	11.	17	1	2	3	٠	5	6	7	9	9	10	11_	17
:			.01							.01	,	.01		,	,		.01	.02	.03	01	,03	;	.0
			.01	.04	.02		•	03 04 03	.10	01 21	26	.04	.06	.04	.04	.04	.04	.02	- 0.1	,	.03		
.17	18	.17	16	.05	.03	.00	02	.04	.04	06	-05	.03	,	,	;	;	;	1 01	,00	,14	.31	.24	- 1
,	:	.13	.13	00	.06	05	.03	02	.14	24	.01	.28	.20		.20	21	.01	.02	,	.03	, 11	. 43	.0
														•	.10	•	,	,	,				
									.05			02		0.1									

SUBSCRIPTION PRICE: 07.55 PER TERR INCLUDING UNUING, SUMMARY, FOREIGN MRILING BLOS FIREL SINGLE COPY, 20 CENTS FOR MONING OR BANGON, ESSUE THERE IS A MINIMUM CHARGE OF 87.00 FOR EACH ORDER OF SHILL STOCKED ISSUES OF FUR. ICATIONS, MORE CHICKS PRIMARY TO DEPARTMENT OF COMMERCE, NORM, SEND PRIMERS, ORDERS, AND INQUIRIES TO NATIONAL CLIMATIC CENTER, FEDERAL BUILDING, ASHESILE, NORTH CAROLING 28801.

I CLETIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL DETANCE AND ATMOSPHERIC ADMINISTRATION. AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER, ASHEVILLE, NORTH CRECITAR 78801.



Souice B. Mitchell

USCOMM MORE ASMETILLE 03/01/74

OAKLAND. CALIFORNIA

[#] fateled ros the month - LAST OCCUPENCE IF
most than DNL
1 feate and an
1 feate an
1 feate
1 fe


STORM EVENT REPORT NO. 7 January 30, 1979

1. Rainfall Summary

		Total Rainfall	9	Start		Stop
	Gage	in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	0.06	1230	30 Jan 79	1500	30 Jan 79
2.	Proctor School	0.01	1500	30 Jan 79	1515	30 Jan 79
3.	Sydney School	0.03	1300	30 Jan 79	1515	30 Jan 79
4.	San Francisco Airport	0.27	0800	30 Jan 79	1500	30 Jan 79
5.	Oakland Airport	0.08	0900	30 Jan 79	1500	30 Jan 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	11.7	1415	30 Jan 79
Average, cfs	3.88		30 Jan 79
Total volume, ft ³	80,300	from 1230 to 1815	30 Jan 79 30 Jan 79
Prior to storm, cfs	0.633		
Average (previous 7 days), cfs	0.440		
Average (previous 30 days), cfs	15.9		




3. Sampling Analysis Results


Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	100
Total nitrogen as N	mg/L	4.5
Lead	mg/L	0.2
Chromium	mg/L	<0.06
Copper	mg/L	0.03
Total Ortho Phosphorus as P	mg/L	0.21
Suspended solids	mg/L	114
Volatile suspended solids	mg/L	30

Discrete Sample

Parameter	Units	Value
Date and time		30 Jan 1450
Instantaneous flowrate	cfs	7.24
Temperature	Deg C	
Specific conductance	μ mho/cm	700
рН		7.5
Settleable solids	m1/L	< 0.1
Suspended solids	mg/L	231
Volatile suspended solids	mg/L	206
Biochemical oxygen demand (5 day)	mg/L	22
Total coliform	MPN/100 m1	4.6×10^5
Fecal coliform	MPN/100 m1	4.3×10^4





- 4. Observations at Sampling Station During Event.
 Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.
- Observations in Tributary Area During Event.
 Nothing significant to report.
- .6. Comments on Storm Event.
 - A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 - 2. The samples for the composite sample analysis were taken at 15 minute intervals from 1400 to 1715 as indicated by X's on the flow plot.

STORM EVENT 7 - JANUARY 30, 1979 STORM DATA

					RAII	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
1-30-79		1.38	0.633				
1-30-79		1.38	0.633		0.02		
1-30-79		1.39	0.666		0.02		
1-30-79		1.42	0.787				0.01
1-30-79		1.44	0.880				
1-30-79		1.48	1.08				
1-30-79		2.03	12.1				
1-30-79		2.11	15.6	YES			
1-30-79		2.02	11.7	YES	0.01		
1-30-79		1.94	8.75	YES			0.01
1-30-79		1.87	6.74	YES			
1-30-79		1.81	5.38	YES	0.01	0.01	
1-30-79		1.78	4.74	YES			0.01
1-30-79	15:30	1.77	4.54	YES			
1-30-79	15:45	1.79	4.95	YES			
1-30-79	16:00	1.80	5.16	YES			
1-30-79	16:15	1.81	5.38	YES			
1-30-79	16:30	1.81	5.38	YES			
1-30-79	16:45	1.80	5.16	YES			
1-30-79	17:00	1.77	4.54	YES			
1-30-79	17:15	1.73	3.61	YES			
1-30-79	17:30	1.70	3.32				
1-30-79	17:45	1.67	2.88				
1-30-79	18:00	1.63	2.36				
1-30-79	18:15	1.60	2.03				
1-30-79	18:30	1.59	1.92				
1-30-79	18:45	1.56	1.65				
1-30-79		1.54	1.49				

SAN FRANCISCO. CALIFORNIA

INTERNATIONAL AIRPORT

NATIONAL MEATHER SERVICE OFC.

Local Climatological Data

MONTHLY SUMMARY



,	11 401	****	٠,		BASE		0 0 0 1 2 0 1	111	***(1*)	a-154	,		,		• •	1		5.45%	•	5	det te:
1	}	(Care Ing	30,000,000	941 PG(F)	STATE STATE	(90) PG (90)	1 100 1 mare 100 1 mare 100 1 100 100 100 1 100 100 100 0 100 100 100 1 000 100 100 1 000 100 100	(() 00 (40)(0) () 40)(1)	180118 180118 18	100	**************************************	1		9410	SHEAD WITH	2.0	461.13M10	110013	#1000m	. A	01 140 140 -
2	,		5	6	19	36		9	10	11	-17	1	1		15	116	17	15	19	75	
54	33	44	-4	24	21	0		0	D	0	1		•		0.2	1.	07			10	
40	37	43	- ;	35	2.2	0	, ,	0	0	0		16 1	7			10	0.6	1	1 1	10	31
53	36	50		42	19	0		0	01	0		26 0				10	31	1		10	
52	41	40	0	44	17	0		0	.01	- 6		14	*			1 .	05	1	1 1	10	
51	32	43	-1	42	10	0		0	0	0		00 2	0				30	1		10	
6.	46	40	1	48	16	0		1 0	40	0	30.0			4 6		12	13	1		1	
56	44	53		1 31	12	o o	1	0	1 33	0		14.		7. 6	9 6	21		1		1.0	
47	40	53			12	0		0	21	0		n	11	1 1		13	3.	1	1 7	10	
50	44	92		40	13	0.		0	- 22	0	30 3	1 1	•	3 2	1 2	15	1.0	1		13.	
614	51	56*		55		0	1	0		0	30 0	10	4 1	5 2	16 .	31	22			16	
56	45	51	3.	40	14	0		0		0	30.	6/2	8 5	2 1	12 4	1.00	28	1	1	1 15	
58	43	51	3	45	14	D	2	0	0	to.	30 0	1 9	3		7 3	13	14	1		17	
5.0	40	52		46	13	0	135	0	2.21	0	20	11 1	1 1	3.2	16 1	32	10	1	1		
52	45	40	1	40	16	0		0.	75		20	0 6		1.6		10	2.2	1		10	
.7	42	50	2	43	15	0		0	0	0	20 6	12 3		1.5	6 0	14	0.5		1	()	
55	30	47	-1	43	10	0.1	2	0	15	0	20 6	16 2	7		7.2	18	28	1			
93	41	47	-1	43	10	0		0	.05	· · · · ·	30 .	15 3		2 0	6 .	12	01			,	
96	37	40	0	43	17	0	2 0	0	0	0		14		3 3			30		1		
53	36	45	-3	41	50	0		0	0	0				1.6			0.5	1	1 1	10	
50	42	50	3	43	15	0	1 0	0	0	· · ·		3	C	1.5	6.7	1.0	30	1	1	10	
96	10	40	0	42	17	0		e	0	0		16 1	•	5 6			1.				
**	40	45	-4	43	20	0	1	0	0	0		0 0		2.5	4 3		0.	1		1.0	
53	42	**	-1	*1	17	0	1 .	0	. 0	0		11/2		6.6	10.0		30	1			1
54	10	10	~3	33	19	0		0	,			1 3			10 6	21	31			0	
55	10	46	-1	3,	57	0		0	0	0		73			13 4	1.4	30	1			
52	36	**	- 2	1 .9	21	0		1 0	0	0		6 3	1 ,		10 5	10	31	1		-	1
40	31.	•0	-0	26	25	0		0	0	0							15		1 1		1
45	35	40*	-0	33	25	0		0	. 27	0			:1.		13 7	20	12	1		10	1
40	34	41		37	24	0		0	,	0		40		6.2		15	0.	1	1 1		1
Sy"	to-				101AL	1018			1010.	1010.				INE	404	14.1		11010	1	500	1 5
6'0	1264	-		-	930	0		5	0.01	-	30.0	211	9	.3		. 32	10	1	100	232	120
110	ave .	Arc.	28.	avo	01.	01.	***********		01.		-	1	-1-		-	Da .t	14		-		
94.1	40.0	47.5	-0.0		10	0	. 01 190-	13				1	1			1		1		3.5	10
-		-			56 #50 V	10 Dail	SAON. ICE PEL	16.2													
14.6	5. 5.	1	-	_	1010	1010	. 1 0 100.	0			24 4		und	Du. f				DEF: - 0			200
	32	1 1	W. I	0	1636	0	1404014510447	1		4,100		54CH	30	1.	113	1 33	Letter	C.2 G.	111 00	S 50.1	

			• 1		1 5	,			
10	100	100 mm	1 e a			FLATIN	0346	10113119	946
C1		30.02	*	43	40	85	, ,	23	1 1
04	,	30 02		42	40		7.4	20	1.6
07		30.03	44	43	40	80	, ,	1 15	3 3
1.0		30 06	46	45	41			00	3 0
13		30 01	51	47	41	12		0 0%	1 6
16	,	30.00	51	41	42	72	10 1	20	3.1
10		30 01	46	45	42	.00		20	2 1
22		30.01	47		•1	8.	3.	22	1.5

				HOUS	ENDING	a.										#0u#	140140	0					
1	-	1	•	5	6	,		3	1.0	11	12	1	2_	,		5	6	,		9	10	11	12
		02	÷	,	.01					.03			,	,			*	01	.01	;	,01		,
.01	.01	.02	.04	.04		,	,01	13	.10	20	02	26	0.4	04	.05	-02	.04	.03	.02	.02	-03	01	
.00	21	.05	.12	,13	.06	-02		.04	.03	.07	.0.	.06	;	.01	.01	;	;	;	,01	.00	,0,	,04	,0
.00	10	23	20	.01	.05	.01	.02	.06	.57	.06	.06	.02		.00	**	,10	.07	0.2	03	.04	. 33	. 1 *	*
	.03		.01	.01									•	03	.04			.01	02	*	•		,
,																							

ESSAIRS AND THE THE TENNESS OF THE THE CHARLES OF THE MATICAL CENTER AND MINOSPIETE HOMINISTENTION, AND IS COMPILED FROM RECORDS ON THE AT THE ESSAIRS THAT THE THE PROPERTY OF THE PROPERTY O

noaa national octanic and Internation / Internation Statics

A-72

Samiel B. Mitchell

JANUARY 1919

ORKLAND. CHLIFORNIA

NATIONAL MEATHER SERVICE OF

INTERNATIONAL RIRPORT

Local Climatological Data

MONTHLY SUMMARY



		11 -01	ea1	٠,	,	DIGALI		00 00112 01 010112 01	111	*** () * 1	41104	,	124	,		-140		43"	5045-	••	***	241.
	;	2	No.	100 and 100 an	Dis 20121	State Dallas	(00.1% - Mess	1 FOE 2 mars FOE 3 mars FOE 4 mars FOE 5 mars 6 mars 7 Dud 15 mars 7 Dud 15 mars 9 mar	0444	16.11.4	100 - 101 -	**************************************	,	•10 Les 1953•	9 1 3 to 1 to 1	21140 104114	0	61.33610	53,000	7 POSSIBLE	51 MAT 100 5	
L	2	,		5	6	70	78		9	10	11		1	13	14	15	16	17	16	19	20	7
	50	354	46	-2	24	10	0		0	0	0		31	06			20	05				
1	52	42	47	-1	30	10	0		0	0	0			00			14	00	1	1	10	
	53	42	46	0	39	17	0		0	10	0			0,	3.0			06	1		10	
	50.	40	53	. 5	•1	12	0		0	0.2	0			06	0 0			05		1	10	10
	56	45	51	,	45	1.			0	.03	0		00	10		6 8	13	10	1		10	
	56	43	50	2	41	15	C		0	. 0	0	30	00	25	. 0	: 0	13	11			10	10
1	54	48	9.1	3	47	14	0		0	. 36	0		00	15	0 0	10 1	P. COLE	15			10	
1	55	51	33	:	40	12	0		0	1.14	0		20	16	4 7		12					
	57	31	52		47	13	0		0	84	- 0	30	25	15		6 6	16	15	1			
		53	55.	,	52	10	C	1	0	1.00	0	30	07	21		12 4	71	21			10	10
	57	47	52		48	13	0		0	0	0		10	28	, 2	7.5	13	2.1				6
	57	45	51	,	44	14	- 6	3	0	0	0		10	15	4 3		10	13	1		10	
	57	49	53	5	45	12	0	3	0	1 40	0		"	16	18 0	10 3	25	14				
1	56	46	53	5	45	12	c	3 5	0	1 10	0		75	00			20	15				
1	57	43	50	2	42	15	0		0	0	0		90	30	2.3	5.5	1.5	33	1		0	
1	52	30	45	-3	41	20	0	1 .	0	10	0	20		51	1 4	6.5	15	24	1			
	55	45	50	1	41	15	C		0	0	0	30	07	06	1 3	7.1	10	30				3
1	56	36	47	-3	40	18	0		0	0	0		26	55		2.6	, ,	1.2				1
1	54	40	47	-2	39	16	0		0	0	D		23	11	1.3			06	1		10	,
1	57	43	50	1	42	15	0	1 6	0	a	0			0.2	1 . 1	2.5		31	1	1		,
	55	45	50	1	43	15	C	1 0	0	0	0			17	3.4			10				:
	50	43	47	-2	45	10	0	1 .	0					06	1 6			0,			10	
1	53	45	49	0	40	16	0	1 8	0				62	30	2.3			31	1	1		0
1	54	38	47	-2	35	10	0		0	0	0		61	33	0.0			20		1	0	0
1	54	40	47	-3	30	10	0		0	0	0		10	33		10.5		33		1	0	2
1	53	30	46	-3	33	17	0		0	0	0		20	33	11 0	10.5		30	1	1	0	3
1	49	36	431	27	22	22	0		1 0		0			12	3.0	0.	12	12		1		
1	40	41	45	-	35	20	0		0		0			14	14 0	15 5		14		1	10	
	90	20	44	-0	30	21	0		0	0			.00	04	7.0		110	05	1			
	30	50"	-		projects:	tota,	1010		-	1014	14.0	I		19					1010	1	50-	30
	1600	1347		(market and a		491	0	**** 01 Da		0 05	. 0	120	04	12	1.7	. 0.1			1	100	223	192
	4,5	Avc.	Ave	01.		D(*	Der	PRECIPITATION	•	01.		1	-	-	-	-		. 30	-	10.	ALC	av.
	54.5	43.5	49.0	0.4	30	-17	0	+.01 10Em	12	2.62	-	1			-	1	1		1	1	7.3	. 6
	-						5 54.f	5404. ICE *E.	16.2						-	-			-			
-	***	. 0. 00.	3		-	1014	1914	1.0 14(=	- 0	041		10	10V	2	C Su.	()			01 0			
-		11.	1	y t		1620	0	. HOAD! . 2. G			4 0		2.45		a .	1.6.2	+ 15	1 .10	£ . 2 00	111 "	et ber	-
	1	1.32	1 1		0	01.	0("	((1a+ 5	C	(10,0)	1 1-1	1005		- 14			4		1.			

		٠	ŧ	•	Ģ.	5		
1	-						•	1

					1 2				
			11.		•1	~	e		
3.5	6.	8 5			: 1	: :	£ 1	6	
8.		a :	-			a 0		12	= .
*	5	. :	a	1 2	8	: 5		5	2.
01		30	05 47	43	30	7,		10	1 7
04	6	30		42	30	74	, ,	11	3 6
07		30		42	37	76	,	12	3.5
10	,	30	08 40	44	40	23		12	2 1
13	,	30.	04 52	47	41	60		. 22	1.0
16	7	30	01 53	47	41	06		25	
10		30	03 50	40	40	10	1.	06	1.2
20		30.	99 40	44	•0	74	, ,	00	1 0

HOUR.	. *	PRES	IPITATION	LMATER	EQUIVALENT	IN INCHEST

				-000	ENDING	4.										HQ11	ENDING						
1	2	3	•	5	6	,		9	10	1	12	1	2	1	•	5		7	8	9	10	11_	12
:			.01			,				01		.01		,	,		.01	-02	.03	.01	,03	;	.0.
	,		.01	D4	02		,	04	.10	.01	.02	04	00	.04	.02	.04	.04	-02	-01	٠	.03	*	
.17	10	, 17	16	.05	.03	.00	.02	04	.04	26	.05	.03		'	;	;	;	, D1	,00	,14	.31	.24	- 1
	;	13	13	.00	.06	.05	.03	.02	.14	24	.01	.20	.20		. 20	21	.01	-02	,	.03	.11	.43	-0
														*	.10			,	*				
1																							
1								.	.00	.		.02		.01				1					

SUBSCRIPTION PRICE: 07.55 PER YEAR INCLUDING RANGE, SURREY: FOREIGN REFLETS 81.85 EXTEN. SINGLE COPY. 20 CENTS FOR MONTH, 108 MANUAL, ISSUE THERE IS A RIVING CHARGE OF 27.00 FOR INCH ORDER OF SHELL STOCKED ISSUES OF PUBLICATIONS. MARK CHICAS PARIBLE TO OFFRETER OF COMMERCE, MORN. SEND PRINTERS OF COMMERCE, MORN. SEND PRINTERS OF COMMERCE, MORN. SEND PRINTERS OF COMMERCE, MORN. SEND THE CHARGE OF THE PUBLICATION OF THE CONTRACT OF THE CONTRACT

INVERDMENTAL DATA AND

Director Matchell

USCOMM NORM ASMENTELLE 03/01/19


STORM EVENT REPORT NO. 8 February 13-14, 1979


1. Rainfall Summary

		Total		Start		Stop
	Gage	Rainfall in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	1.20	0330	13 Feb 79	0615	14 Feb 79
2.	Proctor School	1.20	0515	13 Feb 79	0930	14 Feb 79
3.	Sydney School	1.19	0500	13 Feb 79	0800	14 Feb 79
4.	San Francisco Airport	2.27	0100	13 Feb 79	0800	14 Feb 79
5.	Oakland Airport	1.27	0100	13 Feb 79	0800	14 Feb 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	493.6	2230	13 Feb 79
Average, cfs	65.4		13 Feb 79
Total volume, ft ³	7,765,000	from 0330 to 1230	13 Feb 79 14 Feb 79
Prior to storm, cfs	0.540		
Average (previous 7 days), cfs	0.290		
Average (previous 30 days), cfs	11.8		






3. Discrete Sampling Analysis Results


Discrete Sample


Units	Value		
	13 Feb 79	0945	
CFS		0310	
Deg C	12.1		
µmhos/cm	160		
	6.5		
mL/L	5.5		
mg/L	800		
mg/L	166		
mg/L	43		
MPN/100 mL	-		
MPN/100 mL	4.6x10 ⁴		
	Deg C umhos/cm mL/L mg/L mg/L mg/L mg/L MPN/100 mL	Deg C 12.1 µmhos/cm 160 6.5 mL/L 5.5 mg/L 800 mg/L 166 mg/L 43 MPN/100 mL 4.6x10 ⁵	

CASTRØ VALLEY STØRM, FEBRUARY 13,1979 1.50 1.25 1.00 0.75 0.50 0.25 0.00 P.mg/L 15.0 12.5 10.0 7.5 5.0 2.5 0.0 N,mq/L SS.mg/L 600 E storm event 500x indicates sample taken 200-OF

TIME.HØURS







4. Flow-weighted Composites

Parameter, mg/L	Date: Febr Time: 0630 Risi		1100-07	y 13-14, 1979 00 11ing
	Total	Dissolved	Total	Dissolved
MBAS	0.76	3.8	0.08	0.76
TKN	4.67	2.05	2.05	1.40
Ortho P	0.24	0.06	0.28	0.24
Alkalinity	96	82	21	18
Cr	< 0.06	< 0.06	<0.06	<0.06
Cu	< 0.03	<0.03	0.06	< 0.03
Cd	< 0.01	<0.01	<0.01	< 0.01
Pb	0.76	< 0.10	0.39	< 0.10
Ni	< 0.06	<0.06	< 0.06	< 0.06
Zn	0.21	0.03	0.09	0.02

- Observations at Sampling Station During Storm Event.
 Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.
- Observations in Tributary Area During Storm Event.
 Nothing significant to report.
- 7. Comments on Storm Event.
 - This storm was an intensive sampling event with over 1.00 inch of recorded rainfall.
 - 2. Flow response at the gaging station occurs within a half hour of a change in the rainfall rate.
 - 3. Two flow weighted composite samples, a discrete grab sample, and a series of discrete samples were analyzed for this event.
 - 4. The series of discrete samples were taken at 15 minute intervals during the rising portion of the runoff and at one hour intervals during the falling portion of the storm runoff as indicated by X's on the quality-flow plots. These samples were analyzed for seven parameters. Suspended solids and phosphorus values peaked with the first runoff peak; suspended solids later peaked again when the storm runoff reached its maximum peak flow. Both parameters decreased sharply after attaining maximum values. Specific conductance and pH values were generally at a minimum with high runoff rates and increased as the flowrate decreased.
 - 5. The samples used in the composite samples were collected at 15 minute intervals during the rising portion of the runoff period (0630 to 1015 on February 13) and at one hour intervals during the falling portion of the runoff event (1100 on February 13 to 0700 on February 14). These samples were analyzed for ten parameters.

STORM EVENT 8 - FEBRUARY 13-14, 1979 QUALITY DATA

DATE	TIME OF DAY	FLOW RATE, CFS	TEMPERATURE, DEG C	SPECIFIC CONDUCTANCE, MICROWHOS/CM	£	SUSPENDED SOLIDS, MG/L	NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MS/L AS P	COLIFORM, MPN/100 ML	COLIFORM, MPN/100 HL
						-	-			-
2-13-79	6:30			800.	7.7	5.	3.3	0.27		
2-13-79	6:45			850.	7.3	18.	3.7	0.64		
2-13-79	7:00			700.	7.5	15.	6.4	0.27		
2-13-79	7:15			500.	7.7	6	5.3	0.17		
2-13-79	7:30			500.	7.8	12.	5.1	0.36		
2-13-79	7:45	4.35		450.	7.8	œ	5.7	0.42		
2-13-79	8:00			625.	7.7	20.	5.9	0.32		
2-13-79	8:15			.600	7.7	14.	5.8	0.36		
2-13-79	8:30			575.	7.6	14.	5.9	0.29		
2-13-79	8:45			450.	7.5	59.	5.4	0.50		
2-13-79	9:00		12.2	400.	7.5	92.	5.5	0.59	1.50E 05	4.60E 04
2-13-79	9:15			300.	7.4	116.	6.4	0.50		
2-13-79	9:30			250.	7.5	109.	3.4	0.55		
2-13-79	6:45			220.	7.3	207.	5.3	0.63		
2-13-79	10:00		12.1	130.	7.3	736.		1.23	4.60E 05	4.60E 04
2-13-79	10:15			120.	7.2	554.	3.7	0.59		
2-13-79	11:00		12.2	130.	6.3	182.	3.0	0.10	2.40E 05	4.60E 04
2-13-79	11:30			130.	7.4	154.	4.2	0.25		
2-13-79	12:00		12.6	.06	6.2	209.	3.0	0.03	2.40E 04	9.30E 03
2-13-79	13:00		12.8	.09	6.2	165.	2.7	90.0	1.10E 05	
2-13-79	14:00		13.0	80.	6.2	95.	5.9	0.07	2.40E 04	9.30E 03
2-13-79	15:00			75.	6.3	131.	2.2	0.11		
2-13-79	15:15		13.0	100.	6.3	. 98	2.3	90.0	1.10E 05	
2-13-79	16:00		13.3							
2-13-79	17:00			140.	4.9	131.	3.4	90.0	2.40E 04	1.50E 04
2-13-79	18:00			180.	4.9	. 48	5.9	0.07		
2-13-79	19:00	4.16		220.	6.6	. 99	3.0	0.10		
2-13-79	20:00			260.	6.9	.65	3.9	90.0		
2-13-79	21:00			290.	6.9	103.	4.0	0.09		

STORM EVENT 8 - FEBRUARY 13-14, 1979 QUALITY DATA (Concluded)

DATE	TIME FLOW	RATE, CFS	TEMPERATURE, CC	SPECIFIC CONDUCTANCE, MICRONHOS/CM	£	SUSPENDED SOLIDS, MG/L	TOTAL NITROGEN, MG/L AS N	TOTAL PHOSPHORUS, MS/L AS P	TOTAL COLIFORM, MPN/100 ML	FECAL COLIFORM, MPN/100 ML
2-13-79	22:00			260.	7.1	89.	3.7	0.06		
2-13-79	23:00	421.7		75.	7.0	581.	3.7	0.17		
2-13-79	24:00			80.	6.9	162.	1.7	0.13		
2-13-79	1:00			140.	6.9	167.	3.4	0.11		
2-13-79	2:00			220.	7.0	154.	2.9	91.0		
2-13-79	3:00			280.	7.1	170.	3.6	0.10		
2-13-79	4:00			300.	7.1	124.	5.9	0.08		
2-13-79	5:00			320.	7.2	97.	3.4	90.0		
2-13-79	00:9			375.	7.2	105.	3.2	0.07		
2-13-79	7:00			450.	7.6	107.	3.4	0.11		

STORM EVENT 8 - FEBRUARY 13-14, 1979 STORM DATA

						NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNE
2-13-79	3:00	1.35	0.539				
2-13-79		1.35	0.539				
2-13-79		1.35	0.539				
2-13-79		1.45	0.928		0.01		
2-13-79		1.64	2.49				
2-13-79		1.66	2.74				
2-13-79		1.65					
2-13-79			2.61				
2-13-79	1.0	1.62	2.25		0.01		
2-13-79		1.60	2.03				0.01
2-13-79		1.57	1.73			0.01	
		1.55	1.57				0.01
2-13-79		1.54	1.49		0.01		
2-13-79		1.53	1.41	V==			
2-13-79		1.68	3.02	YES			
2-13-79		1.81	5.38	YES			
2-13-79		1.90	7.50	YES			
2-13-79		1.86	6.50	YES			
2-13-79		1.81	5.38	YES	0.01	0.01	0.01
2-13-79		1.77	4.35	YES	0.01		
2-13-79		1.74	3.98	YES	0.01	0.01	0.01
2-13-79		1.73	3.81	YES	0.01	0.01	0.01
2-13-79		1.74	3.98	YES	0.01		
2-13-79		2.02	11.7	YES	0.01	0.01	0.01
2-13-79		2.21	21.3	YES	0.01	0.03	
2-13-79		2.21	21.3	YES	0.03		0.01
2-13-79		2.20	20.6	YES	0.04	0.02	0.01
2-13-79		2.38	34.0	YES	0.02	0.03	0.04
2-13-79		3.27	153.0	YES	0.02	0.02	0.06
2-13-79		3.39	172.6	YES	0.01	0.03	0.04
2-13-79		3.26	151.3	YES		0.01	
2-13-79		2.86	90.7	YES	0.06	0.02	0.01
2-13-79		2.69	67.9	YES	0.01	0.01	0.01
2-13-79		2.73	73.0	YES	0.01	0.03	0.03
2-13-79		3.33	162.8	YES	0.03	0.06	0.03
2-13-79		3.38	170.9	YES	0.04	0.02	0.01
2-13-79		2.95	104.0	YES	0.02	0.01	0.01
2-13-79		2.87	92.1		0.03	0.04	0.03
2-13-79		3.39	172.6		0.03	0.03	0.04
2-13-79		3.43	179.3		0.02	0.03	0.04
2-13-79		3.46	184.4	YES	0.02	0.02	0.03
2-13-79		3.33	162.8		0.01	0.03	0.05
2-13-79	13:15	3.41	175.9		0.02	0.02	0.03

STORM EVENT 8 - FEBRUARY 13-14, 1979 STORM DATA (Continued)

						NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY SCHOOL
2-13-79	13:30	3.09 3.04	124.8 117.6	YES	0.04	0.01	0.02
	14:00	3.01	114.0		0.02	0.02	0.02
2-13-79		2.99	110.4		0.02	0.05	0.06
2-13-79		3.42	177.6		0.02	0.04	0.03
2-13-79		3.69	223.2			0.01	0.03
	15:00	3.39	172.6	YES		0.02	0.02
2-13-79		3.26	151.3			0.01	0.01
2-13-79		3.10	126.3			0.01	0.01
2-13-79		2.78	79.6			0.01	
2-13-79		2.55	51.3	YES			
2-13-79		2.40	35.8				
2-13-79		2.25	23.9				
	16:45	2.10	15.1				
2-13-79		1.95	9.09				
	17:15	1.92	8.11				0.01
	17:30	1.88	6.99				
2-13-79		1.83	5.82	YES		0.01	
	18:30	1.78	4.74				
	18:45	1.77	4.54		0.01		
	19:00	1.75	4.16	YES			
2-13-79		1.73	3.81				0.01
	19:30	1.72	3.64		0.01		0.01
2-13-79		1.81	5.38		0.01		0.01
2-13-79		1.90	7.50	YES			
2-13-79		2.02	11.7			0.01	
2-13-79		2.13	16.6				0.01
	20:45	2.16	18.3		0.01		
	21:00	2.18	19.4	YES	0.02		
	21:30	2.08	14.2			0.01	0.01
	21:45	2.24	23.1	vee	0.19	0.01	0.01
2-13-79		2.40	35.8	YES	0.05		
2-13-79		3.97	268.3		0.08	0.01	
2-13-79		5.54	493.6		0.03	0.12	0.12
	22:45	5.27	459.2	VER	0.06	0.05	0.05
	23:00	5.00 5.10	421.7 435.5	YES	0.04	0.05	0.03
2-13-79		5.20	449.4		0.01	0.04	0.04
2-13-79		4.63	371.5		0.01	0.07	0.07
2-13-79		4.05	280.8	YES		0.03	0.01
2-14-79		3.53	196.7	163		0.01	
	0:30	3.00	112.0			0.01	
2-14-79		2.65	63.1	YES			
6-14-7	, 1.00	2.05	03.1	163			

STORM EVENT 8 - FEBRUARY 13-14, 1979 STORM DATA (Concluded)

						NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
2-14-79	1:30	2.40	35.8				
2-14-79	2:00	2.30	27.5	YES		0.01	
2-14-79	2:15	2.33	29.8				0.01
2-14-79	2:30	2.35	31.4				
2-14-79	3:00	2.20	20.6	YES			
2-14-79	3:30	2.15	17.6				
2-14-79	4:00	2.05	12.9	YES			
2-14-79	4:30	2.07	13.7				
2-14-79	4:45	2.04	12.5		0.01		
2-14-79	5:00	2.00	10.9	YES		0.01	
2-14-79	5:15	1.98	10.1			0.01	
2-14-79	5:30	1.95	9.09				0.01
2-14-79	6:00	1.92	8.11				0.0.
2-14-79	6:15	2.11	15.6		0.01		
2-14-79	6:30	2.30	27.5		0.01		
2-14-79	6:45	2.20	20.6			0.02	
2-14-79	7:00	2.10	15.1			0.02	0.01
2-14-79	7:30	2.21	21.3			0.01	0.01
2-14-79	8:00	2.30	27.5			0.01	0.01
2-14-79	8:30	2.20	20.6				0.01
2-14-79	9:00	2.40	35.8				
2-14-79	9:30	2.25	23.9			0.02	
2-14-79		2.01	11.3			0.02	
2-14-79		1.90	7.50				
2-14-79		1.79	4.95				
2-14-79		1.79	3.98				

FEBRUAR 1979

INTERNATIONAL AIRPORT

Local Climatological Data

SAN FRANCISCO. CALIFORNIA NATIONAL MEATHER SERVICE OFC

MONTHLY SUMMARY

1979

FRANCISCO.

CALIFORNIA

		16 406	RATURE	٠,		DECALL	areas.	DE DATES OF DECEMBER	101	****	181104	510-10m			#1 % 0			SUMS-	int		0+14
3,00	and a larger	MINIMUM	946.000	DEPOSIONE FROM MORNAL	DEM POINT	Mente Selle	COOL INC - MESSE	FOC	DAAM	2007 FT	540a. (CE PEE'S	14	. #10 've' 102 Je	#f Sut 10x1	A.F.H.	01.1	S	#IMOTES	PERCENT		0. 140 NOTE
1	2	,		5	6	78	78		9	10	11	12	13	14	15	16	17	16	19	20	2:
1 2 3 4 5 6 7 6 9 10 11 12 13 14 15 16 17 16 16 17 16 17 17 18 17 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	51 53 56 61 60 80 59 55 61 60 61 59 56 81 59 56 57 58 59 57 58 58 59 57 57	35 38 32 x 36 40 41 40 41 45 48 45 51 48 42 28 44 45 46 46 46 48 45 49 49 49 49 49 49 49 49 49 49 49 49 49	45 46 50 52 54 55 46 52 54 55 48 55 49 55 51 56 51 56 57 57 58 58 59 59 59 59 59 59 59 59 59 59 59 59 59	-7 -6 -1 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3	36 32 39 35 45 47 45 43 44 40 47 46 46 46 47 46 44 46 46	20 16 15 15 17 13 12 11 18 16 16 16 17 11 18 18 18 18 18 18 18 18 18 18 18 18	000000000000000000000000000000000000000			.01 T T O O O O O O O O O O O O O O O O O O	000000000000000000000000000000000000000	29.94 30.05 30.25 30.21 30.25 30.21 30.26 30.26 30.27 30.12 30.01 30.01 30.01 30.01 30.02 30.01 30.02 30.03 30.03 30.03 30.03 30.03	50		9.2 10.10 5.2 2 10.5 2 2 10.5 2 2 10.5 2 2 10.5 2 10.5 6.5 6.6 6.5 6.6 6.5 10.5 7 11.5 7 .5 6.6 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5	15 18 16 18 16 18 18 18 18 18 18 18 18 18 18 18 18 18	30 04 29 28 29 29 29 29 20 30 20 29 29 29 29 29 29 29 29 29 29 29 29 29			600000000000000000000000000000000000000	7 2 3 3 5 6 5 5 1 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1
1	50* 1622	1193	\equiv	=		1014	1014	NUMBER OF DAY		101a, 5.87	101AL	30.09	10	9 'm(20	101A.	100	5u*	50* 106
t	Av5.	ATO.	AVO.	DE P	AVC.	DE P	DE P	PRECIPITATION		DEP				_		3. ec		-		Avi	AVC
1	57.9	42.6	50.3	-0.9	43	50	0	5-01 INCH SNOW. ICE PEL	13	2.03	1		_		=					7 3	7.0
1	-	(o or pa	. 5			SERSON	1018	- 1.0 INCH	LE 13	CALC	115. 10	24 400	5 0	0 001	5	Ger	41651	DE . 1 - 01	583	40 DE	540.
1	MALIAU				P .	2245	0	THUNDERS TORMS						ICE PL				('5 De			
1	. 20	: 32	1 : 1		0	DE P	DEP.	HERY' FOG	1	2.21	1		0	-				0	-	-	

* EXTREME FOR THE MONTH - LAST OCCURRENCE IF MORE THAN ONE.

I THACE AMONG THAN THE PATE, OR DATES.

MEANT FORCE VISIBILITY 1/4 MILE OR LESS.

FLOURES FOR MIND DIRECTIONS ARE TEMS OF DEDATES. CLORANSES FROM MIND THE TORN.

DATE IN COLS. 6 AND 12-15 ARE BASED ON 7 OR

MORE OBSERVATIONS PER DAY AT 3-MOUR INTERVALS.

**ASTEST MILE WIND SPEEDS AND **ASTEST OBSERVED

OF CHINATE VALUES WIND INTECTIONS AND IN TENS
OF OCCASES. THE / WITH THE DIRECTION INDICATES
PERA DUST SPEED

MAY EMPORS DETECTED WILE BE COMMETTED IN

THE OMNUEL SUMMARY ORTO WILE BE MANDERIED IN

THE OMNUEL SUMMARY.

SUMMARY	BY	HOURS

		•			1 5				
			1 [45	-	UPE	*	0		
MOUR	SAT COVE	PRESSURE IN.	. eia	BULB .	OF # PT.	#ELATIVE	1140 SPEE	DIRECTION	SPFFD
01	7	30.10	47	45	42	84	7.6	27	3.5
04	7	30.00	46	44	42	87	6.5	26	3.1
07		30.10	46	44	42	87	6.9	53	2.0
10		30.13	52	48	44	77	10.0	17	. 9
13	7	30.10	55	50	44	67	11.0	27	4.2
16		30.07	56	50	44	66	11.0	28	6.7
19		30.08	52	48	44	76	10.4	1 26	7.8
23		30 00	50	47	43	80	8.7	26	5.0

HOUR & PRESIDENTATION CHOICE FOLIVE ENT IN INCHES

			A .	MOUR	ENDING	A'									P. R.	- HOUP	EMDING						
	2	3	•	5	- 6 - ₹	7	•	9	10	_11_	12	1	.01	3	•	5	-6	7		9	10	11	12
.09	.10	•	.0: .01	.05	.05	.05	.02	. 13	.20	.31	. 23	. 11	. 14	.12	•	•	.03	.05	.07	.01 T	.09	.07	.0:
. 25	, 03	, 10	7 7	.01	,03	.00	.01	:	.02	. 11 .06	.05	. 19	.01	.02	.01	•			. 05				.0:
7	.01		,02	.01	.01	.02	.05	. 15	.05	. 17	. 12	7		7		,	.02		.02	*			
																		*	. 00	.05	.01	.04	7
														.01	.04	.06	.00	.14	. 20	7-	+		

SUBSCRIPTION PRICE: 92.55 PER YEAR INCLUDING RHNURL SURRARY. FOREIGN HAILING BI.85 EXTRA. SINGLE COPYL 20 CENTS FOR MONTHLY OR RHNURL ISSUE. THERE IS A HINIMUM CHROCE OF 97.00 FOR ERCH GROCE OF SHEET STOCKED ISSUES OF PUBLICATIONS. MARE CHECKS PRIBATE TO DEPARTMENT OF COMMERCE, WORK. SEND PRYMENTS, OPDERS, AND INQUIRIES TO MATIONAL CLIMATIC CENTER, FEDERAL BUILDING, ASHEVILLE, WORTH CARDLING 2001.

I CENTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATHOSPHERIC ADMINISTRATION. AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER. ASSAYVILLE. MORTH CAROLINA 28801.

NOGA MATIONAL OCEANIC AND ENVIRONMENTAL DATA AND INFORMATION SERVICE

Seriel B. Mitchell DIRECTOR. HATTOMAL CLIMATE CENTER

USCOMM -- NORA -- ASHE VILLE 03/30/79

DANLAND, CALLFORNIA

Local Climatological Data

NATIONAL MERIMER SERVICE OFC. INTERNATIONAL ALREDAT

MONTHLY SUMMARY



	.1 401	*** U*(٠,	,	51 5411		OF DEPENDE	181	**(((*)	141124		L					5.043.0		34.	1941
	1	7 (54) 14		24 04 0 10 C	A 2 1 10 1 10 1	(95,1%, 24,1%)	1 1 200 2 11 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0	100 (100 (100 (100 (100 (100 (100 (100		tati	With the Sile	- 1 to 1 to 1	Series Campes	. Auto	8	31,000	21.00		
	, ,		5		76	*8		9	15	11	1.7	1		15	16	12	18	1.9	-	
50	30	**	- 3	36	10	0		0		0			2.0							
	344	***		20	21	0.1		0	0	0		0.2					1			
	36	• •	-	34	1.0	2		1 0	0	0		10	2.3			20				
5.7	38	40	-3	42	1.7	0.1		e	- 23	0	30 24				10	21	1			
	••	9.1	0	45	1.4	. 0	1	0		. 0	30 27	121	2 3			2.	i			
	46	5.2	1	45	13	0	1	0	0	0		130				31				
**	•0	40	- 3	43	1.7	0		0	0	0	30 21	23	1 . 7	4.1	10	27	1			
6.	**	5.2	1	**	13	0	2	0	0	0	30 20	30	3 3		1 12	32	1			
00	40	**	1	**	1.7	0	2	0	*	0		20		4 :		1.2	1		10	31
61	**	***	3	50	10	0	1 .	0	. 0	. 0	30.14		2 1			1.7	1		10	23
	1.2		,	30	10	0		0	. 0	0	30 05		, ,			21			10	33
	**		-1	42	1.4	0	,	0	1.22	0	26 61	15	10.2	16 .		1.			3.0	1
	43		-1	42	1.4			0	02	0	30 02		10.2	10.	17	27			•	1
	40	53	1	**	1.2	0		0	•	0	30 15	1.		1		10		1 1		1
	42	50	-2	•1	15	0		0		0	30.26					13			10	1
	40	5.2	0	*	1.3	01	1	0	32	0	30 12	13			21	16			12	15
.,	46	53	1	*0	12	0		0	.07	0	30 11	23	1 .		10	2.	1			1
**	*C	5.2	0	• 1	13	0		0	.00	0	20 00	16		11.4	25	1.5			10	
**	40	53	6.	45	12	0		0	45	0	30 .4	36	12 0	14 5	23	21		1		
**	1 .		-1	43	13	0)		0	. 41	0	20 05	22		11.	1.7	20	1			,
56	- 45		-2	43	13	0		0	00			3.6				21		1		
5.0	48		1	40	1.1	0		0	20	0		21		0.		27		1		
5.0	48	93	0	45	12	0		0	.01		30 18	16		11.1	16	1.		1	10	12
5.7	43	50	-3	43	1.5	0		0	0		10 25	28	3.0	11.1		24		- 1		
	**	*3	0	• "	12	0	3	0	-21		20 01			10.		2.			10	
						1					v									
500	1761		-	-	15.0	214		- 1	1314	15.15		100			-		1014	1	3.*	1.
1		***	01 .	41	36.	of.	****** 31 0413	-	10	- 0	Market.	22.	2.5.		. 25	12		. 54	25.5	16.
56 .		10.0	1.0	43	20	0	1.01 1915	11	34.	+		-			50.1	30-	-			**
				1	1 *50 × 10	201	5000 111 Mai	115		- 1									, ,	
	61 . 30 30.	1			10.4	214	1 10 145-	0	6.14.	111 1	Z+ +0.*		24.4	1	1 500	e-ve-	N e			
181	. 16.00	1111	1.1		2001	0.1	********	61	***	+100	343		1 .	112	1		N * - 9	EL DA	200	
-				5	56. 3	4.0	(140 2	2	1.22	1.3		0.1				5.4.1.	0			

Si	MHARY	8 .	100	13

			-:	. 1		1.5			_		. '	•	
100		201.015				8	4,11011.1	0.000 (818	*	*011.13*10		* * *	
01		30	12	40	45	4.2	2.7	,		20		*	
01 10 10 10 10 10 10 10 10 10 10 10 10 1	,	10	3.5	*****	:::::::::::::::::::::::::::::::::::::::	******	**				-1		
0,	,	30	13	4.2	**	•1				15		4	
10		30	15	5.1	47	41	**		7	12			
13		10	12	**	40	45	*1		,	23		2	
16	•	1	0.0	56	80	45	67		2	26	6		
1.0		30			46	**	* 1			27			
22		30	13	5.1	47	**	**	.5		20		1	

HOTHER BASSIES LESS ON THUSE SOUTHERS IN INCHES

			-	194	18618										* *	×0.0	140 4	42					
			Ė	•			- 2		-14					-		2	USC.S		. 6	9	12		
		,																					
:	.07	*		.02	.02	.01	02	.04	. 15	.14	. 13	.12	Ou	. 13	01	,	,	151	.02		.03	.10	
.24	.05	01	-01	,	.01	07				0.2							,				,	*	
	,	.0.	,			1)	05		*	.01	0.5	.03	0.1	.07	01						,		
. 1.4	.c.	-10	.03	.05	102	.04	0.5	;	01 01 10	.08	01	.07	.00	. 10	-11	02							- 1
05						*	02	01	-10	02	.08	,	0.2									-01	*
.04																			.02	10	.01	.08	.0
1														.03	.03	.05	.15	00	.27	-10	,		
- 1										- 1	1	1			1								

SUBSCRIPTION PRICE: \$2.55 FER YEAR INCLUDING GROUN, SURMARY, FOR ICON MILITIAL SCRIPTS SUBJECT OF YOUR SUBSCRIPTION PRICES PRIVAL CONT. 20 CENTS FOR NOTHING BY GROUND ISSUE THERE FROM CHECKS PRIVALE TO DEFORM FEX. OF CONTROL NOTE SENSON OF FUR. ICONOMY. MORE CHECKS PRIVALE TO DEFORM FEX. OF CONTROL NOTE SENSON OF FUR. ICONOMY. MORE CHECKS PRIVALE TO DEFORM FEX. OF CONTROL NOTE SENSON OF FUR. ICONOMY. MORE CHECKS PRIVALE TO DEFORM FEX. OF CONTROL NOTE SENSON OF FUR. ICONOMY. MORE CHECKS PRIVALE TO DEFORM FEX. OF CONTROL NOTE SENSON OF FUR. ICONOMY. MORE CHECKS PRIVALE TO DEFORM FOR THE CHECKS PRIVALE.

I CERTIFY THAT THIS IS AN AFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATTOSPHERIC ADMINISTRATION. AND IS COMPLED FROM RECORDS ON THE ATT THE



Sociel B. Mitchell

USCOM - NORE #SHEVILLE - 03 50 %


STORM EVENT REPORT NO. 9 February 18, 1979

1. Rainfall Summary

		Total Rainfall		Start		Stop
	Gage	in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	0.46	0630	18 Feb 79	1600	18 Feb 79
2.	Proctor School	0.45	0715	18 Feb 79	1715	18 Feb 79
3.	Sydney School					
4.	San Francisco Airport	0.26	0600	18 Feb 79	1600	18 Feb 79
5.	Oakland Airport	0.32	0700	18 Feb 79	1600	18 Feb 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	349.5	1515	18 Feb 79
Average, cfs	71.9		18 Feb 79
Total volume, ft ³	3,561,400	from 0630 to 2015	18 Feb 79
Prior to storm, cfs	2.03		
Average (previous 7 days), cfs	16.5		
Average (previous 30 days), cfs	4.21		



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Unit	Value
Chemical oxygen demand	mg/L	69
Total nitrogen as N	mg/L	3.9
Lead	mg/L	0.2
Chromium	mg/L	<0.06
Copper	mg/L	<0.03
Total Ortho Phosphorus as P	mg/L	0.18
Suspended solids	mg/L	192
Volatile suspended solids	mg/L	62

Discrete Sample

Parameter	Unit	Value
Date and time		18 Feb 1200
Instantaneous flowrate	cfs	248.6
Temperature	Deg C	11.3
Specific conductance	μ mho/cm	90
Н		6.4
Settleable solids	m1/L	0.5
Suspended solids	mg/L	146
Volatile suspended solids	mg/L	34
Biochemical oxygen demand (5 day)	mg/L	
Total coliform	MPN/100 m1	4.6×10^4
Fecal coliform	MPN/100 m1	4.3×10^3

- 4. Observations at Sampling Station During Event.
 Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.
- Observation in Tributary Area During Event. Nothing significant to report.
- 6. Comments on Storm Event.
 - 1. The raingage at Sydney School was inoperable from February 17 to March 8.
 - 2. Flow response at the gaging station occurs within one half hour following a change in the rainfall rate.
 - A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 - 4. Samples used in the composite sample analysis were taken at 15 minute intervals from 0730 to 0815 and from 1200 to 1600 and at half hour intervals from 1630 to 2400 as indicated by X's on the flow plot.

STORM EVENT 9 - FEBRUARY 18, 1979 STORM DATA

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNE SCHOO
2-18-7		1.60	2.03				
2-18-7		1.60	2.03		0.01		
2-18-7		1.60	2.03		0.03		
2-18-79	-	1.59	1.92		0.09		
2-18-7	7:15	1.60	2.03		0.02	0.03	
2-18-79	7:30	1.74	3.98	YES		0.04	
2-18-79	7:45	4.27	314.5	YES		0.01	
2-18-7	8:00	3.70	224.8	YES			
2-18-7	9 8:15	2.96	105.6	YES			
2-18-7	9 8:30	2.57	53.7				
2-18-7	9 8:45	2.41	36.7				
2-18-7	9:00	2.28	26.0				
2-18-7	9 9:15	2.14	17.1				
2-18-7	9 9:30	2.04	12.5				
2-18-7		1.97	9.78				
2-18-7		1.92	8.11			0.01	
2-18-7		1.88	6.99		0.01	0.01	
2-18-7		1.81	5.38		0.05		
2-18-7		1.81	5.38		0.05		
2-18-7		1.81	5.38		0.02	0.04	
2-18-7		2.52	47.9		0.04	0.01	
2-18-7		3.12	129.3				
2-18-7		3.72	227.9		0.01	0.03	
2-18-7		3.85	248.6	YES	0.01	0.01	
2-18-7		3.39	172.6				
2-18-7		2.97	107.2	YES		0.01	
2-18-7		2.74	74.3	YES			
2-18-7		2.55	51.3	YES			
2-18-7		2.43		YES			
			38.6	YES			
2-18-7		2.30	27.5	YES			
2-18-7		2.20	20.6	YES			
2-18-7		2.14	17.1	YES		0.01	
2-18-7		2.09	14.6	YES			
		2.11	15.6	YES	0.06	0.03	
2-18-7		2.14	17.1	YES		0.14	
2-18-7		2.56	52.5	YES		0.02	
2-18-7		4.49	349.5	YES	0.01	0.01	
2-18-7		3.63	214.0	YES	0.04	0.02	
2-18-7		3.43	179.3	YES		0.01	
2-18-7		3.45	182.7	YES	0.01	0.01	
	9 16:15	3.65	217.1				
2-18-7	9 16:30	3.30	158.0	YES			

STORM EVENT 9 - FEBRUARY 18, 1979 STORM DATA (Concluded)

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNE
2-18-79	16:45	2.91	97.9				
2-18-79		2.79	81.0	YES			
2-18-79		2.58	54.9	165			
2-18-79		2.55	51.3	VEC		0.01	
2-18-79		2.43	38.6	YES			
2-18-79		2.40	35.8	YES			
2-18-79				165			
2-18-79		2.36	32.3	VEE			
2-18-79		100.0	28.2	YES			
2-18-79		2.26	24.6	VED			
2-18-79		2.22	21.9	YES			
2-18-79			21.9	VEG			
	3 0 3 3	2.21	21.3	YES			
2-18-79		2.14	17.1	vea			
		2.13	16.6	YES			
2-18-79		2.10	15.1				
2-18-79		2.12	16.1	YES			
2-18-79		2.07	13.7				
2-18-79		2.06	13.3	YES			
2-18-79		2.06	13.3				
2-18-79		2.05	12.9	YES			
2-18-79		2.04	12.5				
2-18-79		2.02	11.7	YES			
2-18-79		2.01	11.3				
2-18-79		1.99	10.5	YES			
2-18-79		1.99	10.5				
2-18-79		1.97	9.78	YES			
2-18-79		1.96	9.43				
2-18-79		1.96	9.43	YES			
2-18-79		1.95	9.09				
2-18-79	24:00	1.96	9.43	YES			

FEBRUARY 1979

SAN FRANCISCO. CALIFORNIA

NATIONAL MERIMER SERVICE DEC INTERNATIONAL AIRFORT

Local Climatological Data

MONTHLY SUMMARY



1979

FRANCISCO. CALIFORNIA

		16 466	RATURE	٠,	,	DEGREE		00 DATES OF	164	*****	101104	5.0.10e	L		*150			SUNSH	1		(044)	
3.40	#(14) TOW	-Culture	946940	Dresetuer rege women	DE - 10147	Medific same	C00, 146 - xess	1 + 00 2 may - 100 3 may - 100 4 100 million 5 mail 6 0, 421 1 005 1810an 6 3004 million 6 9.0m No 580a	00 IEE 00 CO	100114 100114 115	100 100 70(15	10 10 10 10 10 10 10	•10 .vg. 1053•	1.01 1011 Settor 1011	01145 1000140	0.	21,31410	#1#U/15	Precent	0. 10.40%	0	
	7	3		5	6	74	78	8	9	10	11	12	13	14	15	16	17	16	119	20	1	1
1	51	35	434	-7	36	22	0		0	.01	0	20.04	27	5.7	0.2	15	30				7	1
5	53	38	46	-4	32	19	0		0	,	0	30.05	0.5	6.3	10 1	10	0.4	1		2	2	
3	50	35.	45	-5	50	50	0		0	0	0	30 56	56	2.6	6 0	10	31			5	3	1
	61	36	40	-1	35	16	0		0	. 0	0	30.22	35	3 1	5 3		20	1		1	3	1
1	60	44	50	2	47	15	0		0	0	0	30 51	30	6.6	8.3	16	28					1
,	59	41	50	-1	45	15	0		0	0	0	30.29	34	4.0	10.6	16	20					1
	55	40	48	-3	43	17	0		0	0	0	30.25	27	3.6	6.6	12	20			10	10	1
0	631	41	52	1	44	13	0	,	0	0		30.26	32	1 0	6.5	15	30			6		1
0	61	45	53	5	40	12	0	2 6	0	o c		30 17		1 .	6 6	14	30	1		10	10	1.
11	60	46	54	3	50	11	0		0	0	. 0		01	1.7	4.0		02	1		10	10	10
12	61	5:	561		40		0	1 8	0	,		30 01	117	7.0	10.6	22	-20	1		10	10	15
3	59	4e	54	3	51	11	0	1	0	2.21		20.70	17	8.2	11.5	3:	20	1		10	1 10	1
14	56	42	40	-2	42	16	. 0		0	.06	0	30.01	20	12.3	13.7	25	20			3		1
15	61	36	50	-1	42	15	0	1	0	. 19	0	30 06	17	0.5	11.5	10	20				6	10
0	56	44	51	0	44	14	0		0	10	0	30.13	25	7.4	0.0	21	20		1 7	3		129
,	50	36	49	-3	40	16	0		0	0	0	30.23	15	2.1	5.2	10	0.3	1	1 7	10.		1
	57	46	52	0	•7	13	0	1	0	. 26	0	30.00	10	4.0	7.5	14	36		1 7	10	10	11
9	50	46	52	0	46	13	0		D	.01			35	3.4	5.6	12	56		1 1		,	133
20	53	48	51	-1	46	14	0	1	0	.00				6.0	10.5	23	14		1	10		100
22	56	45	51	-1	44	15	0		0	.54	0	20.76	37	17.1	10 0	53	27			1 '		13
3	58	42	50	-2	42	15	0		0	. 61	0	20.00	25	10.2	11.2	15	31			1 .		10
	50	30	49	-3	41	16	0		0	0	0	30.08		6.0	0.1	15	30			10	6	12
5	60	45	53	1	44	12	0		0	.10	0	30 13	10	20	6.3	71	26	1	1	10	10	15
16	57	48	53	1	44	12	0		0	0					16.5	25	30			1 2	3	2
12	57	42	50	-2	42	15	0		0	0	0			13 8		23	30			,		15
	5,	46	52	0	*	13	D	1	0	.62	0	20.05	21	7.7	11.5	10	50			10	10	21
1	50.	54.		_		1014	1014			1014	1014		.0		MON'			1014	1	Sy*	50*	1
ŀ	1622	1193	-		-	406	0	#U.01. 0. 00.	5	5.07	0	30 00	36	3 0	0.2					204	196	1
ł	57.0	42.6	50.3		A+C	06.	01.	PRECIPITATION		Df.	-	-	-	-		04.1	13	-	-1-0	**5	Avu	1
ł	2	. 0	34.31	-0.9		20 St 4504	0 0014	101 100	13	2.03									-	1.3	, , ,	1
ı	* **	. 01 00	5		-	1014	1014	1 -0 INC*	0	5010	1151 14	24 40 4		0 0016			****	00 00		** N		1
t	401 My	11 40		Y		2245	0	********	Q	**! [* 1		54		151 121				(15 00				
- 1	5.5		. 32	1	0		21.	M(A) 100	-	5.21			0	-	-	-		-			-	4

Cole in COT 6 and 05-12 and 80000 OF J De
Lind manner Shawner.

Locate 2007 of mind coletical dole - OC - Colum
moder, Locati 10 and 10 and

	Щ,								
100 AN.	340)	STATION PRESSURE IN.	:	94.6	0.1.10	#ELBITE #UMIDITE 2	03345 0410	#01133#10	20110
01	7	30.10	47	45	42	84	7.6	27	3.5
04	,	30.00	46	44	42	07	6.5	26	3 1
07		30 10	46	44	42	67	6.0	23	2.0
10		30 13	52	48	**	77	10.0	17	
13	,	30.10	55	50	44	67	11.0	27	4.2
16	7	30.07	56	50	44	66	11.0	20	6 7
10	6	30.08	52	40	44	76	10 4	26	7.8
22	6	30.09	50	47	43	60	8.7	26	5.0

				MOU?	140140	A'										HOUR	ENDING						
	- 2	. 3	•	5	6	,		9	10	-11	12	1	.01	3	•	Ş	6	,		9	10	1:	12
.00	,10	•	.01 .01	.05	.05	.05	16 02	.13	. 29	. 3:	.23	-11	-14	. 12	•	•	.03	.05	.01	.01	.09	.07	.0
	,	,	,	.01	;	.00	.01		•	. 11	.02		.01	.02	.01	7							
25	.03	.10	.02	.03	03	.05	.03		05	.06	.02	.19	. 36	.05	.11	1	1	1	.05				.0
,	.01		,	.07	+	.02	. 05	. 15	.05	17	.12		,				.02		.02				
1				.01	.01	*	.05	.02								7							
																		*	. 00	.05	.01	04	,
1							- 1							.01	.04	.06	.09	.14	.20				

SUBSCRIPTION PRICE: 82.55 FER YEAR INCLUDING ANNUAL SURMARY, FOREIGN MAILING BILBS EXTRO. SINGLE COPY, 20 CENTS FOR MONIMET OR ANNUAL ISSUE, THERE IS A MINIMUM CHARGE OF \$2.00 FOR EACH ORDER OF SHEET STOCKED ISSUES OF PUBLICATIONS, MAKE CHICKS PRIMBLE TO DEPARTMENT OF COMMERCE, MONIMED SEND PRIMENTS, OFDERS, AND INQUIRTES TO MATIONAL CLIMATIC CENTER, FEDERAL BUILDING, ASHEVILLE, MORTH CHROLEM 2000L.

I CEPTERS THAT THIS IS AN OFFICIAL PUBLICATION OF THE NOTIONAL OCCURNIC AND ATMOSPHERIC ADMINISTRATION. AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER. ASHEVILLE, NORTH CAROLINA. 28801.

Somiel B. Mitchell DIRECTOR. NATIONAL CLINATIC CENTER

USCOMM - NORR - ASHEVILLE 03/30/79

NOGA NATIONAL OCCANIC AND ATHORMAL DATA AND ATHORMAL DATA AND INFORMATION / ENVIRONMENTAL DATA AND INFORMATION SERVILE

A-97

| BRUARY 1979

DRALAND . CRLIFORNIA

NATIONAL MERINER SERVICE OFC

Local Climatological Data

MONTHLY SUMMARY



5

1		11 401	****	٠,		0451		0. 00.12 0.	101	**([]*)	101101	***		,				50.650	•	50.	7-
-		1	2.10 a j.c.	**************************************	0f* *01nf	Merine was	(00), (40) -9/40 #5/45 -17/40	1 "06 2 mg mr. 100 1 mg mg mg mg mg mg 1 (C mg mg mg mg mg mg mg 6 mg mg mg mg mg mg mg mg 6 mg	0444	100111 100111 1001	100 100 100 100 100	15	** Sun 1841 510	F. Sat. 1997	Diffe Karita	3:	40	11.041.4	# # 150 A.C.	5. A. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	10.00
ł	: 1	,		5	6	70	78		9	10	7.1	12	1	14	15	16	17	19	19	7"	
1	50	36	44	-6	36	21	0		0	1	0	20 0				14	20			1	2
ı	55	36	47	-3	56	10	0		0	0	0	30.0		0.5	10.2	20	12	1		1 :	
ł	54	344	44*	-7	50	21	0		0	0	0		0 22	2.2	6.3		26	1			1
1	50	36	47		34	18	0		C	0	. 0		4 23	1.2	3 3	10	21		1		
١	50	30	51	-3	42	17	0		0	0	0		7 21	2.3		12	21			1 3	
1	5.7	46	52	1	45	13	0	,	0	0	0		7 30				31	1			,
١	55	40	46	-3	43	17	o		0	0	0		1 23	1.7	4.5	10	2.7	1			
١	621	42	52	1	44	13	o		0	0	0		0 30	3 3	4.2	12	32			6	
i	57	40	53	1	40	12	0		0		0	30 2	0 20	2.4	4 0	,	3.2	1		10	110
l	60	40	55	3	50	10	0	1 0	0	C	0	30 1	4 31	2.1	4.6		17			1.0	10
١	61	53	571	•	40		0		l e	. 0	0		2 30	3.5		30	21	1		10	3.0
١	57	52	55	3	50	10	0	1	0	1.22	0		1 15	15 2	16 0	26	14			10	10
4	56	45	5.1	-1	45	14	0		0	.05	c		5 56	10 5	10 .	5.3	2.	1		1 :	
١	58	43	51	-1	42	14	c		0	0.2	0		0 15	10.0	11.5	1.7	15			1 :	
١	57	48	53	1	**	12	0		0	1.41	0		9 53		9 1	12	13	1		10	,
1	57	42	90	-2	41	15	0		0	0	0		6 16	3.5		21	16			10	
1	55	40	95	. 0	46	13	0	1	0	.07	0		1 23		4 0	10	24	1			
	57	46	53	1	46	12	0		0	.00	0		0 10	0 3	11 4	25	15	1	1 1	10	0
1	-	40	52	0	45	12	0		0	45	0		6 26	12 0	10 4	23	21				
1	56	50	52	-1	44	13	0		0	41	0		2 22		11 .	1.2	20				,
1	56	47	52	-1	43	13	0		0	.08	0		1 26		7 3	13	21	1		,	- 5
١	56	45	51	-2	43	14	0		0	0	0		9 21			1.2	27				
1	50	40	**	1	46	11	0	1	0	.20	0		5 16	1.0	5 0	16	14	1		10	1.0
1	58	40	53	0	45	12	0	1	0	.05		30	8 29	10.5	11.1	17	20				
١	5.7	43	50	-3	43	15	0		1 0	0		30 .				14	20	1			
	•,	40	53	a	4"	12	0	1	0	. 71	0	20.0	7 20	5.0	10.4	15	24			10	0
ŧ	\$v*	\$v*		=		1010	1014		1	1014,	10'a	1	1	Q# 1H				10.4	100	5.0	
ŀ	1500	1261	-	-	1	367	Q	40461 . 0. 0u		4.79		30	2 23	2.5	e.0	5.9		1			18:
f	0,0	44.0	AYE D	01.	43	01.	ot.	C1 14C+				1	1	1	1	1	50.		1	7.3	
t	56.7	45.0	30.0	- 1.0		St #504		SNOW ICE PE	1115	1.00	-	•			*			•			
t	41.00	. 0. 00	.,			1014	1010	+ 1.0 INCH	0		11231	24 .	0005	ME 34'	t5	(01	4.1.2.	O(r 0			
t	***		1 *1*	1707 12	**	2007	0	140401 42.004	. 0	set lat.			SACH.			1 16	1	1.2 00	ICE a	. 04"	1
T		. 12	1 . 1		0	Dt.	010	ME 04+ 100	2	1.22		3	0	1		1		C 1			

more descent of the per of a model intervals, register of the period of

					1.7				et 2" . av.				
100					-1	11.2	SPEED		. 01	63	*		
. 4	3.5		•	¥ 174	8	10110			010				
01	5	30 12	40	45	42	,,	,		20		7		
04		30.11		44	41	70			14	1	6		
07	,	30.13	47	44	41	00	,		15				
10	,	10.15	51	47	41	76			17				
13	•	30.12	54	40	44	71		,	23		4		
16	,	10.00	56	50	44	6 7	Q	2	26	6			
19	6	30.10	53	40	44	23		,	23	5			
22	6.	30.11	51	41	43	15	. 1	4		2	. 1		

			0 *			0.										NO. E	INDING	6.					
1	2	3	•	5	6	1	9	9	10	11	12		1	,	•	5	6	,	е	9	10	11	12
:	.07			.02	.02	.01	.02	.04	. 15	. 14	.13	.12	-00	.13	.01	7	,	.01	.02	,	03	.18	.03
24	.05	.01	.01	,	.01	.07				.02							•				,	*	02
		.0:	,			. 11	-09	*	*	.01	.03	.03	.01	.07	.01						,		
. 1 .	.04	. 10	.03	.02	.02	.06	.03	. 16	01	.00	01	.07	02	. 16	.11	.02						.cs	. 02
.05						1	.02	.01											.02		.01	08	
.05																				.10		.05	.00
							1		i					.03	.03	. 05	-15	-00	.27	.10	,		

SUBSCRIPTION PRICE, 97.55 FER TERR INCLUDING ANNUAL SURMARY, FOREIGN HOLLING BLOS EVING. SINGLE COMIT 20 CENTS TOR HOLLING BLOSS EVING. SEND INVESTIGATION OF STREET, AND INCLUDING OF SHELL STOCKED ISSUES OF PUBLICATIONS, MORE CHICAS PRICE, TO DEPORT FOR ANNUAL ISSUES OF PUBLICATIONS, MORE CHICAS PRICE, TO DEPORT FOR ANNUAL ISSUES OF PUBLICATIONS, MORE CHICAS PRICE, TO DEPORT FOR ANNUAL ISSUES OF PUBLICATIONS, MORE CHICAS PRICE TO DEPORT FOR ANNUAL ISSUES OF PUBLICATIONS, MORE CHICAS PUBLICATIONS, MORE CHIC

NOGA MATIONAL OCCUMENTS AND ALTONAUTION / INFORMATION SERVICE

Saniel B. Mitchell

USCOMM WORR #544 VILLE 05-50-79


STORM EVENT REPORT NO. 10 February 20-21, 1979


1. Rainfall Summary

		Total		Start	Stop				
	Gage	Rainfall in.	Hour	Date	Hour	Date			
1.	Castro Valley Fire Station	1.45	0400	20 Feb 79	0615	21 Feb 79			
2.	Proctor School	1.15	0445	20 Feb 79	1145	21 Feb 79			
3.	Sydney School								
4.	San Francisco Airport	1.53	0400	20 Feb 79	1200	21 Feb 79			
5.	Oakland Airport	1.25	0400	20 Feb 79	1200	21 Feb 79			

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, cfs	459.2	1500	20 Feb 79
Average, cfs	113.0		20 Feb 79
Total volume, ft ³	14,200,600	from 0400 to 1500	20 Feb 79 21 Feb 79
Prior to storm, cfs	2.90		
Average (previous 7 days), cfs	23.7		
Average (previous 30 days), cfs	5.86		





3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Unit	Value	
Chemical oxygen demand	mg/1	45	
Total nitrogen as N	mg/1	3.8	
Lead	mg/1	<0.1	
Chromium	mg/1	<0.6	
Copper	mg/1	0.04	
Total ortho phosphorus as P	mg/1	0.28	
Suspended Solids	mg/1	204	
Volatile suspended solids	mg/1	56	

Discrete Sample

Parameter	Unit	Value	
Data and Time		20 Feb 1700	
Date and Time Instantaneous flowrate	cfs	294.5	
Temperature .	DegC		
Specific Conductance	umho/cm	160	
Н		6.4	
Settleable solids	m1/1	0.1	
Suspended Solids	mg/1	43	
Volatile Suspended solids	mg/1	8	
Biochemical oxygen demand (5 day)			
Total coliform	MPN/100m1	4.6×10^4	
Fecal coliform	MPN/100m1	$9.3x10^3$	

4. Observations at Sampling Station During Event.
Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section.

Observations in Tributary Area During Event.
 No significant events occurred during the sampling period.

- 6. Comments on Storm Event.
 - The raingage at Sydney School was inoperable from February 17 to March 8.
 - 2. The total rainfall for this event was more than 1.00 inch.
 - 3. Flow response at the gaging station occurs within a half hour following a change in the rainfall.
 - 4. The runoff period for this storm event began with the first recorded rainfall at 0400 on February 20 and ended three hours after the last recorded rainfall at 1500 on February 21.
 - 5. A flow-weighted composite sample and a single discrete grab sample were analyzed for this event.
 - 6. Samples used in the composite sample analysis were taken at half hour intervals from 0730 to 2400 on February 20 and from 0030 to 0700 on February 21 as indicated by X's on the flow plot.

STORM EVENT 10 - FEBRUARY 20-21, 1979 STORM DATA

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE,	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNE
2-20-79	3:00	1.68	3.02				
2-20-79		1.68	3.02		0.01		
	4:15	1.68	3.02		0.01		
	4:30	1.67	2.88				
	4:45	1.67			0.01		
	5:00		2.88		0.01	0.01	
	5:15	1.67	2.88		0.01		
	-	1.67	2.88				
2-20-79		1.67	2.88		0.01	0.01	
	5:45	1.70	3.32		0.02	0.01	
2-20-79		1.97	9.78		0.01	0.01	
2-20-79		2.29	26.7		0.01		
2-20-79		2.33	29.8		0.02	0.01	
2-20-79		2.31	28.2		0.01	0.01	
	7:00	2.35	31.4		0.01	0.02	
	7:15	2.51	46.8			0.01	
2-20-79	7:30	2.74	74.3	YES		0.01	
2-20-79	7:45	2.89	95.0			0.01	
2-20-79	8:00	2.84	87.8	YES			
2-20-79	8:15	2.64	61.9				
2-20-79	8:30	2.50	45.7	YES		0.01	
2-20-79	8:45	2.44	39.5				
2-20-79	9:00	2.33	29.8	YES			
2-20-79		2.24	23.1				
	9:30	2.16	18.3	YES			
2-20-79		2.07	13.7	,,,	0.01		
	10:00	2.01	11.3	YES	0.02		
	10:15	1.97	9.78	1.23	0.02	0.01	
	10:30	1.94	8.75	YES	0.02		
	10:45	1.92	8.11	163	0.01	0.02	
	11:00	1.99		YES	0.01	0.01	
	11:15	2.91	97.9	163		0.01	
	11:30	3.20		V			
	9 11:45		141.6	YES		0.01	
		3.06	120.5	ve=	0.01		
	12:00	2.72	71.7	YES			
	12:15	2.50	45.7		0.01		
	12:30	2.38	34.0	YES	0.04		
	9 12:45	2.30	27.5		0.04		
	9 13:00	2.27	25.3	YES	0.06	0.02	
	9 13:15	2.54			0.07	0.04	
	9 13:30	4.05		YES	0.06	0.08	
	9 13:45	4.74	386.3		0.05	0.07	
2-20-79	9 14:00	4.90	403.0	YES	0.04	0.07	

STORM EVENT 10 - FEBRUARY 20-21, 1979 STORM DATA (Continued)

					RAI	WEALL, INCH	HES
					CASTRO		
				QUALITY	VALLEY		
	TIME	STAGE,	FLOW RATE,	SAMPLE	FIRE	PROCTOR	SIDNEY
DATE	OF DAY	FEET	CFS	TAKEN	STATION	SCHOOL	SCHOOL
2-20-79		4.94	413.4		0.09	0.04	
2-20-79	14:30	4.81	395.6	YES		0.07	
2-20-79	14:45	5.09	434.1		0.01	0.04	
2-20-79	15:00	5.27	459.2	YES		0.01	
2-20-79		4.47	346.1		0.03		
2-20-79	15:30	4.11	289.8	YES	0.02		
2-20-79	15:45	3.61	211.0		0.06	0.02	
2-20-79		3.53	196.7	YES	0.06	0.03	
2-20-79		4.34	325.5		0.01	0.03	
2-20-79		4.76	389.0	YES		0.01	
2-20-79		4.56	360.9			0.01	
2-20-79	17:00	4.14	294.5	YES			
2-20-79	17:15	3.70	224.8				
2-20-79	17:30	3.43	179.3	YES			
2-20-79	17:45	3.24	148.0				
2-20-79	18:00	3.13	130.8	YES			
2-20-79	18:15	3.01	113.4				
2-20-79	18:30	2.91	97.9	YES		0.01	
2-20-79	18:45	2.77	78.3				
2-20-79	19:00	2.70	69.1	YES			
2-20-79	19:15	2.64	61.9				
2-20-79	19:30	2.65	63.1	YES			
2-20-79	19:45	2.66	64.3				
2-20-79	20:00	2.59	56.1	YES			
2-20-79	20:15	2.55	51.3		0.03		
2-20-79	20:30	2.52	47.9	YES			
2-20-79	20:45	2.59	56.1				
2-20-79	21:00	2.60	57.4	YES			
2-20-79	21:15	2.61	58.5				
2-20-79	21:30	2.62	59.6	YES			
2-20-79	21:45	2.55	51.3				
2-20-79	22:00	2.49	44.6	YES			
2-20-79	22:15	2.46	41.5				
2-20-79	22:30	2.43	38.6	YES			
2-20-79	22:45	2.39	34.9				
2-20-79	23:00	2.38	34.0	YES			
2-20-79	23:15	2.36	32.3			0.01	
2-20-79	23:30	2.34	30.6	YES			
2-20-79	23:45	2.32	29.0				
2-20-79	24:00	2.32	29.0	YES			
2-21-79	0:15	2.32	29.0		0.02		
2-21-79	0:30	2.34	30.6	YES	0.10		
2-21-79	0:45	2.33	29.8		0.12	0.02	

STORM EVENT 10 - FEBRUARY 20-21, 1979 STORM DATA (Concluded)

						NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	CFS	QUALITY SAMPLE TAKEN	FIRE STATION	SCHOOL	SIDNE
2-21-79	1:00	2.23	22.6	YES	0.02	0.04	
2-21-79		3.92	260.1		0.00	0.06	
2-21-79	1:30	4.79	393.0	YES	0.01	0.05	
2-21-79	1:45	4.59	365.8			0.01	
2-21-79	2:00	4.03	277.8	YES	0.02	0.01	
2-21-79	2:15	3.73	229.4		0.03	0.01	
2-21-79	2:30	3.48	187.9	YES		0.01	
2-21-79	2:45	3.26	151.3		0.07	0.02	
2-21-79	3:00	3.50	191.4	YES	0.04	0.01	
2-21-79	3:15	3.69	223.2			0.04	
2-21-79		3.64	215.5	YES		0.02	
2-21-79		4.32	322.3			0.02	
2-21-79		3.82	243.7	YES	0.05		
2-21-79		3.41	175.9		0.03		
2-21-79		3.27	153.0	YES	0.06	0.03	
2-21-79		3.65	217.1		0.00	0.01	
2-21-79		3.88	253.5	YES		0.03	
2-21-79		3.85	248.6			0.01	
	5:30	4.18	300.6	YES		0.01	
2-21-79		3.76	234.2	11.5			
2-21-79		3.45	182.7	YES		0.01	
2-21-79		3.23	146.4	163	0.01	0.01	
2-21-79		3.14	132.3	YES	0.01		
2-21-79		3.04	117.6	163			
2-21-79		3.01	113.4	YES			
2-21-79		3.12	129.3	163			
2-21-79		3.02	114.8			0.01	
2-21-79		2.89	95.0			0.01	
2-21-79		2.83	86.5				
	8:15	2.79	67.9				
2-21-79		2.85	89.2				
2-21-79		2.71	70.4				
2-21-79		2.55	51.3				
2-21-79		2.48	43.6				
2-21-79		2.43	33.6			0.01	
2-21-79		2.41	36.7			0.01	
2-21-79		2.59	54.9				
	14:00	2.34					
	15:00	2.34	30.6 25.3				

FEBRUARY 1979

SAN FRANCISCO. CALIFORNIA

NATIONAL MEATHER SERVICE OFC INTERNATIONAL AIRPORT

MONTHLY SUMMARY

Local Climatological Data



19

FRANCISCO.

CALIFORNIA

		-		٠,		DEGREE		DE DATES OF	101	**(()*)	161104	514110a			#1 % 0			Sues-	**		0.44
1.00	age (tal a	Pining	2300.140	1000000000	0fm P01mt	Ment at a test	COOL 146 - Mana	1 FOC 2 mg day FOC 3 mm/sp(45) Dan 4 LEE FE LE'S 5 mb1. 6 G. A2E 1 DUSTS DAN 6 SADEL MAZE 9 B. DW NO SWOM	00000		540a 101 76(*)	10 10 10 10 10 10	•10 , No. 105)•	\$500 favt \$410 m # m	01145 150410	20110	WILLIAM OF	2120715	91 -05510.1		0.
	2	,		5	6	78	78		9	10	11	12	13	14	15	16	17	16	19	20	2
1	51	35	431	-7	36	22	0		0	.01	0		27	5.7	0.2	15	30			e	7
2	53	38	*6		35	10	0		0	,	0		02	6.3	10 1	10	04			2	2
3	50	35.	45	-5	50	50	0		0	0	0		56	5.6	6.0	10	3.			5	3
1	61	36	40	-1	35	16	0		0	0	0		35	3 1	5.2		56			1	3
١:	60	40	50	0	47	15	0	•	0	0	0	30.21	30	6.6	8.3	16	28				6
٩!	50	41	50	-1	45	15	0		0	0	0	30.25	34		6.3	18	20				5
-1	55	40	46	- 3	43	17	0	1 .	0	0	0		27	3.6	6.6	12	20			10	10
-	634	41	52	1	44	13	0	i	0	0	0		132	1 0	6.5	15	30			6	2
0	61	45	53	2	40	12	0	2 0	0	0	0		36		6.6	14	30			10	10
ī	60	40	54	3	50	11	0		0	· c	0		01	1 7	4.6		03			10	10
2	61	6:	56*	5	40		0		0	,	0		17	7.0	10.6	22	20			10	10
3	50	48	54	3	51	11	0	1	0	2.21	0	29.70	117	8.2	11.5	31	20			10	10
4	56	42	49	-2	42	16	0		0	.06	0		20	12 3	13 7	25	20			1 3	4
5	6:	38	50	-1	42	15	0	1	0	.19	0		17	0.5	11.5	10	20				6
6	50	44	51	0	44	14	0		0	-10	0	30 13	25	7.4		2:	26			3	5
7	59	30	40	-3	40	16	0		0	0	0	30.23	12	2.1	5.2	10	03			10	
	57	46	52	0	47	13	0	1	0	. 26	0		10	4.0	7.5	14	26			10	10
	50	46	52	0	46	13	0		0	-01	0	30.00	35	3 4	5.6	15	20				
0	53	40	51	-1	46	14	0	1	0	. 00	0		17	6.0	10.5	23	14			10	
1	55	45	50	-3	44	15	0	1	0	.54	0		27	17 1	10.0	53	27			,	7
2	56	45	51	-1	45	14	0	1	0	.61	0		53	10.2	11.2	34	21			,	,
3	50	42	50	-3	43	15	0		0	.00	0	30.00	25	6.0	0 1	15	31			,	6
1	50	30	53	-3	41	16	0		0	0		30 .22		1 . 1	5.0		30			10	
5	57	40	93	1	44	12	0		0	.10	0	30.13		2.0	6.3	21	30			10	10
7	57	42	50	-2	42	15	0		0	0		30.17		16.2	14.0	23	30			2	1
•	57	**	52	0	46	13	0	1	0	. 62		20.05				10	50			10	10
1						1316	1410														
1	500	1193				406	1014			5.87	1014		10				2.0	1014	100	5.*	5.
+	1655	445	010	Dt.	ATC.	01.	06.	PRECIPITATION	-	06.0		30.09	ec.	3.0		31		-		204 Av:	196
1	57.0	42.6				30	0	* . D: INCH	13	2.03						-		-		7.3	7.0
F	-	-				51 4504	10 0016	SHOW. ICE PEL		-		-	_		-	-			-		
I	40.00	. or ga-	5			1014	1014	* 1.0 INCH	0	Cata	'ES' IN	24 400	5 A.	0 0416	5	GRE	0'15'	06 -1 - 0	000	40 OF	5424
	441140	1140	NIN!	v. 't		2245	0	'HUNDERS' 04H5	0	*******				156 921				1'5 30			
- 1	1 00	1 32	. 32		0	DEP	DE .	ME AV1 100	1	2.21	1		~	-	-	-		0	-		

MORE DBSERVATIONS PER DAY AT 3-MOVE INTERVALS.
FASTEST MILE WIND SPEEDS MET FASTEST DBSERVED
ONE MINUTE YOU COS WIND DESCRIPTIONS AND INTERVALS
OF DEFREST THE ARTHMATE DIRECTION INDICATES
PERS DUST SPEED
ANY ERRORS DETECTED WILL BE COMPETED AND
CHANGES IN SUMMERS DOTA WILL BE ANADTORIED IN
THE MANUEL SUMMERS.

			at 2						
#10H	Ser Covin	STRT 10N		901.0	06 m PT .	PECATIVE HUMIDITY 2	0 3 3 5 5 5 5	#01133#10	01145
01	7	30.10	47	45	42	84	7.6	27	3.5
04	7	30.00	46	44	42	87	6 5	26	3 :
07		30.10	46	44	42	87	6.0	23	2.0
10		30.13	52	48	44	77	10.0	17	. 0
13	7	30 10	55	50	44	67	11.6	27	4.2
16	7	30.07	56	50	44	66	11.9	26	6.7
19	6	30.08	52	40	44	76	10 4	26	7.6
22	6	30.00	50	47	43	80	A 7	26	5.0

HOURLY	PRECIPITATION	THATER EQUIVALENT	IN	INCHEST
-1	A # +0	U. [40] 40 A.		

			A . M	MOU.	END INC	a .										HOUS	ENDING	A 1					
1	2	3	4	5	6	7	6	9	10	1.1	12	1	2	3		5	6	7	8	9	10		12
					•								.01										
.09	.10	,	.01	.05	.05	.05	10	.13	. 20	. 31	.23	11	.14	. 12		,	.03	.05	.07	.01	.09	.07	,0
.03	+		.01	7	+	7	.02																, ,
.00		+		.01		.01					1					•	*			7	*	.06	. 1
				•	,	.00	.01		+	. 11	.02		.01	.02	.01	,							
- 1	7	7		.01	7	-	-																
			7	.03	.03	.03	.03	1	.02	.06	.02	. 19	. 36	. 05	- 11				. 05				- D
25	.03	. 10	05	.07	+	.02	05		.05	.17	.12	. 1	,				.02		.02				
+	.01			.01	.01	, ,	.05	. 15	.09			1				,	.02		.02	,			
											1							•	. 00	.05	.01	.04	,
														.01	.04	.06	.00	.14	. 20	٠.			

SUBSCRIPTION PRICE: 82.55 PER YEAR INCLUDING NAMED, SURFARES, FOREIGN HALLING \$1.85 EXTRO. SINGLE COPYL 20 CENTS FOR HOWING OR NAMED, ISSUE, "HERE IS A MINIMUM CHARGE OF 92.00 FOR EACH ORDER OF SHEET STOCKED ISSUES OF PUBLICATIONS, MAKE CHICKS PRINCE TO DEPARTMENT OF COMMERCE, NORK SEND PRIMERS, ORDERS, AND INDUSTES TO NATIONAL CLIMATIC CENTER, FEDERAL BUILDING, ASMETILLE, NORTH CAROLINA 2001.

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATHOSPHERIC ADMINISTRATION. AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER. ASHEVILLE, NORTH CAROLINA 28801.

noaa NATIONAL OCERNIC AND ATHOSPHERIC ADMINISTRATION

ENVIRONMENTAL DATA AND INFORMATION SERVICE

Samiel B. Mitchell
DIRECTOR. NATIONAL CLIMATIC CENTER

1188 ART 1979

Local Climatological Data

DANCAND. CALIFORNIA

INTERNATIONAL ALREORS

NATIONAL MERTHER SERVICE OFC

MONTHLY SUMMARY



		11.00	88' JRE	.,		01 G411	200	04 00115 01 00 00115 01	121	**(:1*)	19110	1.01 On	_		1110			5045-	N	50.	
	J. 19-		7 00 120	100 . 00 . 100 .	DIE FUINT	Heline same	COOL 146 - 14 15 1	0(1000 4)1 1 100 2 4 4 1 100 3 14 4 100 3 15 17 100 3 100 13 100 3 100 1 100	DAAN	10.114	100 100 100 100 100	1.00, 1.00,	410 (48) 10574	#15ul 'as' serio - e.e.	Giles Kaeira	13146		*110011	91 9051.8.1	1	C 10 10 10 10 10 10 10 10 10 10 10 10 10
1	2	y		5		26	78	8	9	10	11	12	13	14	15	16	1.7		19	30	
	50 55 54 56 57 58 57 58 57 58 57 58 57 58 57 58 57 58 57 58 57 58 57 58 57 58 57 58 57 58 57 57 58 57 57 58 57 57 58 57 57 57 57 57 57 57 57 57 57 57 57 57	38 38 34 36 38 44 46 40 48 48 45 35 45 45 46 46 46 46 46 46 46 46 46 46 46 46 46	44 47 48 51 52 48 52 53 55 51 55 51 55 55 52 55 52 55 52 55 52 55 55 55 55	-86 -37 -44 -30 0 1 1 1 1 3 3 5 5 5 7 1 1 1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	36 28 34 42 42 45 45 45 46 46 47 45 46 47 45 46 47 45 46 47 45 47 45 47 47 45 47 47 47 47 47 47 47 47 47 47 47 47 47	21 10 21 10 10 10 10 10 10 10 10 10 10 10 10 10	000000000000000000000000000000000000000) 1 2 2 1 6 1		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	30 .27 30 .20 30 .20 30 .14 30 .02 20 .61 30 .02 30 .00 30 .15 30 .26 30 .12	21 23 23 26 31 30 26 31 30 26 31 30 26 31 30 26 31 30 26 31 30 15 28 28 28 28 28 28 28 28 28 28 28 28 28	2 0 9 5 1 1 2 2 2 1 2 2 3 4 1 7 7 3 5 5 1 1 5 2 2 1 1 0 0 0 4 9 9 5 7 6 6 1 5 5 9 3 1 1 9 5 7 6 5 6 0 1 1 0 5 5 6 0			20 04 12 26 27 31 27 32 32 17 12 14 27 16 21 16 21 16 21 16 21 16 21 16 21 17 18 18 18 18 18 18 18 18 18 18 18 18 18			4 1 8 7 9 9 6 10 10 10 4 6 4 10 10 6 10 5 8 7 9 10 5 6 10	100000000000000000000000000000000000000
-	500	50.			-	1014	1014.		1	1014.	1014		1	e int	#24°		-	1014	-	500	5. •
ļ	1586	1561				387	0	*U**8(* 0+ 0#		4,70	. 0	30.12	23	2.5	. 0.0	36		1	100	203	181
	56 7	45 0	50.9	06.	43	50	08.0	-01 INC	13	1.96		1-	=		1	-	20.	Jan 61	-	2 3	
						SEASON	1. bg C.	SHOW, THE ME		-		32		- 201		Tree	0:15.	0(***	16 000		***
1	701	(o) 3e		FUR 15		2007	1016.	1-0 1-0 1-0-			1151 11				115			115 00		N. 321	

E ESTREME FOR THE ROWN'N - LAST OCCUPRISED IF

WORL THAN DRI

THOSE CANCELLY OF THE ROWN'N - LAST OCCUPRISED IF

THOSE CANCELLY OF THE ROWN'N - LAST OCCUPRISED IF

THOSE CANCELLY OF THE ROWN'N - LAST OCCUPRISED IN THE ROWN'N - R

	_		RES. 1441								
10 mg	SAT COVER	5101104 54155UBS	. 4.9	1.6106	DI	#1.011#1 #U#10117 2		1	M0111100	201192	
01	5	30.12	49	45	42	77	7	5	20		,
04	6	30.11	47	44	41	79			14	1	. 6
07	7	30.13	47	44	41	80	7	6	15		
10	7	30.15	51	47	43	76		7	1.7	4	
13	7	30.12	54	49	45	73		. 7	23	4	
16	7	30.09	56	50	45	67		2	2€	6	
:0	6	30.10	53	49	44	73		. 7	27	5	
22	6	30.11	51	47	43	75	7	4	22	- 1	

Here's Park		-		-0.0	ENCING	a.				-						MOUR	ENDING	e -					
	2	3	•	5	6	7	8	9	10	1.1	Ţ		2	3	-	5	6		*	9	10	11	
		,															-						
:	.07	•		.02	.02	.01	.02	.04	. 15	. 14	. 13	.12	.09	.13	.01	1	,	.01	.02	+	.03	.10	.0
.24	.05	.01	.01	7	.01	.07				.02							*				,	,	- 0
,		.0.				- 11	. 05	•	7	10.	.03	.03	.01	.07	.Dı						,		
.14	.04	. 10	.03	.03	.02	.04	.01	7	.01	.00	.01	.07	.20	. 10	-11	.02	1						. 5
. 05						7	.03	.01	-10	.02	- 00		.02									.01	,
. 05	1												1						.02	.10	.01	.05	, 0
									1					.03	.03	.05	. 15	.00	.27	.10	•		

SUBSCRIPTION PRICE: 07.55 PER YEAR INCLUDING ANNUAL SUMMARY, FOREIGN HAILING BI. 85 EVIRG. SINGLE COPY: 20 CEN'S FOR HONING OF ANNUAL ISSUE. THERE IS A MINIMUM CHARGE OF \$2.00 FOR EACH ONDER OF SHELT-STOCKED ISSUES OF PUBLICATIONS, MAKE CHICAS PAPARIE TO DEFORMER TO COMMENCE, NORTH SERVENCES, ORDERS, AND INDUREES TO MATIGNAL CLIMPTIC CENTER, FEDERAL BUILDING, ASHEVILLE, NORTH CAROLING 28801.

NOGA NATIONAL OCEANIC AND ATTORNEY OF ANY FORMATION ASSAULCE.

Laniel B. Mitchell
DIRECTOR. NATIONAL CLINATIC CENTER

USCONH - NORR - 45HEVILLE 03-30-79


STORM EVENT REPORT NO. 11 February 22, 1979

1. Rainfall Summary

		Total	5	Start	S	top
	Gage	Rainfall in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	0.85	0545	22 Feb 79	1715	22 Feb 79
2.	Proctor School	0.64	0615	22 Feb 79	2000	22 Feb 79
3.	Sydney School					
4.	San Francisco Airport	0.62	0000	22 Feb 79	2000	22 Feb 79
5.	Oakland Airport	0.41	0800	22 Feb 79	1400	22 Feb 79

2. Creek Flow Summary

Discharge	Value	Time	Date
Maximum, cfs	556.1	1200	22 Feb 79
Average, cfs	105.0		22 Feb 79
Total volume, ft ³	6,513,000	from 0545 to 2300	22 Feb 79
Prior to storm, cfs	10.5		
Average (previous 7 days), cfs	36.9		
Average (previous 30 days), cfs	11.1		



3. Sampling Analysis Results

Flow Weighted Composite

Parameter	Unit	Value	
Chemical oxygen demand	mg/L	68	
Total nitrogen as N	mg/L	7.4	
Lead	mg/L	0.1	
Chromium	mg/L	<0.06	
Copper	mg/L	0.06	
Total ortho phosphorus as P	mg/L	0.42	
Suspended solids	mg/L	335	
Volatile suspended solids	mg/L	55	

Discrete Sample

1010

4. Observations at Sampling Station During Event.

Flow records during this storm event are affected slightly by a car body lodged approximately 100 feet downstream of the sampling control section. At approximately noon, the high stream flow was sufficient to carry the car body downstream beyond the confluence with San Lorenzo Creek.

- Observations in Tributary Area During Event.
 Nothing significant to report.
- 6. Comments on Storm Event.
 - 1. The raingage at Sydney School was inoperable from February 17 to March 8.
 - 2. Flow response at the gaging station occurs within one half hour following a change in the rainfall rate.
 - 3. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 - 4. Samples used in the composite sample analysis were taken at half hour intervals from 1015 to 2345 as indicated by X's on the flow plot.

STORM EVENT 11 - FEBRUARY 22, 1979 STORM DATA

						NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
2-22-79		1.94	8.75				
2-22-79		1.93	8.43		0.03		
2-22-79		1.93	8.43		0.02		
2-22-79	100	1.93	8.43			0.01	
2-22-79	6:30	1.95	9.09				
2-22-79		2.28	26.0				
2-22-79	7:00	2.57	53.7				
2-22-79	7:15	2.41	36.7			0.01	
2-22-79	7:30	2.35	31.4				
2-22-79	7:45	2.30	27.5			0.01	
2-22-79	8:00	2.12	16.1			0.02	
2-22-79	8:15	2.21	21.3			0.01	
2-22-79	8:30	2.98	108.8		0.03	0.01	
2-22-79		2.78	79.6		0.04	0.01	
2-22-79		2.73	73.0		0.07	0.04	
2-22-79		3.41	175.9		0.06	0.04	
2-22-79		4.47	346.1		0.04	0.03	
2-22-79		5.00	421.7		0.04	0.03	
2-22-79		4.98	418.9		0.02	0.04	
2-22-79		4.74	386.3		0.02	0.03	
2-22-79		4.34	325.5	YES		0.01	
2-22-79		3.87	251.8	163	0.03	0.01	
2-22-79		3.72	227.9	YES	0.04	0.01	
2-22-79		3.26	151.3	163	0.07	0.03	
2-22-79		3.78	237.3	YES	0.07	0.05	
2-22-79		4.84		163			
2-22-79			399.8	VEC	0.28	0.09	
2-22-79		5.43	481.0	YES	0.02	0.13	
		6.08	556.1	VF.		0.01	
2-22-79		5.37	473.3	YES		0.01	
2-22-79		4.11	289.8	ven			
2-22-79		3.56	2.503	YES	0.01		
2-22-79		3.29	156.3			0.01	
2-22-79		3.12	129.3	YES		0.01	
2-22-79		3.09	124.8				
2-22-79		3.05	119.0	YES			
2-22-79		2.82	85.1				
2-22-79		2.71	70.4	YES			
2-22-79		2.65	63.1				
2-22-79		2.57	53.7	YES			
2-22-79		2.51	46.8				
	15:15	2.46	41.5	YES			
2-22-79	15:30	2.43	33.6				

STORM EVENT 11 - FEBRUARY 22, 1979 STORM DATA (Concluded)

					RAII	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
2-22-79	15:45	2.40	35.8	YES			
2-22-79	16:00	2.37	33.1				
2-22-79	16:15	2.34	30.6	YES			
2-22-79	16:30	2.31	28.2				
2-22-79	16145	2.28	26.0	YES			
2-22-79	17:00	2.26	24.6		0.01		
2-22-79	17:15	2.23	22.6	YES	0.01		
2-22-79	17:30	2.21	21.3				
2-22-79	17:45	2.21	21.3	YES			
2-22-79	18:00	2.20	20.6				
2-22-79	18:15	2.06	13.3	YES			
2-22-79	18:30	2.28	26.0				
2-22-79	18:45	2.26	24.6	YES			
2-22-79	19:00	2.21	21.3				
2-22-79	19:15	2.18	19.4	YES			
2-22-79	19:30	2.14	17.1				
2-22-79	19:45	2.12	16.1	YES			
2-22-79	20:00	2.11	15.6			0.01	
2-22-79	20:15	2.10	15.1	YES			
2-22-79	20:30	2.09	14.6				
2-22-79	20:45	2.08	14.2	YES			
2-22-79	21:00	2.07	13.7				
2-22-79	21:15	2.06	13.3	YES			
2-22-79	21:30	2.04	12.5				
2-22-79	21:45	2.03	12.1	YES			
2-22-79	22:00	2.02	11.7				
2-22-79	22:15	2.02	11.7	YES			
2-22-79	22:30	2.01	11.3	787			
2-22-79	22:45	2.00	10.9	YES			
2-22-79	23:00	1.99	10.5				
2-22-79	23:15	1.99	10.5	YES			
2-22-79	23:30	1.98	10.1				
2-22-79	23:45	1.97	9.78	YES			
2-22-79	24:00	1.97	9.78				

FEBRUARY 1979


SAN FRANCISCO. CALIFORNIA

NATIONAL MERTHER SERVICE DEC

INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



1		16 406	RATUR	٠,		DE COL	04.5	DE DATES OF	101	MECIFI	101104	510110m			HIN			5145			0.11
	#14 194	-	,000 j.vg	100000000	DEM POINT	Man Salas	(00k 146 - 200)	100 made 310am 111 made 310am 111 made 310am 112 made 310am 113 made 310am 300at made 300at made	0	100110 100110 1101	100 100 100 100 100 100	1.5 1.5 1.5 1.5 1.5 1.5	*10 .Ng. 1053*	#1 501 'BN'	Date 001 50110	g.	#11.33m10	211,041.5	9. POSSIBLE	Sure 121 - 10 Sure 121 - 10	6. A.M.
1	2	,		5	6	20	78		9	10	11.	12	13	14	15	16	17	18	19	25	7
1	51	35	434	-7	36	55	0		0	.01	0	20.04	21	5 7		15	30				,
1	53	36	46		35	10	0		D	,	0	30.05	02	6 3	10.1		04		1	2	2
.1	61	32*	45		35	16	0		0	0	0	30.26	26	2.6	6.0		31	1		5	3
1	60	40	50	0	45	15	0		00	0	0	30.22	32	3 1	5 3		50	1		1	3
1	60	44	52	3	47	13	0		0	0	0	30.21	30	0.6	10.6		26				6
1	50	41	50	- 1	45	15	c	: 0	0	0	0	30.24	134	4.0	6 3	100	20	1		10	10
ı	55	40	40	-3	43	17	0	1 0	0	D	D	30.25	27	3.6	6.6	1	20	1	1	10	
1	634	41	52	1	44	13	0	1	0	0	0	30.26	32	3.0	6 .		30	1	1	6	7
1	61	45	53	5	40	15	0	2 0	0	0	0	30.17	36	1.0	6 6	14	30	1	1	10	10
1	60	40	54	3	50	11	0		0	D	0	30 12	01	1.7	4 6		0.5	1		10	10
ı	6:	5:	561	5	40		٥	1 6	0	, ,	0	30.01	17	7.0	10.€		50	1		10	10
1	50	42	40	-2	91	11	0	1	0	2.21	0	20.70	1,	0.5	11.5		50	1		10	10
1	6:	38	50	-1	13	15	0		0	- 06	D	30.01	50	15.3	13.1	25	20			3	•
1	50	44	51	0	44	14	0		0	.10	0	30.06	25		11.5	10	50	1	1 1	,	6
1	50	38	49	-3	40	16	0		0	D	0	30.23	12	2 1			03	1		10	9
1	57	46	52	0	47	13	0	1	0	. 26	0	30.00	10	4.0	7.5		26			10	10
1	58	46	52	0	46	13	0		0	.01	0	30 00	32	3.4	5.6		26		1 1		,
1	53	48	51	-1	46	14	0	1	0	. 99	0	20.07	17	6.0	10.5		14	1		10	
1	55	45	50	-5	44	15	0	1	0	.54	0	20 76	27	17.1	10.0	53	27			,	7
ı	56	45	51	-1	45	14	0	1	0	.61	0	20.00	53	10.2	11.2	54	21		1	1	,
1	50	39	50	-5	45	15	0		0	00	D		25	6.0	0.1	15	3:			,	6
1	60	45	53	-3	1	16	0		0	0	0		50	1.1	5.0		30		1	10	
1	57	46	93	i	33	12	0		0	. 16 D	0		10	3.0	6.3		26		1	10	10
1	57	42	50	-2	42	15	0		0	0		30.17		15.2	14.0		30			2	3
ı	57	46	52	0	46	13	0	1	0	.62	o	20.05					50		1	10	10
1	1	1	1		1				1							1					
ł	Su-	Sur				1014	1014			1010.	1010		10	. '**	m04	1		1014.		50*	50.
L	1655	1193				406	0		5	5.87		30.00		3.0		31	20			204	1 gt
L	440	Avç	avc.		ATC.	DE P	DE P			Dt *					-	Da 't		-		av.	av.
L	57.0	42 6	50 3	-0.0	43	50		01 INCH	13	2.83										7.3	7.0
C		(* or oa.	-	-		10'4	1018	SAON. ICE PEL	115		-		-	-	_				_	-	_

ETTERE TOO THE MONTH - CAST OCCUPRENCE IF MORE THAN DRE THAN DRESS OFFICE OFFICE THAN DRESS OFFICE OFFICE DRESS THAN DRESS OFFICE DRESS TO ME THAN DRESS OFFICE DRESS THAN DRESS OFFICE DRESS TO ME THAN DRESS OFFICE DRESS OFFI DRESS OF

		_	-	* 1		1 5				
				-	(aa	300		0		
1.00	Ser. C04.	S:0110#	1 550	. •10	100	0	MILETIME	300	01133610	3710
01	,	30	10	47	45	42	84	7.6	27	3.5
04	,	30	.00	46	44	42	. 07	6.9	26	3.1
03		30	-10	-	44	42		6.6	23	2.0
10		30	13	52	40	44	"	10.0	17	. 6
13	7	30	10	55	50	44	67	11.6	27	4.2
16	,	30	.07	58	50	44	66	11.6	28	6.
10	6	30	.00	52	48	44	76	10 4	26	7.8
22	6	30	.09	50	47	43	.00		26	5 0

SUMMARY BY HOURS

				HQU.	[40146	4.										HOUR	CADING	4.	-			-	
	-2	,	•	5	,	,		9,	10	1.1	12		.01	3	•	5	6	,		9	10	Li.	12
.09	.10		.01	.05	,05	,05	16	. 13	. 20	- 31	.23	.11	. 14	. 12	•	•	.03	.05	.07	.01	.09	.07	.0:
.00		,	•	.01	7	.01	.01	1	,	. 11	.02		.01	.02	.01		•			•	•	.06	-13
25	.03	.10	.02	.01	.03	.05	.03	.15	.02	.06	.02	.19	. 36	.05	.11	,	.02		.05				- 0
																			.08	.05	.01	.04	٠
														-01	.04	.06	.00	.14	. 26	,	*		

SUBSCRIPTION PRICE: 92.55 PER TEAR INCLUDING ANNUAL SURRARY, FORCION NATURED 91.85 EXTRA. SINGLE COPYL 20 CENTS FOR HOWING OR ANNUAL, ISSUE. THERE IS A MINIMUM CHARGE OF \$2.00 FOR FROM ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS. MARE CHEEKS PRIMARE TO DEPARTMENT OF COMMERCE. NORK. SEND PRIMENTS. ORDERS, AND INQUIRES TO NATIONAL CENTER. FORENE BUILDING. ASHETILLE, NORTH CAROLINA 78801.

S CENTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCCURNIC AND ATMOSPHERIC ADMINISTRATION. AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER, ASSETTLE, NORTH CAROLINA 28801.

NOGA NATIONAL DEFANCE AND ALTONAL OF ENVIRONMENTAL DATA AND ALTONALIST AND ALTONA

Saniel B. Mitchell DIRECTOR. NATIONAL CLINATE CENTER

USCOMM -- NORR -- ASHEVILLE 09/30/79

SAN FRANCISCO. CALIFORNIA

A-115

118RUAR1 1979

Local Climatological Data

DAKLAND. CALIFORNIA NATIONAL MERTHER SERVICE OFC

INTERNATIONAL AIRPORT

MONTHLY SUMMARY



FEBRUARY

1979

DAKLAND. CALIFORNIA

		11 -21	RUTURE	٠,		DI G#11		00 0015 01 00 0015 01	101	**(:1*)	101104	**** TO	·		*111			SUNSH	*1		1-0
2,00	:		extends.	100,000 to 1	DE POINT		COS, INC. SUMS	1 700 2 mg Asi 700 3 mg Asi 700 4 100 mg Asi 100 4 100 mg Asi 100 5 mg Asi 1 00515100 6 5 mg Asi 1 00515100 6 mg	04AM	100114	101	10	#12 No. 105 P	145, 175 Ja	1 4	1	6	11,241	W1014	6. 16. 16. 16. 16. 16. 16. 16. 16. 16. 1	33
1	7	,		5		20	18		9	12	11	12	111	14	1 15	16	13	18	19	17	7
1	50	30	44	-6	36	21	0		0	,	0						20		-	,	1
5	55	36	47	-3	56	16	0		0						1 5		12	1	1	1:	,
31	54	34*	441	-7	50	21	0		0	0				2 .			26	1	1	1	1 1
1	50	36	47		34	10	0		0	0				1	3		27		1	e	4
31	57	30	40	-3	42	14	0		1 0	0			150	2	5 5 6		27	1		7	
:	50	46	52	1	45	13	0		0	0			1 30	1			31				, ,
-1	55	40	40	-3	43	17	0		1 6	0		SC 2	1/23	1.		10	27	1			,
0	621	12	52	1	44	in	0	,	0					3		12	32		1	6	5
10	57	40	53	1	46	12	0	2	0					2.	4 4.0		3.			10	10
11	60	40	95	3	100	10	0		0	0				2.		5 6	1.7	1		10	10
121	61	53	574		40		0		0			130 0	2 30	3.		50	21	1	1	10	10
15	57	52	55	3	50	10	0	1	0		D	29 6	1 15	15.	2 16 0	2 25	14			10.	10
14	56	45	91	~1	42	14	0		0			30.0	2 20	10.	2 10 4	4 23	27			1 *	. 5
15	50	43	91	-1	42	14	0		0	0.2	0	30.0	0 15	10-1	11.	5 17	10			6	
16	57	40	53	1	44	12	0		0	.41	0	30 1	1 23		9 9	1 14	15	1	}	1 .	
17	57	42	50	-2	41	15	0		0	0					5 5.6		13			10	,
101	55	46	52	0	46	13	0	1	0						6 11 .		16	1		10	1.0
10	57	40	53	1	46	12	0		0	.07					5 4 6		5.	1	1	6	1 7
20	54	50	9.2	0	47	13	0		0						3 11.		15	1	1	10	
21	96	49	53	0	45	12	C		0	. 45					14.		21	1	1	1 3	6
23	54	50	52	-1	44	13	0		0	. 41							20			1 "	1 6
23	56	47	52	-1	43	13	0		0				1 56				21				6
24	58	45	51	-2	43	14	0		0						3 6.			1	1	10	10
25	50	46	54	1	46	11	0	1	0	.20			16				20			1 5	
26	50	40	53	0	43	15	0	1	0				9 50						1	1 6	
20	57	43	50	0	47	12	0	1	0			20.0			0 10.	15	24			10	0
-					-	1014				1010.	10.4	-	1	00 1	-1 -0-	1	1_	1014.	1.	50=	
1	5.	1261	-	-		307	101A			4.70		130 1	2123	2		0 25	1 15	1	100	203	100
1	1566	415	440	01-	AVG	De.	06.	***************		01.	-	1	1			- 0011	. 20-		Po	- avo	
1	56.7	45.0		- 1.0		50	D	- C1 19(H	13			1	-1-	1		-		1		7.3	
1					-		10 04.1	SHOW. ICE PE	1115	1	-	-	-	-			-				
1	4.70	e or ga				1010	1014	. 1.0 INCH	0	601	A'15' 1	24 40	V.5	40 30	115	C.	4.12.	DE * '+ 1	04 G# 5	GAD 01	5424
t			-	144	**	2007	. 0	140401 #5100#	. 0						(,,(')	1 1	1. 37	1 .2 00	100 4	WE DAY	1
1	. 4	* 32		7	. 0	51.	Dt.	HEAVY FOC	2	1.33	. 1	3						0			
- 1	0	0		0 1	0	25	C	(itas 2		* C. Oup+	12	Croco.	14								

e (similar por "He mon" — Lan" Occument (s in mont "Hear out" " facile mont (see "Lee dar") — a so the ma (me") (see dar") — man facility — a single strike mont (see dar") — single sign — land planger tons and facility of color parts (colorated facility mont) — or color dar in colorate mont (see the mont) — or colorate (see the mont)

					1.5				Mrs.	- 10	
#10 # 10 P	Ser (081.	\$10110N	· (n:		- J	0.0010171 Z	01140 0410		DI # C110*	03345	1 4
01	5	30 1	2 40	45	42	77	,	5	20	1	,
04	- 6	30 .1	1 47	44	4:	70	6	6	14	1	
07	,	30 .1	3 47	44	41	80	7	6	15		
10	,	30.1	5. 51	47	41	76		,	17	4	
13	•	30.1	2 54	49	45	71		. 7	23	4	
16	,	30.0	9 56	50	45	67		2	26		
10	6	30.1	0 53	40	44	73		,	23	*	
22	. 6	30 .1	1, 51	47	43	75			55	. 1	

					ENDING	0.										*00°	ENDING	4.					
	2	1	•	5	1 10116	7	8	9	10	11	12	1	?	,	•	5	6	,	. 6	9	10		-2
	,	*																					
:	.07		,	.02	.02	.01	.02	.04	. 15	. 14	.13	.12	.00	. 15	.01	,		-81	.02		-03	-18	.0
.24	.05	.01	.01	•	.01	.07				.02							,				,	1	.0
	,	.07	,			.11	.05	,	1	.01	.03	.03	10.	.07	.01						*		
. 14	.04	. 10	.03	.09	.02	.06	.01	;	.01	.00	.01	.07	.20	10	-11	.02	1					.01	.0
.05							.03	. 19	.10	.02	.00	1	.02									.01	
.05																			.02	-10	.01	.05	.0
														.03	03	.05	.15	.00	.27	.10	,		

SUBSCRIPTION PRICE: \$2.55 FER YEAR INCLUDING ANNUAL SURMARY. FOREIGN MRILING \$1.85 EVIEW. SINGLE COPY, 20 CENTS FOR MONTHLY OR WANDAL ISSUE. IMPREIS A MINIMUM CHARGE OF \$2.00 FOR FACE OF SHIP SYSTEMS IN SUBSCRIPTIONS HAVE CHARGE OF \$2.00 FOR FACE OF SHIP OF SHIP INSTITUTE OF COMMERCE AND SHIP OF SHIP OF COMMERCE AND SHIP OF SHIP OF

I CENTIFF THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND STREET ADDITIONAL AND IS COMPLED FROM RECORDS ON THE AT THE NATIONAL CLIMATIC CINTER. ASSISTELL, MOST CRACKING 78801.

noaa NATIONAL OCEANIC AND ATTORNETION /

Saniel B. Mitchell
DIRECTOR, NATIONAL CLINATE CENTER

USCOME NORR ASHEVILLE 05 50 TO


STORM EVENT REPORT NO. 12 February 28 - March 1, 1979


1. Rainfall Summary

		Total		Start		Stop
-	Gage	Rainfall in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	0.64	1430	28 Feb 79	2100	28 Feb 79
2.	Proctor School	0.59	1500	28 Feb 79	0045	1 Mar 79
3.	Sydney School					
4.	San Francisco Airport	0.62	1500	28 Feb 79	2000	28 Feb 79
5.	Oakland Airport	0.71	1500	28 Feb 79	2100	28 Feb 79

2. Creek Flow Summary

Discharge	Value	Time	Date
Maximum, cfs	260.1	2045	28 Feb 79
Average, cfs	52.7		28 Feb 79
Total volume, ft ³	2,515,300	from 1430 to 0345	28 Feb 79 1 Mar 79
Prior to storm, cfs	1.34		
Average (previous 7 days), cfs	24.5		
Average (previous 30 days), cfs	14.3		





Flow Weighted Composite

Parameter	Units	Value	
Chemical oxygen demand	mg/L	66	
Total Nitrogen as N	mg/L	2.8	
Lead	mg/L	0.2	
Chromium	mg/L	<0.06	
Copper	mg/L	0.09	
Total ortho phosphorus as P	mg/L	0.18	
Suspended Solids	mg/L	152	
Volatile suspended solids	mg/L	16	

Parameter	Units	Value
Date and time		28 Feb 1815
Instantaneous flow rate	cfs	87.8
Temperature	DegC	12.2
Specific conductance	umho/cm	120
Н		6.5
Settleable solids	m1/L	0.4
Suspended solids	mg/L	148
Volatile suspended solids	mg/L	12
Biochemical oxygen demand (5 day)	mg/L	8
Total coliform	MPN/100m1	1.1x10 ²
Fecal coliform	MPN/100m1	1.5x10 ¹

- Observation at Sampling Station During Event.
 Nothing significant to report.
- Observation in Tributary Area During Event. Nothing significant to report.
- 6. Comments on Storm Event.
 - The raingage at Sydney School was inoperable from February 17 to March 8.
 - 2. Flow response at the gaging station occurs within a half hour following a change in the rainfall rate.
 - 3. The runoff period during this storm event began with the first recorded rainfall at 1430 on February 28 and ended three hours after the last recorded rainfall at 0345 on March 1.
 - 4. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 - 5. Samples used in the composite sample analysis were taken at half hour intervals from 1815 to 2345 on February 28 and from 0015 to 0745 on March 1 as indicated by X's on the flow plot.

STORM EVENT 12 - FEBRUARY 28 to MARCH 1, 1979 STORM DATA

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNE
2-28-79	14:00	1.52	1.34				
2-28-79	14:30	1.52	1.34		0.01		
2-28-79	14:45	1.52	1.34		0.02		
2-28-79	15:00	1.52	1.34		0.01	0.01	
2-28-79	15:15	1.74	3.98		0.03	0.01	
2-28-79	15:30	1.96	9.43		0.03	0.01	
2-28-79	15:45	2.18	19.4		0.02	0.03	
2-28-79	16:00	2.40	35.8		0.02	0.03	
2-28-79	16:15	2.41	36.7		0.01	0.02	
2-28-79	16:30	2.42	37.6		0.01	0.01	
2-28-79	16:45	2.43	38.6		0.02	0.01	
2-28-79		2.45	40.5		0.01	0.02	
2-28-79	17:15	2.50	45.7		0.02	0.01	
2-28-79		2.56	52.5		0.03	0.02	
2-28-79		2.61	58.5		0.04	0.02	
2-28-79		2.66	64.3		0.03	0.03	
2-28-79		2.84	87.8	YES	0.01	0.02	
2-28-79	3.77	3.01	113.4	103	0.04	0.03	
2-28-79		2.98	108.8	YES	0.03	0.03	
2-28-79		2.96	105.6	163	0.01	0.03	
2-28-79		3.16	135.4	YES	0.01	0.02	
2-28-79		3.05	119.0	163	0.01		
2-28-79		2.84	87.8	YES		0.01	
2-28-79		2.76	76.9	1123	0.05	0.02	
2-28-79		2.79		VEC	0.10	0.03	
2-28-79		3.73	81.0	YES	0.02	0.09	
2-28-79		3.92	260.1	VEG	0.02	0.03	
2-28-79		3.35		YES	0.02	0.02	
2-28-79		3.10	166.0	VEC	0.01	0.01	
2-28-79		3.10	126.3	YES		0.01	
2-28-79		2.91	117.6 97.9	ven			
2-28-79				YES			
2-28-79		2.69	67.9	vea			
		2.52	47.9	YES			
2-28-79		2.41	36.7	ven			
2-28-79		2.34	30.6	YES			
2-28-79		2.27	25.3	ven			
2-28-79		2.23	22.6	YES			
2-28-79		2.19	20.0				
2-28-79		2.16	18.3	YES			
2-28-79		2.12	16.1				
3- 1-79		2.10	15.1	YES			

STORM EVENT 12 - FEBRUARY 28 to MARCH 1, 1979 STORM DATA (Concluded)

					RAII	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNE
3- 1-79	0:45	2.05	12.9	YES			
3- 1-79		2.03	12.1	163		0.01	
3- 1-79		2.01	11.3	VEE			
3- 1-79		2.00	10.9	YES			
3- 1-79		1.98	10.1	VER			
3- 1-79		1.97	9.78	YES			
3- 1-79	-	1.96	9.43	VEG			
3- 1-79	-	1.94	8.75	YES			
3- 1-79		1.94	8.75	VER			
3- 1-79		1.92	8.11	YES			
3- 1-79		1.91	7.80	VEC			
3- 1-79		1.90	7.50	YES			
3- 1-79		1.90	7.50	YES			
3- 1-79		1.89	7.24	163			
3- 1-79		1.88	6.99	YES			
3- 1-79		1.87	6.74	165			
3- 1-79		1.86	6.50	YES			
3- 1-79		1.85	6.27	163			
3- 1-79		1.85	6.27	YES			
3- 1-79		1.84	6.04	163			
3- 1-79		1.84	6.04	YES			
3- 1-79		1.83	5.82	1123			
3- 1-79		1.83	5.82	YES			
3- 1-79		1.83	5.82	163			
3- 1-79		1.81	5.38	YES			
3- 1-79		1.81	5.38	163			
3- 1-79		1.80	5.16	YES			
3- 1-79		1.80	5.16	163			
3- 1-79		1.79	4.95	YES			
3- 1-79		1.79	4.95	163			

FEBRUARY 1979

SAN FRANCISCO. CALIFORNIA

NATIONAL MERIHER SERVICE OFC INTERNATIONAL AIRFORT

Local Climatological Data

MONTHLY SUMMARY



	51 53 56 61 60 60	1 35 36 32 36	42.4	2 OFFICE TOP 2	DE POINT		(00) 145 - grap	1 FOC 2 MEM - FOC 3 MM MM - FOC 15 MM	04AH	(00114	100	1.	5	1	23145)	T.	*		5,615	0.)	2
	53 61 60 60	35 38 32*	43×	-	+	70			1.	,.		***	*1.5ut	1 5at 1	1000340	0.		11.000	91 105	1	6 5
	53 61 60 60	30	46	-7			78		9	10	11	1.7	13	14	15	16	17	18	19	20	7
	61 60 60	32.			36	22	0		0	.01	0			5.7		15	30			e	,
	61 60			-4	35	10	0		0	,	0		0.5	6.3			04		1	- 2	- 3
	60	36	45	-6	50	20	0		0	0	0	30.26		5 6			31		1		3
	60		50	-1	35	16	0	_	0	0	0	30.33		3.1	5.2		50			1	3
		40	52	0	47	15	0		0	0	0	30.21	30	0.0	0.3		28				6
		41	50	-1	45	15	0		0	0	0		1:0	4.0	10.6		20		1		10
	55	40	48	-3	43	17	0		0	0	0		27	3.6			20			10	
	631	41	52	1	44	13	0		0	0	0	30.26		3.0			30			.6	7
	61	45	53	2	40	12	0	2 .	0	0	0	30 17			6 6		30	1	1	10	10
	60	48	54	,	50	11	0		0	0	0	30 12		1 7	4.0		0.2			10	10
	61	51	56*		40		0		0	1	0	30 01		7 0	10.6	22	20			10	10
	50	40	54	3	51	11	0	1	0	2.21	D			0.2	11 5		20			10	10
	56	42	49	-2	42	16	0		0	.06	0	30.01	20	12.3	13 7	25	20		1	3	4
	61	38	50	-1	42	15	0	1	0	. 10	0			0 5	11.5	16	20				
	50	44	51	0	44	14	0		C	.10	0	30.13	25	7.4		21	20			3	5
	50	36	49	-3	40	16	0		0	0	0	30.23	12	2.1	5.2	10	03			10	
	57	46	52	0	47	13	0	1	0	. 26	0	30.00	10	4.0	7.5	14	26			10	10
	50	46	52	0	46	13	0		0	.01	D	30.00	35	3.4	5.6	12	36			•	,
	53	48	51	-1	46	14	0	1	0	.00	0	20 67	17	6.0	10.5		14		1 1	10	
	55	45	50	-2	44	15	0	1	0	.54	0	20 76		17.1	10.0	53	27			,	7
	56	45	51	-1	45	14	0	1	0	.61	0		53	10.3	11.2	34	21			,	,
	58	42	50	-5	42	15	0		0	.00	0	30.00		6.0		15	31			,	6
	50	36	49	-3	41	16	0		0	0	0		50	1.1	5.0		30	1		10	
	60	45	53	1	44	12	0	1	0	.10	0		10	2 0			26			10	10
	57	48	50	-2	42	12	0		0	0	0	30.17	30	13.6		25	30			2	3
	57	46	52	o	46	13	o	1	0	.62		20.05			11.5		20			10	10
,	Q.	50.				1014	1010		1	1010,	1010		1		HON'			1014	,	5(*	1,0
	523	1193			-	406	Q	ACABLE O. Da.	5	5.0	0	30.00	136	3.0		31			100	204	190
		Avy	Arc		avo	Di.	06.	**********		Dt.			1 .		-	Sa.f	13	.41	-1 miles	Avo	a.
	57.0	47.6	50 3	-C 8	43	50	Q	• -01 14(+	13	5.63			1		1				1	7.3	. 7.4
-						51 850×		SNOW . 128 PEL	11.2		****					T					-
1	0.150	. 0. 04				1014	1016	1 0 14(4	0			24 40						01-1- 0			
	1.0	12			0	2245	21.0	HERV. 100	- 0	7.21			0	176 1	116.2	10	· ·	0 0	11 44	Se. C	-

SUMMARY	BY	HOURS
	_	

									*15.		
			TEMP	-	100	7.	0				
THE THE	Ser. Core	\$101.00 PESSUP	• •		2 4 50	10110111	1140 SPEE		01986710	03345	
01	,	30.10	47	45	42	84	,	. 6	27	3	
04	,	30.00	46	44	42	07	6		26	3	1
07		30.10	46	44	42	87	6		23	2	. 0
10		30 13	52	48	44	77	10	0	17		
13	7	30.10	55	50	44	67	11		27		. 2
16	7	30.07	56	50	44	66	11		28	6	, ,
10	6	30 00	52	40	44	76	10	4	26	,	
22	6	30.00	50	47	43	.00		. 7	26	5	.0

HOUR . PRECIPITATION . I WATER EQUIVALENT IN INCHEST

			A	mour.	[NO NO	R'										HOUR	ENGING	41					
1	2	3	4	5	6	7		9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12
					,								.01										
																							,
.03	10	1	.01	.05	-05	.05	. 10	. 1.3	. 50	. 31	.23	-11	-14	. 12	,	1	.03	.05	.07	.01	-00	.07	0:
							.02									*	,			,		.06	. 1
.00	1	1	*	-01		.01		4	*														
1				•		.00	.01			.11	.02		.01	.02	.01	1							
	*	*	,	.01	.03	.03	.03		.02	.06	.02	.10	. 36	.05	.11				.05				.01
.25	.03	.10	02	.07	+	.05		7	7	*	.02	10	, 36	.09					.05				. 0
!	.01		*	.01	.01	.02	.05	. 15	.05	.17	. 12	*		1		,	.02		.02	*			
1					.01	'	.05	.0.		i													
																		*	.00	-05	.01	.04	۲
																						- 1	
														.01	.04	.06	.00	.14	- 20	4.	*		

SUBSCRIPTION PRICE: \$2.55 FER YEAR INCLUDING ANNUAL SURBREY. FOREIGN BRILING BLOS EXTRA. SINGLE COPYL 20 CENTS FOR MONTHLY OR ANNUAL ISSUE. THERE ISS A RISTAUL CHARGE OF \$2.00 FOR EACH ORDER OF SHILL'STOCKED ISSUES OF PUBLICATIONS. BRANC CHIES PRIRALE TO GENERALLY OF COMMERCE, NOBEL CREATERS OF COMMERCE, NOBEL CREATERS OF COMMERCE, NOBEL CREATERS.

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NOTIONAL OCEANIC AND ATHOSPHERIC ADMINISTRATION. AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC CENTER, ASHEVILLE, MORTH CAPOLINA, 28801.

noaa NATIONAL OCERNIC AND ATROSPHERIC ADMINISTRATION

ENVIRONMENTAL DATA AND INFORMATION SERVICE

A-124

Spriel B. Mitchell DIRECTOR. NATIONAL CLINATE CENTER

USCORR - NORR - RSHEVILLE 03/30/75

9 79 FRANCISCO. CALIFORNIA

MARCH 1979

SAN FRANCISCO. CALIFORNIA NATIONAL HEATHER SERVICE OF

Local Climatological Data

MONTHLY SUMMARY



I	,	11 00		٠,	,	64.04E1		0. 00115 01	101	***(n)	101104				NINO			50.45	•		191
		2	PAG PAC	Seed to alles	316.40		20 (80) 20 (80)	TOC TOCATO T	2 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	100.110	100	100	# 5u 15w1 51#	MESAL TOWN	SHEED SHEED		#01/2#18	* ***	71 PEFFE	E 10110	51 140 MI.
ļ	2	,		3	6	14	18	n	· ·	10	11	17	13	10	15	16		18	19	50	
ı		43	40	- 1	3.7	16	e		0.		0	20 02	10		10.6	25	30			,	1
į	**	**	50	-2	43	1.6	0	1	e e	0.4	0	10.01	1.1	1.4	1.2	1.0	10		1 - 3	100	
	5.0	40	54	2	5.1	1.1	6	1	0	.05	0	30.24	04		6.0		30			142	
	6.1	**	55	,	40	10	e.	1	0	0	e	10 20	34	3 3		13	10			G	
	0.0	**	* 1		51		0.1		0.	0	0	30 31	31	6.2		18	30			n	
		50	62	10	5.2	3	0		6	13	0	10.25	31	6.5	0.6	18	30			2	
	12	40	60		*1		e		0	6.	0	30 .11	33		11.0	22	29		1		
	4.1		621		42	3	6	9 8	0	0	0	20 00	32	5 4		10	30		1	6	
	80			1	50	11	6	, 6	0	,	0	20 01	20		. 2	0	24		1	1.0	1.3
	6.1	*6			4.		0		6	0	0.1	30.14	24			14	23			107	
	71	• 1			46	1.1	0		0	6	0	30.17	30	6 6	0.2	1.6.	20			e	
	A1	50		:	40		0	a	0	0	6	56 G.	30	2.6	5 0	1.6	30		1	e	
	84	**	50		40	0	6	1	0	- 0	6.	30.04	24	1.4	9.6	15	24		1	p	
		80				11	0.		0		6	10 15	16	10.0	10.2	17	20			10.	1
	4.2	45	40		45	16	0		10	00	0.1	20 00	26	B 6	15 .	20	30			6	
	20	46	61	0	45	12	0	,	40	33	e	20 02	1.6		7.2	12	20			10	1
	85	40	4.2	-1	41	13	e e		0	10	0	30.01	30		0 0	12	56			8.	0
		40			44	10	e.	1	10		0	20 01	20		10.2	20	20			10	3
	61	48	46	2	40	10	0		0	0	0	20 '0	32		8 6	10	20			,	
	80	40		1	45	11	0		0		e	20 80			8 0	1.6	20			•	
	60	40		1	45	11	0	1	01	2%	0	10 01		2.5		12	21		1	1.0	
	88	424		1	43	11	0		0	12	0	10.20		1 0		12	21				
	0.0	**	8.6	2	44	10	0		0		0	10 20	-0	1 2		13	20			- 0	
	61	**	53	-1	43	12	0		0	0	e	30.04	20	10 2	11 3	20	21			n	
	61	40	86	1	40	10	. 0	1	0		0	20 14	16			22	15			110	
	60	•0	8.5	1	40	10	e e	1.	0	1.02	0	20 54	10	12.0	10 0	**	4.7				1
	34	43	40 *		45	16	0		0	20	0	20 11	16		10 2	16	10		- 1	0	
	50	•7	53	1	43	12	0.		0	0	e	10.00	20	13.1	11 2	20	20				
	61	40	5.5	1	•1	10	0		0.1	0	0	10 21	30	11 1	14.0	20	20			1	
	65	43	54	0	45	11,	0		0	e.	e l	30.25	28	5.6	7.1	20	.e .			3	
	20.	50"					G. W.		1	16.0	10.4F		. 6.	3+1	MU414		1	2141	. 1	54.	54
	1906	1468				318	e.	MANGE . G. Dail	-	2.14	0	30.03	21.	4.2	8.1	32	17		F (10	218	21
		47.4	54.5		AVG		GE.	LARCIA LIBITION		ce.	- 1		-			Seif !	21	***	-100	MYC.	
	61.9		27.21	1.5		53		1 01 INCH	61	0.20	- 1	- 1	1	1			1		1	7.0	
	-	. 01 04.			-	terat !		the litt rect		-											
	***	11.85		-	- 1	2004	1018C	1 1 0 1404	-	Cafu		בו אינטיי						1 00			500
	90	1 30 *	1 12	Y' IE	0 1	2964	er.	HE 44		LAFCILLIA.		540		a rec	LE'S	14		18 GE 1	CE ON	On E	
	12	- 13	1 0	1	0 1	143	0		-04/11	1.27			6					0 1			

Extreme the two mounts can't decrease if most decrease if most than the two meets of the mounts that the two meets are the most than the two meets are the two meets are the two meets are the two meets are two meets and the two meets are two meets are two meets and the two meets are two meets are two meets are the most of the meets are two meets are two meets are the most of the meets are two meets are two meets are the most of the meets are two meets are two meets are the most of the meets are two meets are two meets are two meets are the most of the meets are two meets

54	MMARY	81	HOL	RS

								FE 51	1 1441
100	A COME.	10 TO	14.M	. E	1.	#ELATTAR ###10171 2	0320 000	#6 1.73 kg (0	g:
0.1	6	30.02	9.1	•0	45	4:		20	4 0
0.0	*	10.01	50	47	45.		* 4	26	1 0
17.7	,	30.03	50	40	45			20	2.0
110		10.00	6.5.	81		16		10	1.2
13		30.03	5.0	6.5	-	60	10 6	11	2.0
16		30 01	50	5.1	41	68	11 4	20	
10		10.01		8.0	*	20	10 0	20	
22		30.03	52	40	46	80		20	2 12

HOURLY PRECIPITATION INDIER EQUIVALENT IN INCHEST

1	2	3	1	1 5	ENC:NO	13	ē	9	10	111	12	1	1	3	1:	Hour	G	4] ē	9	110	111	112
•	.01	٠	.01	,	.02	*	1	*	,	*	,	er	,	*		,	eı	,	02	-01	,	,	+
					,	,	,	,	,		,												
			.06	on	.01	01	,	,		02	, 0.		, 04	, 02									
				,	:	*	•	*		,	.00	.00	.01	4						,		,	,
	.ce	.02	.05	.01	.01	.02						,	.00		,	;	*	,				,	,
02	. 24	.10	.05	,01	,	ce	.08	26	,01	,03		08	02	02	.01	.01	.03	.01	. , •	27	.ce		,

SUBSCRIPTION FRICE: \$7.55 FER THRE INCLUDING DANGER, SURMARY, FOREIGN MILLING BL. BS EXTER SINGLE COPY, 20 CENTS FOR MANINEY OF DANGER ISSUE THERE IS A MININE CHARGE OF \$7.00 FOR EACH ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS. MAKE CHECKS PROMISE TO DEFORT FROM OF COMMERCE, NORS, SEND PUBLICATIONS, MAKE CHECKS PROMISE TO DEFORT FROM OF COMMERCE, NORS, SEND

I CERTIFY THAT THIS IS AN OFFICIAL PORTICATION OF THE NATIONAL OCEANIC AND ATMOSFMENTS ADMINISTRATION, AND IS COMPLED FROM RECORDS ON TILE AT THE NATIONAL CELEBRIC CENTER, ASSET VILLE, MORIN CAROLINA, 2000.

noaa sational occasic and extension / extension service

FEBRUAR: 1979

DAKLAND, CHLIFORNIA

NATIONAL MERIHER SERVICE OFC

INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



1979

1		11 701	en ue	٠,	,	01 5011		04 04'15 01 0CCURRING	161	****		5 4 4 1 1 0 4			HIND			5.45-	**	50.	
	-1	F(N) F(N)	ayteaca	100.000 sos 30	Driedor Dre Print	Ser Selate	COD, 145 , 975	1 FOC 2 MENT FOC 3 MADE 831047 4 ICE FELLES 5 MB; 6 GLACE 3 MONT. MATE 6 GLOW NO 34020	04Am	100114	501 501 501 501	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	#1 Sut lay: 01#	\$550 '05' SPEED " P.A.	01)45 Kae140	20.00	St. 10. 13.00	11041		5. 5. 0.405	
1	2	,	4	5	6	76	78		9	10	111	12	13		15	16	1.	16	19	35	
	50 55 55 57 58 57 58 57 56 61 57 56 57 56 57 57 56 57 57 57 56 57 57 57 57 57 57 57 57 57 57 57 57 57	38 38 36 36 36 46 42 48 49 53 49 53 48 49 53 48 49 49 49 49 49 49 49 49 49 49 49 49 49	44 47 48 51 52 55 55 55 51 51 51 52 53 55 55 57 57 57 57 57 57 57 57 57 57 57	-6 -3 -7 -4 -3 -3 -1 -1 -1 -2 0 0 -1 -2 0 0 -1 -2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	36 20 34 42 45 45 46 46 46 47 46 47 46 47 45 47 45 47 45 47 47 47 47 47 47 47 47 47 47 47 47 47	21 16 21 16 17 17 17 10 6 10 14 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	000000000000000000000000000000000000000	1 2 2 2 1 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	000000000000000000000000000000000000000	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	30 25 30 24 30 27 30 27 30 27 30 20 30 30 30 30 14 30 02 20 61 30 02 20 61 30 02 20 61 30 15 30 26 30 11 29 90 29 30 31 30 21 30 25 30 31	28 15 23 16 17 23 16 26 22 26 21 16 29 28	6.6 5.0 .3 1.0 10.5 3.6	8 6 10 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	14 20 10 10 10 10 10 10 10 10 10 10 10 10 10	29 04 12 26 27 27 27 27 27 27 27 27 27 27 27 27 27			10 10 10 10 10 10 10 10 10 10 10 10 10 1	7
	156e 4.5 56.7	. 6. 50.	4.6 50.9:	-u- '(-		2007	101A. 0 0011 101A. 0 001	NUMBER OF DAY PRESIDENTIALION TO INCH TO INCH INUMPERIORES TO INCH TO	13	10'A, 4.79 DtP 1.96 Get ee([P]'	4.16#	30, 12 24 mby 54		2.5	e 0	25		06 = - 01	00.		: e:

* Exiference for the month of acceptance of the most descriptions are not a mode of a

			1		1 5				115.		
1074 108 114	Ser Covie	510110w FFF 5500f	1(#		(P)	#1.41746 #UPIDITE 2	GILAS DETE	1 4 4	01011100	Utilda	1 0. 1
01	5	30.12	40	45	42	77	,	5	25	-	4
04	6	30.11	47	44	41	79	6	. 8	14	. 1	P
07	,	30.13	47	44	41	60	,		15		4
10	7	30.15	51	47	43	76		,	17	4	4
13	7	35 15	54	49	45	71		7	23		3
16	7	30.09	56	50	45	67	9	. 2	26		
19	6	30.10	53	40		73		. "	27	4	
22		35 11	6.1	47	41	74.			22		4

			a	+0. e	ENGING	9.										40.0		6.					
	2	•	•		6		ŧ	9	10		-,-		2	,	•	5	6	,	8	9	13	11	-2
:	.07	•		.02	.02	.01	.02	.04	. 15	.14	.13	. 12	.09	. 13	.01	,	,	.01	.02	,	.03	.10	.0
.24	.05	.01	.01		.01	.01				.02							,				7	*	.0
		.0.	,			-11	.05	*	7	.01	03	.03	.01	.07	-01						,		
.14	.04	.10	.03	.03	,02	.04	.03	;	.01 .01	.00	.01	.07	.20	.10	11	.02							. 0
.05	-					7	.03	.01	-10	.02	.00	'	.02									0.1	*
.05										1			1	1		-		1	.02	. 10	01	05	0
1										1				.03	.03	. 05	. 15	.00	.27	. 10			

SUBSCRIPTION PRICE: 47.55 FER YEAR INCLUDING RANDO, SUMMARY, FOR ION PRICING RES ETEM STROLE COME 20 CENTS FOR HOUSING DE ANNO. 1504. INSEE THE STRUCTURE OF \$2.00 FOR FACE HOUSING, STREET STOCKED ISSUES OF PRICING TONS PRIVALE TO DEFER FOR A COMMENCE. NO COMMENCE, NOW SENSE OF COMMENCE. NOW SENSE OF COMMENCE.

I CERTET THAT THIS IS ON OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND GENERAL ADMINISTRATION. AND IS COMPLED FROM RECORDS ON FILE OF THE NATIONAL CENTER, ASSETTICE, NORTH CAROLING 28801.



NOGA HIDDAL OCEANIC AND ATTORNMENTAL DATA AND INTERNAL DATA AND IN

Sociel B. Matchell

MARCH 1979

NATIONAL MEATHER SERVICE OF

INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



DAKLAND.

CALIFORNIA

	-	1 E MPE	RAT JR	.,		9451	•••	00 Dail 2 Or	100	***()*1		****			MINO			50.50	140	114	0.1
		-	Desire.		34 - 10 - 1			1 7 90 2 mins 700 3 manuf da om- 1 101 mins 100 5 mins 6 0.421 0 0.513 0m- 6 0.001 0 0.001 0 0.001 0 0.001 0 0.001 0 0.001	0		10.00 to	11.	*1 Sur. 1041 . 014	571.0	03146 300440	9:	- CO	********	7 *055.B.t	5 5 10 10 10 10 10 10 10 10 10 10 10 10 10	01 (-21 - 01)
	2	,		5	6	16	78		9	10	11	17	13	14	111	16	17	10	19	25	
	95	45	50	-3	36	15	0		0	0	0	20 63	31	11.3	11 7	21	31	1		3	
	35	434	401	-	•1	19	0	1	C	01	0		12	2.0	4.2	12	1.4			10	1
	57	91	33	1	50	11	C	1	0	0.3	0		03	•	6.5	12	0.0	1	1	10	
	60	50	50	:	**	10	0		0	0	0		33	5 ,	6.3	16	30	1	1		
	67	50	50		53		0		0	0	0	30 33	20	. 0			26	1	1		1
	710	52	62*		53	,	0		0	0	0	30 13	1	7.6	1 0	10	51	1		:	
	70	5.1	61		52	•	0	2 .	0	0	0	20 02	3:	, .		13	3:				
	.,	53	55	2	50	10	0	1 .	0	0	0	20 05	3:	5 2	5.0	10	31	1	1	10	1
	60	95	50	•	40	,	0		0	0	0	30 16	20	6.3	, ,	10	26		1	10	1.
	61	**	56	3	*		0		0	0	0	30.10	30		7.2	13	27	1	1		
	62	53	30	:	50	,	0		0	0	0	20 00	56	2 7	. 0	1.0	12		1		
	60	56	50		40	,	0		0	0	0	30 16			10 1	1.7	24			1	
	50	52	55	1	46	10	0		o.	.10	0	20 07	5.	7 1	14 2	23	20			10	1
	93	40	51	-3	44	14	0		0	.00	0	20 04	15		10.1	16	16		1	10	11
	50	**	**	0	46	1.1	0		0	0	0	30 03	26	5.5	7.0	15	27		1	6	
	00	50	53	-1	43	12	0		0	.16	0	20 00	56	2.3		15	20			10	11
	61	53	57	,	40		0		0	0		20 70	30	5.2	6.0	12	3,		1		
	50	52	56	2	46		0		0		0	20 00	24		1.3	12	26		1		
	60	62	56	2	45		0		0	,			27	2 4		14	25			10	
	64	40	96		*	•	0		0	0			20	1.6	6.2	12	27		1		
	66	50	50	•	*	,	0		0	0	0	30 23	20	3 4		15	27		1	11	
	60	93	57	3	*		0		0	0			2.	1.0	, 5	14	26				
	50	51	55	1	40	10	0	1 3	0	41		20 77	15	11.	14.2	20	15			10	11
	57	40	53	-2	45	12	0		0	.06		20 51		11.2	10.0	36	21		1		3.1
	50	45	52	-3	44	13	o		0	0			26		10.2	16	16	1			'
	50	40	54	-1	42	11	0		0	0			20	0.0	10 1	17	20		1	1	
-	61	44	53		45	12.	0		0	0	0	30.20	27	3.1		15	23			1	- 6
-	77	50°	-			10'4	1014				16.0		. 0.	***	whe.	* 1		1010	1	50.	5.
44		1552 Avc.	AVG	01"	440	204	01	***** 0, De	-	2.04.	0	30 05	20	3 5	0.3	20	15		100	115	
	0.5	50.1	55 3	1.6		-56	01,	. 01 10C-		66.	-		-	-	-	Se. (:	36	-	Jan		k.
_	-						0 0411	\$400 ICI PELL	£15	0.32		- 1	-						1	66	E
_	-	. 0. Du.				1014	1010	- 1:0 146-	0	Cal a.	15' 14	24 404		0 001	5	001	1165	DE * ' = 00	0000		
-	at land	11.00	1111	'V" 'I'		2301	0	-	- 1	((. .0	10.	540		1 11				(15 OF			
. 9	e t	. 1	. 35	-	0	-31	06.	Citas Q	31	1.13.	36-53	0001 1	0					CI			

FEB. 1979 ERRATA

ESTREME TOB THE MONTH LEAST OCCURRENCE !! MODEL DESCRIPTIONS FEE DOT OF 3 INDUR INTERIORS TO BETTER OF STATES THE C. NICE AND STATES OBSTRATED TO STATES AND STATES OBSTRATED OF CONTEST OF STATES AND STATES OF CONTEST OF CONTEST OF STATES OF CONTEST OF STATES OF CONTEST OF CON

	_									11.5		•
				1[4	(*a	UPL	~	0				
10	34.0 (0)	\$101.0	330		, v.		********	3145 De 14		01474410	30110	
01	6	30	.04	53	40	*	78	,		2.7		
04	7	30	03	51	-	45	70	*	. 2	27	1	1
07	,	30	00		*	*	.00		.0	12	2	
10	7	30	.07	55	5.1	47	75			20	1	*
13	6	30	05	50	53	46	7.5			25		3
16	. 7	30	0.7	50		40	60	10		2.		2
10	6	30	03	56	5.1	41	74			20	*	
22	5	30	.06	54	50.	*	76.	7		30	3	*


NOTE: FEB. 78 MONTHLY TEMP. DEPARTURE FROM NORMAL SHOULD BE -1.0

. 01 . 01 . 01 . 02 . 03 . 06 . 07 . 7 . 7 . 07 . 02 . 01 . 7 . 7 . 01 . 05 . 05 . 05 . 05 . 05 . 05 . 05	.01 .01 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	-		. 1	•	+QU*	140 140	0										*00°			-		-	-	
.04 .05 .05 .05 .05 .07 , 7 , 7 , .07 .07 .07 .07 .07 .07 .07 .07 .07 .07	.06 .05 .05 .02 .03 .06 * * * * * * * * * * * * * * * * * * *	-	-	-	•	2	6	-		9	10	11	12	1	5	3		5	6	1		ğ	110	III	11
	7 7 .01 .14 .01 7 7			.01	.01	,		01	,			•	,	,			,	,	•	,	.01	•	,		
			.06	.05	.05	.02	.03			,		•	.03		.01	.04	.05		.08	. 35		,		.eı	

SUBSCRIPTION PRICE: 97-55 PER TEAR INCLUDING ONNUR, SURRIER: FOREIGN ROLLING GLOSS CETTER. SINGLE COPY: 20 CERTS FOR ROUTING OR BRAUGA, ISSUE THERE IS A RESIDENCE OF ARCHITECTURE OF SHELF-STOCKED ISSUES OF PUBLICATIONS, MORE CHICKS PREMENT OF COMMERCE, WORK, ISSUE THERE PRINCESS, AND INQUITEES TO MATCHES PUBLICATIONS, COMMERCE, NORTH CAROLING OF COMMERCE, WORK, SEND

I CENTET THAT THIS IS AN OFFICIAL PUBLICATION OF THE MATICAN, OCCANIC AND AIMSPHERIC ADMINISTRATION. AND IS COMPLETE FROM RECORDS ON THE AT THE MATICAL CLIMATIC CENTER. ASHIPTLE, MOTH CAROLINA DEBOT.





USCORN NORR ASHEVILLE 04-25-76

STORM EVENT REPORT NO. 13 March 26, 1979


1. Rainfall Summary


		Total Rainfall		Start		Stop
	Gage	in.	Hour	Date	Hour	Date
١.	Castro Valley Fire Station	2.08	0830	26 Mar 79	2330	27 Mar 79
2.	Proctor School	1.84	0900	26 Mar 79	2400	27 Mar 79
3.	Sydney School	1.45(a)	0900	26 Mar 79	1700	27 Mar 79
4.	San Francisco Airport	1.67	0900	26 Mar 79	2400	27 Mar 79
5.	Oakland Airport	1.39	0900	26 Mar 79	2400	27 Mar 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, CFS	513.2	0500	27 Mar 79
Average, CFS	48.7		27 Mar 79
Total volume, ft ³	6,922,800	0830 2400	26 Mar 79 27 Mar 79
Prior to Storm, CFS	0.539		
Average (Previous 7 days), CFS	0.889		
Average (Previous 30 days), CFS	3.26		

(a) Complete record not available





Flow Weighted Composite

Parameter	Units	Value	
Chemical oxygen demand	mg/L	118	
Total nitrogen as N	mg/L	3.7	
Lead	mg/L	0.4	
Chromium	mg/L	<0.06	
Copper	mg/L	0.06	
Total ortho phosphorus as P	mg/L	0.35	
Suspended solids	mg/L	136	
Volatile suspended solids	mg/L	72	

Parameter	Units	Value
Date and time		27 Mar 0815
Instantaneous flow rate	cfs	215.5
Temperature	DegC	
Specific Conductance	µmho/cm	120
рН		6.4
Settleable solids	m1/L	0.4
Suspended solids	mg/L	216
Volatile suspended solids	mg/L	62
Biochemical oxygen demand (5 day)	mg/L	9
Total coliform	MPN/100m1	1.1x10 ⁶
Fecal coliform	MPN/100m1	4.6x104
ecai corronii	MPN/ TOURT	4

- Observation at Sampling Station During Event.
 Nothing significant to report.
- Observation in Tributary Area During Event. Nothing significant to report.
- 6. Comments on Storm Event.
 - 1. The total rainfall for this event was more than 1.25 inches.
 - 2. Complete rainfall records for this storm event for the raingage at Sydney School are unavailable due to raingage malfunction. Rainfall records for this raingage are available through 1700 March 27.
 - 3. Flow response at the gaging station occurs within one half hour following a change in the rainfall rate.
 - 4. The runoff period for this storm event began at the first recorded rainfall at 0830 on March 26 and ended at 2400 on March 27.
 - 5. A flow weighted composite sample and a single discrete grab sample were analyzed for this event.
 - 6. Samples used in the composite sample analysis were taken at half hour intervals from 1000 to 1700 and 2130 to 2400 on March 26 and from 0030 to 1030 on March 27 as indicated by X's on the flow plot.

STORM EVENT 13 - MARCH 26-27, 1979 STORM DATA

					RAII	NFALL, INC	HES
	TIME	STAGE.	FLCW RATE,	QUALITY SAMPLE	CASTRO VALLEY FIRE	PROCTOR	SIDNEY
DATE	OF DAY	FEET	CFS	TAKEN	STATION	SCHOOL	SCHOOL
					31411011	SCHOOL	SCHOOL
3-26-79		1.35	0.539				
3-26-79		1.35	0.570				
3-26-79		1.37	0.601		0.02		
3-26-79		1.38	0.633		0.04		
3-26-79		1.39	0.665		0.03	0.03	0.02
3-26-79	20 20 70	1.37	0.601			0.03	0.03
3-26-79		1.37	0.601			0.01	0.01
	9:45	2.64	61.9				
3-26-79		2.45	40.5	YES			
	10:15	2.13	16.6				0.01
3-26-79	10:30	2.04	12.5	YES			
3-26-79	10:45	1.92	8.11		0.01		
	11:00	1.86	6.50	YES			
3-26-79	11:15	1.80	5.16		0.02		
3-26-79	11:30	1.77	4.54	YES	0.01	0.02	
3-26-79	11:45	1.71	3.48				
3-26-79	12:00	1.71	3.48	YES			
3-26-79	12:15	1.77	4.54				
3-26-79	12:30	1.81	5.38	YES			
3-26-79	12:45	1.80	5.16				
3-26-79	13:00	1.80	5.16	YES			
3-26-79	13:15	1.76	4.35				
3-26-79	13:30	1.71	3.48	YES		0.01	
3-26-79	13:45	1.66	2.74				
3-26-79	14:00	1.62	2.25	YES			
3-26-79	14:15	1.60	2.03				
3-26-79	14:30	1.58	1.82	YES			
3-26-79	14:45	1.56	1.65				
3-26-79	15:00	1.53	1.41	YES			
3-26-79	15:15	1.52	1.34		0.02	0.01	0.01
3-26-79	15:30	1.49	1.14	YES	0.02	0.02	0.01
3-26-79	15:45	1.49	1.14		0.03	0.02	0.02
3-26-79	16:00	1.49	1.14	YES	0.02	0.03	0.03
3-26-79	16:15	2.16	18.3		0.01	0.01	0.02
3-26-79	16:30	2.72	71.7	YES		0.01	0.01
3-26-79	16:45	2.57	53.7				
3-26-79	17:00	2.45	40.5	YES			
3-26-79	18:00	1.83	6.99				
3-26-79	18:15	1.83	5.82				
3-26-79	18:30	1.79	4.95				
3-26-79	18:45	1.74	3.93			0.01	
3-26-79	19:00	1.69	3.17		0.01		

STORM EVENT 13 - MARCH 26-27, 1979 STORM DATA (Continued)

					RAII	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLON RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
3-26-79	19:15	1.66	2.74			0.01	0.01
3-26-79	19:30	1.62	2.25				• • • •
3-26-79	19:45	1.60	2.03				
3-26-79	20:00	1.59	1.92		0.02		
3-26-79	20:15	1.58	1.82		• • • • • • • • • • • • • • • • • • • •	0.01	0.01
3-26-79	20:30	1.58	1.82		0.03	0.01	0.01
3-26-79	20:45	1.62	2.25		0.02	0.02	0.02
3-26-79	21:00	1.73	3.81		0.03	0.03	0.02
3-26-79	21:15	2.32	29.0		0.04	0.04	0.02
3-26-79	21:30	2.68	66.7	YES	0.04	0.02	0.03
3-26-79	21:45	2.81	83.7		0.02	0.03	0.04
3-26-79	22:00	2.95	104.0	YES		0.01	0.02
3-26-79	22:15	2.99	110.4		0.01		0.01
3-26-79	22:30	2.74	74.3	YES			0.01
3-26-79	22:45	2.52	47.9			0.01	
3-26-79	23:00	2.34	30.6	YES			
3-26-79	23:15	2.19	20.0				
3-26-79	23:30	2.05	12.9	YES			
3-26-79	23:45	1.97	9.78				
3-26-79	24:00	1.89	7.24	YES			
3-27-79	0:15	1.84	6.00				
3-27-79	0:30	1.80	5.18	YES	0.01		
3-27-79	0:45	1.76	4.48		0.01		
3-27-79	1:00	1.74	4.19	YES		0.01	0.01
3-27-79	1:15	1.71	3.78				0.01
3-27-79	1:30	1.79	4.82	YES			
3-27-79	1:45	1.99	10.5		0.03		0.01
3-27-79	2:00	2.09	14.2	YES	0.05	0.03	0.02
3-27-79	2:15	1.97	9.78		0.04	0.06	0.04
3-27-79	2:30	2.17	18.8	YES	0.04	0.03	0.02
3-27-79	2:45	3.07	121.9		0.05	0.03	0.08
3-27-79	3:00	3.06	120.4	YES	0.06	0.06	0.05
3-27-79	3:15	3.42	177.6		0.09	0.06	0.05
3-27-79	3:30	3.44	181.0	YES		0.09	0.04
3-27-79	3:45	3.54	198.5		0.01	0.01	0.06
3-27-79	4:00	3.73	229.4	YES	0.04	0.01	0.01
3-27-79	4:15	3.14	132.3		0.40	0.02	0.04
3-27-79	4:30	2.86	90.6	YES	0.01	0.25	0.07
3-27-79	4:45	4.08	285.3			0.07	0.08
3-27-79	5:00	5.71	513.2	YES	0.04	0.01	0.01
3-27-79	5:15	4.04	279.3		0.02	0.01	0.01
3-27-79	5:30	3.24	148.0	YES	0.06	0.02	0.02
3-27-79	5:45	3.37	169.3		0.02	0.07	0.04

STORM EVENT 13 - MARCH 26-27, 1979 STORM DATA (Continued)

					DATA	FALL, INC	
					KAII	TALL, INC	
					CASTRO		
				QUALITY	VALLEY		
	TIME	STAGE,	FLOW RATE,	SAMPLE	FIRE	PROCTOR	SIDNEY
DATE	OF DAY	FEET	CFS	TAKEN	STATION	SCHOOL	SCHOOL
3-27-79	6:00	3.37	169.3	YES	0.01	0.03	0.03
3-27-79	6:15	3.83	245.3		0.01	0.01	0.01
3-27-79	6:30	3.39	172.6	YES	0.02		
3-27-79	6:45	3.14	132.3		0.02	0.01	0.01
3-27-79	7:00	2.76	76.9	YES	0.02		
3-27-79	7:15	2.57	53.7		0.01		
3-27-79	7:30	2.46	41.5	YES	0.01	0.04	0.02
3-27-79	7:45	2.44	39.5		0.01	0.07	0.10
3-27-79	8:00	3.04	117.6	YES			0.01
3-27-79	8:15	3.64	215.5				0.01
3-27-79	8:30	3.00	112.0	YES		0.01	
3-27-79	8:45	2.70	69.1				
3-27-79	9:00	2.52	47.9	YES			
3-27-79	9:15	2.42	37.6		0.02		
3-27-79	9:30	2.34	30.6	YES	0.07		0.05
3-27-79	9:45	2.28	26.0			0.06	0.04
3-27-79	10:00	2.47	42.5	YES		0.03	0.04
3-27-79	10:15	3.35	166.0				
3-27-79	10:30	3.03	116.2	YES		0.01	
3-27-79	10:45	2.76	76.9				0.01
3-27-79	11:00	2.48	43.6				
3-27-79	11:15	2.41	36.7				
3-27-79	11:30	2.34	30.6		0.05		
3-27-79	11:45	2.26	24.6		0.01		0.01
3-27-79	12:00	2.19	20.0			0.01	0.04
3-27-79	12:15	2.23	22.5				
3-27-79	12:30	2.27	25.3				0.01
3-27-79	12:45	2.30	27.5				
3-27-79	13:00	2.34	30.6				
3-27-79	13:15	2.27	26.7				
3-27-79	13:30	2.23	22.5				
3-27-79	13:45	2.18	19.4				
3-27-79	14:00	2.12	16.1				
3-27-79	14:15	2.10	15.1				0.01
3-27-79	14:30	2.09	14.6		0.01		
3-27-79		2.07	13.7		0.01	0.01	
3-27-79		2.05	13.3				
3-27-79		2.04	12.5				
3-27-79		2.02	11.7				
3-27-79		2.00	10.9				
3-27-79		1.99	10.5				
3-27-79		1.97	9.78				
3-27-79	16:30	1.96	9.43		0.04		

STORM EVENT 13 - MARCH 26-27, 1979 STORM DATA (Concluded)

					RAIN	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	10.100.00.00.00.00.00.00	SIDNE SCHOO
3-27-79	16:45	1.94	8.75		0.06		
3-27-79		1.92	8.11		0.08	0.03	0.01
3-27-79		2.27	25.3		0.03	0.05	0.01
3-27-79		2.62	59.6		0.01	0.05	
3-27-79		2.97	107.2		0.01	0.02	
3-27-79		3.32	161.2			0.02	
3-27-79		3.09	124.8				
3-27-79		2.86	90.6			0.01	
3-27-79		2.63	60.8			0.01	
3-27-79		2.40	35.8				
3-27-79		2.33	29.8				
3-27-79		2.27	25.3				
3-27-79		2.20	20.6				
3-27-79		2.13	16.6		0.01		
3-27-79		2.12	16.1		0.01	0.01	
3-27-79		2.10	15.1		0.01	0.01	
3-27-79		2.09	14.6		0.01		
3-27-79		2.07	13.7		0.01	0.01	
3-27-79	21:15	2.13	16.6		0.01	0.01	
3-27-79		2.19	20.0		0.01	0.01	
3-27-79		2.24	23.1		0.02	0.01	
3-27-79		2.30	27.5		0.02	0.02	
3-27-79		2.40	35.8		0.01	0.02	
3-27-79		2.50	45.7		0.01	0.02	
3-27-79		2.60	57.4			0.01	
3-27-79		2.70	69.1		0.01	0.01	
3-27-79		2.65	63.1			0.01	
3-27-79		2.61	58.5		0.02	0.01	
3-27-79		2.56	52.5				
3-27-79		2.51	46.8			0.01	

SAN FRANCISCO. CALIFORNIA NATIONAL MERIHER SERVICE OFC

INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY

411100 37 37 N 10001100 122 23 H ELEVATION (20010 10.7

* ELITEME FOR THE MONTH - LAST DECEMBENCE IN ADRI THAN DOE! I HORD AND THE THAN DOE! I HORD AND THE THAN DOE! I HORD AND THE THAN THE THE

		4	• 1					RE SU	10
			15.46	f RA!	URE	N	0		
#100m	S. C.	5101104 PRESSUR IN.	A(* *,	901.0	064	981 81 98 HUMTOTTY	# 180 SPE	01#C110N	SPEED
0.1	6	30.02	51	48	45	82	8.6	20	4.8
04	7	30.01	50	47	45	85	7.5	26	3.9
07	7	30.03	50	48	45	84	6.6	50	2.2
10	7	30.05	55	51	47	76	8.9	10	1.2
13	7	30.03	58	53	48	69	10.6	31	2.0
16	7	30.01	58	53	47	68	13.4	28	8.3
10	7	10.01	53	50	46	78	12.5	28	9.7
22	- 5	30.03	52	46	46	80	0.8	.≥e	2.0

			4. N	. HOUR	ENGING	At									n	. HOUR	FADING	91	-	-	-	_	
1	2	3		5_	5	7	8	9	10	11	12	1	2	3	4	5	ENDING 5	7	8	9	10	III	12
,	.01	,	-01	,	.02	•	:	,	+	-	,	.01	*	;		*	-01	*	-02	.01	,	,	,
					,	,	*	,		,	7												
	1	.06	.06	.06	-01	-01	7	7	,	.02	.04	;	.04	.02	,	,		,		,	,		,
,				7	;	•	۲	•		*	.09	.00	-01	۲									*
,	.06	.02	.05	-01	.01	.02						,	.00		,	*	•	1				,	7
.02	.24	-10	.05	.01 T	,	.00	.06	-06	÷01	.03		-05	.02	.02	.01	.01	.03	.05	. 14	.23	.0 e .12	1 .03	۲

noaa MATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

ENVIRONMENTAL DATA AND INFORMATION SERVICE A-137

Saniel B. Mitchell DIRECTOR. NATIONAL CLEMATIC CENTER

USCONN NORR RENEVILLE DE 75 TO

DAKLAND. CALIFORNIA

NATIONAL MEATHER SERVICE OF

Local Climatological Data

MONTHLY SUMMARY



L		11 ===	441,41	٠,	,	0450	04.7	00 Dates of	101	****		****	-	,	w1 w0	1	165	Sesse	41		0.14
	2	>	2	W	24.00.00	*******		1 100 1 100 1100 1 100 1100 1 10 1100 1	044		64 40.44	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	*10 (m) (m) (a)	M 194 1441	S1145 (2415)		K	11/2-11	7 -251201	1	1 4141
	2	,			6	160	19		9	110	11	1.2	111	10	15	16	17	18	19	1	
	95	45	.00	-3	36	3.5	0.		0	0	0	20 6		11 3	11 7	21	31			0	
	**	431	40.	. 4	•1	1.6	0.)	0	0.1	0	30 1			* . 2	1.2	1.4			180	3
		• 1	**	1	50	111	- 9	1	0	- 03	0	10 3		•		12	O.			10	1
	60		**		40	10	0		0	57	0	30.3					30		1		
	65	•0			9.1		0		0	0	0	100	1 50				26		1	1	1
	0,	80			53		0		0	0	0	10 3	1 20	. 0	. 3	10	20				
	1		0	U	53	,	0		0	0	0	10 1	1100		7 6		,			1	
	10	•1	61		52		0		0	0.	0	20 0	- 1	1 2 3		13	31			10	
		53	**	2	40	10	0	, .	0	0 0	e	20 0		6 3	5.6	10	26			30	
	0.0	35	50	,	40		0		0	0	0		0 10		1 2	11	21		1		
	61	*1	20	3	100		0		0	0	0		0 26	6 7	4.0	10	12		1		
	62	9.3	20		1		- 0		0	0	0				100	16	24				
	00	56	50		40		D		0	0	0	30 1		6.5	0 .	1.7	24			10	
	30	12		1		10	0		0	16	0		24	2.1	14 3	23	20			10	
	53	40	5.1	- 3	44	14	0		1 0	80	0	20 0			10 1	16	16			10	
		-40		0	40	111	0		0	0	. 0	10 0	1 20			15	27		1		
	**			-1	43	12	0		0	10	0	20 0	0 20	* 3		15	24			1.0	11
	0.0	60		1	45	10	0		0	- 25	0	20 1	0 30	5.2		1.2	2.				
	61	9.3	5.1	,	40		0		0	6	0	20 6	0 26	5 1		12	20				1
	50	5.2	50	2	46		0		0		0	20 0	0 20		0 0	14	25		1	10	1
	0.0	2.2	50	2	45		0		0		0	30 0	0 2	2.5	5.6	14	25				
	64	**	96	2	*		6		0	0	0	30 2	1 20	1.5	0 2	1.2	27		1		
	0.0	60	9.0		-	,	13		0	. 0.	- 0	10 2	3 20	3 5		1.5	27				
	60		• '	,	***		0	100	0	0	. 0		6 3.	7 0	1.2	1.4	20				
	65		5.1	,	**		0	1	0	•1	e		1 14	11 .	14 5	50	1.5			10	1.
		• 1	**	1	40	1.0	0	1.3	0	90	C	20 0	10	14. 5	10 0	26	-				1.
		40	• • •	- 2	45	12	0		0	-06	0	50 .	. 11.	. 1	11-1	16	1.6			0	
		46	5.2	- 3	**	13	0		0	0	0	30 1			10.5	12	20			-	
		**	**	-1	4.2	11	0		0	5	0	10 3		0 0	10 1	1.7	20			1	
	61			-2	**	12.	1010		1 0	1010	1010	20.3	cis.	4		. 15	2.	1010		1	
	1011	1997				1014	.6.4	*0*81 * 01 0H		1014	1.0	10.0	. 1	44		1 20		15.0		1."	1
	410	410	***	et-	ave	21.	Et.	446 14 19 19		5.64		20.0	31.00		. 6 7	56				6.	
	00.5	90.1	99 3	1.0		-10	0	+ 01 18/m				1	1	•	•		50	market.	-	0.0	
	20.21	24.1.					C Gu.f.	540+ ICI *L	1115			•		*							-
	****	. 0. 04.			-		1014	1 1 0 1465	0	Off to	1151 14	24 M	A	40 pa-	15	1 041	01251		. 010		140
	***	II Me		1 MUM 10	NF.	2301	0		1	**(. 104			111 "	213				100 44		
Ø	9. * 1	. 11	1	, 'C		56.	et.	m(m++ + 0)	2	1.12	20 2		D	1		1		0 1	-	******	
	0.	0	1	0	13.	31	0			Crove.		1000	10	1				-			

FEB. 1979

* Existed for the months (AS) O(CUARS) [I more than the first of the

MORE CONSISTENCIANO, FIR CONTROL INCIDENT ANTENNAS.

FRATEST PILE MIND SPECIO POR L'ASSESS (DESERVE)

OF CONTROL MIND SPECIO POR L'ASSESS (DESERVE)

OF CONTROL MIND SPECIO POR L'ASSESS (DESERVE)

FIR DESERVE SELECTION DE CONTROL DE MANORELE IN

THE DESERVE SELECTION DE CONTROL DE MANORELE IN

THE DESERVE, SUPPRIES DESERVE MIND DE MANORELE IN

THE DESERVE, SUPPRIES DESERVE MIND DE MANORELE IN

NOTE FEB. 18 MONTHLY TEM DEPRETURE FROM NORMS, SHOULD BE -1.0

										ler v	140	
	٠,		-			1 3						7
_				15.00	(en	10		63				
3	ě.,	8	1.				1 :	5		6		
8.					. :			¥	٠		-	
•	3.		:			26		÷	•	23410	3	٠
01	6	30	.04	. 1	40	*	10	+		27	2	
04	7	30	03	61	**	45	10	*	. 2	27	Y	
10	,	30	05	4.1	40	**	00		0	1.7	2	
10	*	30	CT	9.5	5.1	41	15			20	1	
13		30	0%	50		**	7.1			24	- 5	1
16		30	.02		**	44	60	10	5	2.8	"	. 2
10		30	03	56	5.1	47	14	·		20	*	. 1
22		30	06	54	50	46	76	*		30	*	4

. O6 . O5 . O5 . O6 Y Y Y Y O3 . O1 O1 Y Y O1 O1 O1 O1 O5 . O5 . O5 . O5 . Y Y O1					40.0×	ENDING	9.										NONE		6.					
06 06 05 02 05 06 7 7 7 05 01 01 04 05 07 05 55 7 7 01		2	2		5		1		9	10	11	12		2	1	4	5	6	3		9	10	11	11
			.01	.01	•		-01	,	;		,			;	Ť	,	*	,	•	01	,	,		
		.06	.04	.05	.02	0.5		,						.01				.05	,,,	,		Ť	.01	
	.01	.00	,,.	.07	.00	,	,	,	02	04	.03	01	;	,	02	0.	01	01	.01	04	10	.06	,	

SUBSCRIPTION PRICE: 07.55 PER TEAM INCLUDING MANGEL SUREMRY FOREIGN HOLLING &L BS ESTAIN SINGLE COPY, 20 CENTS FOR MONTHLY OR MANGEL ISSUE THERE IS A MINIMUM CHARGE OF 07.00 FOR EACH ORDER OF SHELF SIGNED ISSUES OF PUBLICATIONS, MANGEL CHIES PRIME TO DEPARTMENT OF COMMERCE, MONTH SEND

I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE WILLOWN, OCCAMIC AND BINGSPHERIC ADMINISTRATION. AND IS CONFILED FROM RECORDS ON FILE AT THE WATCHING, CLIMATIC CENTER, ASSISTICLE, NORTH LARGE NA 78801.

noaa MITONAL DEENIE AND ATTOM

INCOMMENTAL DATA AND

Quiel & Matchell

USCOME NORE RESERVICE OF THE


STORM EVENT REPORT NO. 14 April 23, 1979

1. Rainfall Summary

		Total		Start		Stop
	Gage	Rainfall in.	Hour	Date	Hour	Date
١.	Castro Valley Fire Station	0.09	0315	23 Apr 79	0345	23 Apr 79
2.	Proctor School	0.09	0400	23 Apr 79	0430	23 Apr 79
3.	Sydney School					
4.	San Francisco Airport	0.21	0300	23 Apr 79	0500	23 Apr 79
5.	Oakland Airport	0.14	0400	23 Apr 79	1000	23 Apr 79

2. Creek Flow Summary

Discharge Condition	Value	Time	Date
Maximum, CFS	45.7	0445	23 Apr 79
Average, CFS	8.89		23 Apr 79
Total volume, ft ³	136,000	from 0315 to 0730	23 Apr 79 23 Apr 79
Prior to Storm, CFS	0.552		
Average (Previous 7 days), CFS	0.850		
Average (Previous 30 days), CFS	4.02		



Flow Weighted Composite

Parameter	Units	Va1ue	
Chemical oxygen demand	mg/L	298	
Total nitrogen as N	mg/L	9.1	
Lead	mg/L	0.8	
Chromium	mg/L	<0.06	
Copper	mg/L	0.10	
Total ortho phosphorus as P	mg/L	0.37	
Suspended solids	mg/L	528	
Volatile suspended solids	mg/L	152	

Parameter	Units	Value
Date and time		23 Apr 0800
Instantaneous flow rate	cfs	1.41
Temperature	DegC	13.3
Specific conductance	umho/cm	180
РН		6.3
Settleable solids	mL/L	<0.1
Suspended solids	mg/L	16
Volatile suspended solids	mg/L	12
Biochemical oxygen demand (5-day)	mg/L	7
Total coliform	MPN/100 mL	>2.4 x 106
Fecal coliform	MPN/100 mL	4.3×10^4

- Observations at Sampling Station During Storm Event.
 Nothing significant to report.
- Observations in Tributary Area During Storm Event. Nothing significant to report.
- 6. Comments on Storm Event.
 - The raingage at Sydney School was inoperable during this storm event.
 - 2. The raingage at Castro Valley Fire Station appears to be offset one half hour ahead of the raingage at Proctor School.
 - 3. Flow response at the gaging station occurred within one half hour of the start of recorded rainfall at Proctor School.
 - 4. A flow weighted composite sample and a discrete grab sample were analyzed for this storm event.
 - 5. The samples used in the composite sample analysis were collected at half hour intervals from 0430 to 0700.

STORM EVENT 14 - APRIL 23, 1979 STORM DATA

					RAI	NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	CASTRO VALLEY FIRE STATION	PROCTOR SCHOOL	SIDNEY
4-23-79		1.33	0.552				
4-23-79		1.38	0.769		0.01		
4-23-79	3:30	1.43	1.05		0.06		
4-23-79		1.47	1.31		0.02		
4-23-79	4:00	1.52	1.70			0.06	
4-23-79	4:15	1.53	1.78	YES		0.02	
4-23-79	4:30	2.20	20.6	YES		0.01	
4-23-79	4:45	2.50	45.7				
4-23-79	5:00	2.26	24.6	YES			
4-23-79	5:15	2.08	14.2				
4-23-79	5:30	1.95	9.08	YES			
4-23-79	5:45	1.90	7.50				
4-23-79	6:00	1.81	5.36	YES			
4-23-79	6:15	1.76	4.48				
4-23-79	6:30	1.71	3.78	YES			
4-23-79	6:45	1.67	3.26				
4-23-79	7:00	1.63	2.77	YES			
4-23-79	7:15	1.60	2.44				
4-23-79	7:30	1.57	2.14				
4-23-79	7:45	1.54	1.87				
4-23-79	8:00	1.53	1.78				

SAN FRANCISCO. CALIFORNIA

NATIONAL MEATHER SERVICE OFC

INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY



		1(00		•,		00 001	65.	On DayEr Or	101	****	141104	,	L	,	.140		*(5)	1045-	141		3.10	
31.00	} i	>	Zasta	10. make .	041 001a1		CON 146 - MAN	1 * 05 2 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 *	04AH	180114 180144 1801	100	10.00	13	PESUL 181			61.33610	1 51,741.	-1-C(1-)	01 01 000 01 000 000	01 1-01-01-	
1	2	,		5	6	74	70		9	10	11	12	13	14	15	16	17	10	19	20	7	1
1	66	43	99	1	44	10	0		0	c		30 1				23	20			1	1	1
3	6.2	45	94	0	*	11	0		0	C	0		20				50	1	1	0	0	1
3	86	*	56	3	46		0		0	0			30				30	1	1	,	3	13
-	50	**	53	-1	40	12	0		0	0			31		1	17	30		1	1	1	1:
	62	92	57	3	1		0		0	.01		30.00	25		10.		21		1			1:
7	85	47	96	1	-		0		0	0		30.00			10.0		27		1	0	1	1
	50	90	99	0	40	10	0	1	0	,			20		14.0	23	30					
	60	40	95	0	43	10	0	1	0	.01		30.0			22.0		20			,	,	1 6
10	50	46	93	-2	43	12	0	1	0	7	0						20	1	1			10
11	60	51	96	1	40		0		0	7	0	30.0		21.1	21.1	30	26		1			111
12	61	40	55	0	47	10	0		0	0	0	30.10	20	16.4	16.5	26	20		1			12
13	61	40	95	0	47	10	0		0	0	0	30.00	20	13.0	14.2	21	20	1	1	3	2	123
14	67	44	96	1	46		0		0	0	0	20.00	20	11.0	13.2	25	20	1		,	3	114
15	66	90	50	3	40	,	0		0	0	0		130				30					10
16	61	5.1	56	1	40		0	1	0	.04							24		1			16
17	57	47		-3	•0	13	0		0	.03	0			100	10.7	36	20			3		117
10	61	43	51"		37	13	0		0	0	0						26		1	0	0	18
50	6:	42*	52	-4	42	13	0		0	0	0				13.2		20		1	10	:	10
21	65	40	57	1	47	1.3	0		0	0			20				20			10		21
22	62	40	50	0	40		0		0	.02		20.00			0.0		21					122
23	64	51	50	2	40	,	0		0	.26			110				22			,		23
24	64	47	56	0	47		0		0	0	0						30					24
25	601	52	61.		48	4	0		0	.01	0	20 00		1 3	6.3		22	1		10		25
26	61	95	50	5	93	,	0	1	0	.51	0	20 0	114	4.0	0.5	16	21	1	1			26
27	60	91	60	•	91	5	0		0	1	0				10.6		26				•	12.
20	65	92	50	3	50	6	0		0	0	0				14.4		3,	1				26
29	63	52	50	1	40	,	0		0	0		30.0			14.7		56		1			5.6
30	65	53	57	0	• 7		0		0	,	0	20.00	137	11.6	11.0	16	20					1,
	5 y •	SUM			-	1014	1014			1014	1014			00 1-	-			1014		54.	lv.	1
	1665	1447			-	277	- 0	MAMEE & St De.		.69	- 0	30.0	156	+16.1	112.0	- 32	5.0	-	.00	106	157	4
	62.7	AVG 2	55.5	0.2	40	0(*	or.	POLC IPITATION		01.	-	-	+	+	1	100.1	00	-	100.			1
	-	46.2	77.2			11 0505	10 0016	500m 101 Pt.		-0.90	-		1		1	1		-	1	15.6		1
	90.76	(o o	**	-	-	1014	1014	1.0 INCH		0010	1151 14	24 00				T 001		01-1- 0			100-	1
	861 PU					204:	0	*********	0	*****					1115			1.2 00				1
	. 9	1 32	,		. 0		01.	m(47 . 100	0		25-2		Q		***	1		e I	13.1		-	1
	0	0			0	120			Pag	CLOUD.	10 (.000	11	1	-	*		-			-	-

Date 19 COT2 & and 15-17 and 8020 OF 3 OF and 09-2 OF "CHILL STATE THE STATE THE STATE THE STATE THE STATE THE STATE THE STATE OF OF COUNTY AND ADDRESS COUNTY OF OUTS."

• Exact and they det the county of county of the state o

SUMMARY	84	HOURS

								415	
	•		11.0			~	0		
10	911	51a1 (9		170		11012		31.00.00	0115
01		30.06	52	40	*	0.2		20	, e
04		30.05	90	-	46	63	. 4	27	7.4
07	,	30.06	52	40	*			28	5.6
10		30.00	50	52	47	66	10.7	20	. 1
13		30.06	61	54	47	62	15 .	20	11 9
16		30.03			47	64	18 0	20	17 .
10	4	30.03		50	46	74	16 3	20	14 5
22		30.05	63	40	46	70	13 2	20	11 6


HOURLY PRECIPITATION INGTER EQUIVALENT IN INCHES

				- NOU.	14014	0 01										-	1 6	0 81					
1	- 2	,	•	5	. 6	7		9	10	11	12	1	2	3	•	5	6	-		9	10	li.	12
						.01	*	,	*			,										,	
,	101			•	,	,												,	,	,	,	,	
	.03			,			*	•	,		.01	.01									01	. Cı	
		.20	.01			,	;		,	;	,	-01	,					,		.05	,	,	-0
			•	;	,	,	.02	.02	.02	.10	.06	.03	.01	os	;	;	;	,	1	,	.01	,	
						,				,	,												

SUBSCRIPTION PRICE: 07.55 PER TERE INCLUDING MANUAL SURMARY. FOREIGN MAILING 01.05 EXIDA. SINGLE COPYL 20 CENTS FOR MONTHLY OR MANUAL ISSUE INTERESTS A MINIMUM CHROCK OF 93.00 FOR EACH ORDER OF SHELT STOCKED ISSUES OF PUBLICATIONS. MANUELECTUS PRINCE TO OFFICE HELD OF COMMENCE WOOD SEND



A-144



BPR11 1979

DARLAND. CHLIFORNIA

NATIONAL MEATHER SERVICE OFC

INTERNATIONAL GIRPORT

Local Climatological Data ETCAL EDDY

-		16 40	**** UR	٠,	,	DE GALL	04.2	0- Dayes or	111	**(=) *1		,		,	1100						2.1. A
	1	ì	1000.114	100.00.1	Arrenge 01.8 *01.87	**** DE 14 F	200 (100)	I TOO	04 101 04 04 04 11		100	1.00 ,	*150 1841 DIS	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	01140 1044114		RE		24.114.1	1	1 1 1
	2	,		5	6	24	76		9	10	11	12	10	14	15	16	17		19	20	31
	62266666666666666666666666666666666666	48 48 46 46 52 53 53 53 54 54 48 54 48 55 54 48 55 55 56 56 57 58 58 58 58 58 58 58 58 58 58 58 58 58	56 56 56 56 56 56 56 56 56 56 56 56 56 5	0 1 1 2 2 2 0 1 0 2 0 4 4 5 5 2 0	45 47 49 48 49 48 69 44 1 57 4 1 4 4 8 9 5 8 5 5 7 7 7 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	10 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000000000000000000000000000000000000	1	000000000000000000000000000000000000000	000000000000000000000000000000000000000	0000000	30 00 20 00 20 01 30 00 30 15 30 22 30 16 30 04 20 06 30 07 30 00 30 15	26 26 26 26 26 26 26 26 26 26 26 26 26 2	2 4 4 7 4 7 4 6 7 1 4 6 6 7 1 1 6 6 7 1 1 6 6 7 1 1 6 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1 1 6 7 1	1 2 3 6 6 3 7 2 3 6 6 6 7 2 2 6 6 5 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	16 11 14 14 15 16 17 17 16 16 17 17 16 17 17 16 17 17 16 17 17 16 17 17 16 17 17 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	21 21 20 30 30 29 26 21 20 20 20 20 20 20 20 20 20 20 20 20 20			000000000000000000000000000000000000000	101124612812821000111511160
	\$u*	54.	_			1014	1014			1014	1014		10	. '4	NON'			1014	1	Se*	SUR
	410	1527	avo	26.	avç.	244	000	0. Da		,5e	0.	30.07	2.7	6.9	10.3	25	20	-00161	100	155 Av.	143
	62.	50.9	56.7	0.6		-26	Q	* 01 14CH	0	-1.00				-			- Andrews	-		5.2	4.0
	4,481	. 0. 00		-	-	1010	1014	SNOW THE PELL	1115	Cata		24 HQU*						DE * 1 * 0 *			

EXTREME TOR THE MONTH - LAST OCCURRENCE IT MORE THAN ONE IT TREET ADDRESS.

* ALSO ON THE FACTOR OF THE MORE THAN OF THE MORE TORS OF THE MORE THAN OF THE MORE

MORE DESERVATIONS MER DAY AT 3 HOUR INTERVALS.

FASTEST MILE WIND SMEEDS ARE MASTEST DESERVED

OF MINUTE VALUES WHICH THE DIRECTION HAD COMES

OF DISCRESS THE FIRST THE DIRECTION HAD COMES

FROM DUST SMEED.

GRANT SERDORS DETECTED WILL BE CONFECTED AND

CHANGES IS A SUMMARY DATA WILL BE ANNOTATED IN

THE ANNUAL SUMMARY.

					1 5			11 5	1991
			-	(RA	URE.	7	0		1
100	100.00	\$187.194 \$455.06 \$4.	1, 110	9.00	0.11	MLATIVE PAPEDITY	1140 541	DIPERTION	21
01		30.00	54	50	47	77	8.1	27	3.6
04	5	30.06	5.2	49	46	70	7.5	27	2 0
07	6	30.00	53	40	*	77	0.6	21	1.0
10		30.10	57	52	47	70	0.2	24	4.0
13	5	30.07	60	54	40	67	11 8	21	10.6
16		30.05	61	55	40	66	14.5	28	13.7
19		30.04	57	52	48	71	13.5	27	12.3
22	4	30.07	55	51	47	74	9.6	28	2.6

HOURLY PRECIPITATION INATER EQUIVALENT IN INCHEST

		•	4. 1		CABIA	G 41							_			-		6 41			-	-	-
-	2	3	1	5		,	•	9	10	11	1,2	1	2	3_	ļ: '	5	6	,	8	9	10	11	12
,	,		,				,				,												
	.01						+				.05	.02	7								,	,	,
		,	-11				.02	.01		,	.01	.06	.06	,	.01				,	.07	.01	.01	
		•		,	,	,	-01	.01	.02	,	.03	-04	•	*	,		,	,	,	1	.02	,	
					7			,	,														

SUBSCRIPTION PRICE: 97.55 FER YEAR INCLUDING MANUAL SUMMARY, FOREIGN MAILING 61.85 ENTEN. SINGLE COPY, 20 CENTS FOR MONIMET OR MANUAL ISSUE. THERE IS A MINIMUM CHARGE OF 83.00 FOR EACH ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS. MARE CHICKS PRIMED TO DEPARTMENT OF COMMITTEE NOON, SEND PRIMED OF COMMITTEE TO MAILINGTON, SEND PRIMED OF COMMITTEE TO MAILINGTON, SEND PRIMED CHICKS PRIMED OF COMMITTEE TO MAILINGTON, SEND

I CERTIFF THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCCANIC AND ATMOSPHERIC ADMINISTRATION. AND IS COMPLETE FROM RECORDS ON FILE NO THE NATIONAL CLIMATIC CENTER. ASMEDILLE, MORTH (REGISTAL TRADE)

noaa HATTONAL OCEANIC AND ATTONAL /

Louis B. Mitchell DIRECTOR. WATTONG CLINATE CENTER

DAKLAND, CALIFORNIA


STORM EVENT REPORT NO. 15 April 26, 1979

1. Rainfall Summary

		Total Rainfall		Start		Stop
	Gage	in.	Hour	Date	Hour	Date
1.	Castro Valley Fire Station	0.35	0845	26 Apr 79	1315	26 Apr 79
2.	Proctor School	0.37	0500	26 Apr 79	1715	26 Apr 79
3.	Sydney School					
4.	San Francisco Airport	0.31	0800	26 Apr 79	1600	26 Apr 79
5.	Oakland Airport	0.11	0800	26 Apr 79	1400	26 Apr 79

2. Creek Flow Summary

Discharge Condition	Value		Date
Maximum, CFS	148.0	1100	26 Apr 79
Average, CFS	17.7		26 Apr 79
Total volume, ft ³	971,700	from 0500 to 2015	26 Apr 79 26 Apr 79
Prior to Storm, CFS	0.552		
Average (Previous 7 days), CFS	0.867		
Average (Previous 30 days), CFS	3.68		



Flow Weighted Composite

Parameter	Units	Value
Chemical oxygen demand	mg/L	133
Total nitrogen as N	mg/L	5.5
Lead	mg/L	0.70
Chromium	mg/L	<0.06
Copper	mg/L	0.08
Total ortho phosphorus as P	mg/L	0.32
Suspended solids	mg/L	298
Volatile suspended solids	mg/L	88

Parameter	Units	Value
Date and Time		26 Apr 1430
Instantaneous flow rate	cfs	2.00
Temperature	DegC	17.5
Specific conductance	jumho/cm	140
рН		6.6
Settleable solids	mL/L	<0.1
Suspended solids	mg/L	49
Volatile suspended solids	mg/L	20
Biochemical oxygen demand (5-day)	mg/L	8
Total coliform	MPN/100 mL	2.0×10^4
Fecal coliform	MPN/100 mL	3.0×10^2

- Observations at Sampling Station During Storm Event.
 Nothing significant to report.
- Observations in Tributary Area During Storm Event. Nothing significant to report.
- 6. Comments on Storm Event.
 - The raingage at Sydney School was inoperable during this storm event.
 - 2. The raingage at Castro Valley Fire Station appears to lead the raingage at Proctor School by approximately 45 minutes.
 - 3. Flow response at the gaging station occurs within one half hour of the change in rainfall rate.
 - 4. A flow weighted composite sample and a discrete grab sample were analyzed for this event.
 - 5. The samples used in the composite sample analysis were collected at half hour intervals from 0930 to 1430.

STORM EVENT 15 - APRIL 26, 1979 STORM DATA

						NFALL, INC	HES
DATE	TIME OF DAY	STAGE, FEET	FLOW RATE, CFS	QUALITY SAMPLE TAKEN	FIRE	PROCTOR SCHOOL	SIDNEY SCHOOL
		1.33	0.552				
		1.33	0.552			0.01	
	9 6:00	1.32	0.515				
	7:00	1.33	0.552				
	8:00	1.38					
	8:45	1.43			0.06	0.01	
	9:00	1.67	2.88		0.03	0.01	
	9 9:15	2.17				0.01	
	9:30	2.39	34.9	YES		0.04	
4-26-79	9:45	2.55	51.3		0.02	0.04	
4-26-79	9 10:00	2.44	39.5	YES	0.06		
4-26-79	9 10:15	2.22	21.9		0.08	0.01	
4-26-79	9 10:30	2.18		YES	0.04		
4-26-79	9 10:45	3.06	120.5		0.01	0.05	
4-26-79	9 11:00	3.24	148.0	YES	0.01	0.06	
4-26-79	9 11:15	3.03	116.2		0.01	0.04	
4-26-79	9 11:30		99.4	YES		0.01	
4-26-79	9 11:45	2.51	46.8			0.01	
	9 12:00	2.31	28.2	YES			
	9 12:15	2.15	17.6				
		2.02	11.7	YES	0.01	0.01	
	9 12:45	1.92	8.11		0.01	0.01	
	9 13:00	1.89	7.24	YES	0.01		
	9 13:15	1.96	9.43	123	0.01	0.01	
	9 13:30	1.99	10.5	YES	0.01	0.01	
	9 13:45	2.05	12.9	163		0.01	
	9 14:00	2.23	22.6	YES		0.03	
	9 14:15	2.14	17.1	123			
	9 14:30	2.00	10.9	YES			
	9 14:45	1.90	7.50	163			
	9 15:00	2.14					
			17.1				
	9 16:00	1.77	4.65				
	9 17:00	1.64	2.89				
	9 17:15	1.62	2.66			0.01	
	9 18:00	1.55					
	9 19:00	1.49					
	9 20:00	1.45					
4-26-7	9 21:00	1.42	0.985				

APRIL 1979

SAN FRANCISCO. CALIFORNIA NATIONAL MEATHER SERVICE OFC

INTERNATIONAL AIRPORT

Local Climatological Data

MONTHLY SUMMARY

(411100 37 37 H (4401100 122 23 H ((441104 (440104) SIMPORED TIME USED: PACTFIC ---045t 65* pertunct setting #1501 (GR.) 019 #1501 (GR.) \$F110 F.F. A 155 8 Det . 0141 --X 11

e Existing role (me mobile - LaS) OCCURRENCE (18 more timen out ...)

1 stance amount ...

1 stance ...

1

		4			1 5			*t 5	
10H	SAT CONE.	510110N PETSSUPE IN	: e a	9019		MELATIVE MUNICITY 2	#140 SPEED	011010	5 .
01	5	30 06	52	40	46	82		28	7.1
04	5	30.05	50	40	45	83		27	7.4
07	7	30.06	52	40	46		0.5	28	5.6
10	6	30.00	58	52	47	60	10.7	20	4
13		30.06	61	54	47	65	15.4	20	11
16	5	30.03	59	53	47	64	18.0	28	:7.
18	4	30.03	54	50	46	74	16.3	28	14.5
22	5	30.05	53	40	46	79	13 2	26	11.0

				0v	ENDIN	, A'										- 4004	[NC : 4	0 41				-	
	2	1	•	5	6	,		9	10	11	12	1	?	3	•	5_	6	7		9	10	11	13
						.01	,	,	,			*											
,	.01	,		+	,	,											-	,	,	,		*	,
	.03			,	,		•		,		.01	-01									.01	O1	
,		. 20	.01			,	;			Ť		.01	,							.05	,	,	.0
		٠		;	,	,	.02	.02	.02	.10	.06	.03	.01	.05	;	:	;		1	,	.01	,	
											. !					1				1 .			

SUBSCRIPTION PRICE: 07.55 FER TEAR INCLUDING ANNUAL SURRARY. FOREIGN RAILING 01.05 EXTER. SINGLE COPYL 20 CENTS FOR MONTHLY DE ANNUAL ISSUE. INERE IS A RIMINUM CHARGE OF 03.00 FOR FACE ORDER OF SHELF STOCKED ISSUES OF PUBLICATIONS, MARK CHICKS PAYORIE TO DEPARTMENT OF COMPANY, WHAT IS DEPARTMENT OF COMPANY OF COMPANY

noaa NATIONAL OCEANIC AND /

INFORMENTAL DATA AND

Samiel B. Mitchell DIVERSE

USCORN NORE ASHEVILLE DE 21179

APRIL 1979

ORKLAND . CRLIFORNIA

Local Climatological Data ETCAL EDDY

NATIONAL MEATHER SERVICE OF MONTHLY SUMMARY INTERNATIONAL AIRPORT CHILINGS 21, 44 M. CONDILINGS 155, 15 M. EFERALDS CONDINGS. PL. PLONDED LINE RICCI. BUTTLE

		1 (mm	40'UR	٠,			65*	Or Days on	111	**(*)	101104	3 14 1 15			NIN			5.45		100	344	
7.3	2 9		Same	A. C. S.	Mering. 34 - 75 av.	ACAN CALLER	(00 K. west	1 - 60 2 - 1 - 100 3 - 1 - 100 4 - 100 - 100 5 - 100 - 100 6 - 1	or or or or or or or or or or or or or o	100/100 (00/100 (00/100	114 *C	6.14.	10 mm mg 9.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	COMPAND ONCO		1	7		7	A	
	2	1		5	6	784	:18		1 0	10		122	1		. 1 .			1 10	119			1
1	6.2	40		0	45	10	0		0	0	0	30 1	120	1		2 16		1		1		1
2	6.2	40	56	1	41	a	0		0		0	30.1		1		5 10	23	1		1 5		4
3	65	46	56	1	4	v	0		13	0	0	30 16			4 6	3 14		1		1 %		-1
4	60	40	50	,	40		0		0	0	0	10 1		4	, ,	3 14				1 8		-1
9	58	5.2	55	0	40	1.0	0		0	0	0	30 0.	100		2 0	5 18		1		n	p.	1
0	6.1	5.3		2	40		0		0	*	0	30.0	123		1 10			1		1 0	6	1
1	0.4	47	56	1	40	U	0		0.	0	0	30 11	20	6		0 17	20			0	3	1
4	50	5.3	9.6	1	47	0	0.		0	0	0.1	30 13	27	14	6 14	0 21	2.1			13	**	1
۷	67	52	24	2	43	,	0	1	0	0	0	30 00	30	12.	0 18	1 25	**			4		1
0	60	47	54	-2	42	1.1	D		0	0	0	30 .01	31	1.4	1 16	4 25	20	1			- 6	1
1	67	5.4	50	2	40	,	0		0.1	0	0.	30 0	120	15	5 15	7 21	20	1			- 5	1
-	63	**	50	0	47	u	.0		0	0	0	30 - 12	150		0 10.	0 10	20	1		-		1
4	63	40	50	0	40	8	0		8	D	0	30 16	56	2	2 4	3 13	27	1		2	1	1
	65	52	54	3	50		0		0	0		30.00	1		1 0	6 16	37	1		,	-	1
0	00	5.	57	1	+0		0		0	07	. 0	20 00	36			2 13	30	1		10	u	1
,	67	40	53	-	41	12	0		0	0.1	0	30.00	100	10.0	3 13	et 2	34	1	1	- 61	.10	1
	50	44	514	-6	32	14	0		0	0	- 10	30.00	28	10.0	0 1	25	50	1	1	,		1
U	50	444	5.2	-	41	13	0		0	0	0	10.20	1	1		9 15	20	1		0	0	1
Ø.	6.2	40	55	-2	44	10	. 0		0	17	0	30.10	25			8 14	2.3			10		1.
1	65	5.1	24	1	+0		e e		0	0	0.	30.04				2 17	24	1		1.		1.
2	6.1	53	5.7	0	40	0	0		0	14	0	20 00		0	9 0	1 16	24			,		1
,	6.5	55	54	2	50	6	0.		0	.23	. 0	20 00	20	14	1 15	0 23	22			*		1
1	64	50	5.7	0	40		0		0	0	0	30.03	30			5 13	51	1			6	1
1	64.	53	6.1	•	50	4	0		0	0.2	0	30.00	31	1 1	0 5	0 8	35			10	1.0	1
9	6.4	58	61	•	53	•	0	1	0	1.1	0	30 00	1.0	4		. 14	23			U	en	1
	0.0	54	621	*	62	3	0		0	0	0	30 15	100	6	· u	1 1 1	20	1		5	-	1.
0	6.3	5.4	50		50		0		0	0	0	30 14		O.		1 1 %	2.41			3	3	1
o	60	54	57	0	40		0		0	0	0	30.00		11 .	111	1 15	27			v	0	1
1	30.	54*				1014	igini			tera,	1018		1		-	der		10100		50.5	5.*	+
1	16.5	152"				244	0		1	20	p.	30.07		6.6			20	1	100	155	143	1
ļ	Reg	avo.	Ave		dre	010	06.5	PRECIPITATION	1	26.	1		1	-	1	2111	111		-	Av	av.	1
ł	65.4	20.01	90.7	0.6	41	20	10 DA1E	- 01 N. H		-1,00			1	-	1	1	- 44	1		3.2	4 6	1
1	****	t * Q* Q4 .	5		1	to a	TOTAL	1.0 1964		gera			*	an har		1					100	1
1	***	11 15	*141		- 1	25 45	01	140404 #510#H5	6			11 .00	34					Mes in a			8404	1
I	. 90 1	. 12 1	1 12		0 .	26.0	000	ME MY 1 20	ě	100	22 23		V.	100	mr.	1 11	C. C.F.	1,2 Ox	Itt me	C. Paril		1
٢	26	79	1 0		0	- 5.5	12.1			CC000' 1		-				4		No. A				1

								RESULTANT		
	40 14 15 40 14 16 40 14 16 40 14 16 40 14 16 40 16 40 40 16 40 16 40 40 40 40 40 40 40 40 40 40 40 40 40	1(10	E AT	20.00	2	S 19115		*61133a	01140	
	30 0e 30 0e	54	50	•	Z (1	57	1.6	
6	30 00	5.3	40	*	70		000	27	1.0	
	30.07	60	5.4	40	67	11		27	10.6	
•	30 04	**	51	**	71	10		5.6	12.5	

SUMMARY BY HOURS

HOURLY PRECIPITATION INNIER EQUIVALENT IN INCHES 00 1 0.1 21 06 .07 .01